STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

Charleston, W. Va.	
Charleston, W. Van	1 1 1.
moun	a. H. Bummaer
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
	(a 2 2 2 2 2 2 11) 1/11
ADDRESS	COMPLETE ADDRESS
	~
- Un Brown	November 23 ,1941
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Troclur District
ADDRESS	1 - 1
	Wrebsel County
OWNER OF MINERAL RIGHTS	39°45'
	Well No. 2 80° 40'
	Well No. 70
ADDRESS	The The Bloth
GENTLEMEN:	Vallentint Blatt Farm
The undersigned well operator is entitled to	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case	e may be) under grant or lease dated / 8 duy
the april -1941 made	by Hope construction + Refing Col, to
	1 /4 -
a. B. Simmingen	, and recorded on the day
of May - 194!	in the office of the County Clerk for said County in
Book 35 Ja, page 1 25	
to be drilled for oil and gas by the undersigned well	t engineer and shows the proposed location of a well l operator on the farm and in the Magisterial District courses and distances from two permanent points, or
of coal beneath said farm or tract of land on which	believes there are no coal operators operating beds said well is located, or within 500 feet of the boundand filed their maps as required by law, excepting the as addressees.
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will ca coal mines, must be received by, or filed with the Depa a copy of this notice and accompanying plat by said that forms for use in making such objections will promptly on request and that all such objections must	(if any) are notified that any objections they may an are required to make by Section 3 of said Code, if ause a dangerous condition in or about their respective artment of Mines within ten* days from the receipt of Department. Said coal operators are further notified to be furnished to them by the Department of Mines to set forth as definitely as is reasonably possible the ased and indicate the direction and distance the pro-
(The next paragraph is to be completed only	in Department's copy.)
그 아이들은 아이들은 아이들은 아이들의 아이들의 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above	shown respective addressday before, this copy to the Department of Mines at Charleston,
Very	truly yours,
TARK	1 /1 / 1 1
201374/5/62/3	a. Diminger
Control of the contro	WELL OPERATOR
100 S	
Address of	STREET
Well Operator	Dameron
(a) of Million (b)	CITY OR TOWN
W. Com	West Virgini3/2023
(21)	STATE
*Section 3 If no such objections be filed or be	found by the department of mines, within said period of
ten days from the receipt of said notice and plat by the de ment shall forthwith issue to the well operator a drilling	partment of mines, to said proposed location, the depart- permit reciting the filing of such plat, that no objections found thereto by the department, and that the same is

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

WET-270 PERMIT NUMBER

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To Tue Department of Mixes. Charleston, W. Va.

NAME OF WELL OPERATOR	COAL OPERATOR OR COAL CWITER
COMPLETE ADDRESS	Authors
101,	COAL OPERATOR ON COAL OWNER
PROPOSED LOCATION	
District	ADDARSS
	ecanyon
County	
	OWHER OF NINERAL MERTS
Well No.	
	серицах
Farm	Gruntmen:
rol basi le tert to musi bemsa evede suit moqu livil	
	oil and gas, having fee title thereto, (or as the case
of the state of th	
and recorded on the day	
n the office of the County Clerk for said County in	to the second
and the second of the second of the second second of the s	Book a series page / Land
courses and distances from two permanent points, or believes there are no coal operators operating beds	to be deilled for oil and gas by the undersigned well and County above named, determined by survey and clarid marks. The undersigned well operator is informed and of coal beneath said farm or tract of land on which s
and filed their maps as required by law, excepting the	aries of the same, who have mapped their workings of
use a dangerous condition in or about their respective tment of Mines within ten* days from the receipt of Department. Said coal operators are further notified be furnished to them by the Department of Mines set forth as definitely as is reasonably possible the	The above named coal operators or coal owners of desire to make to such proposed idection, or which the dealing of a well at said proposed location will ear coal mines, must be received by, or filed with the Depart a copy of this notice and accompanying plat by said that forms for use in making such objections will promptly on request and that all such objections are ground or grounds on which such objections are basposed location should be moved to overcome same.
in Department's copy.)	(The next paragraph is to be completed only
mailed by registered mail, or delivered to the above	Copies of this notice and the enclosed plat were
	named coal operators or coal owners at their above so or on the same day with the mailing or delivery of West Virginia,
inly young	
WELL OPERATOR	
Танята	Address
	Well Operator
NWOY NO TOWN	
	10/13/202

"Section 8 . . . If no such allocations be fled or be found by the department of mines, within said period of ten days from the versifit of such artice and plut by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the scal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

December 8, 1941 Mr. A. C. Isiminger Cameron, West Virginia Dear Sir: Permit WET-270 to drill Well No. 2 on the Valentine Blatt Parm, Proctor District, Wetzel County, is enclosed. Duplicate permit shall be posted on the rig. When the well is completed, please file complete record on the enclosed forms 00-10. Very truly yours, Secretary OIL AND GAS DIVISION MG/am ono-4 CC: Inspector D. G. Courtney 10/13/2023 06-10

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Permit No. Wel - 270

Oil or Gas Well Day Hole

	1	1			CONTRACTOR OF THE PARTY OF THE		
Company Address	anier	couple !!	gen	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Vales			cres / 35	Size			
	5 (/	a Christ					Kind of Packer
Well No		E ///	lev.				
		fee by Valentin	of Blatt				
Priviling		Address		81/4	The second secon		
Mineral rights ar				6%	8 25 fee	L-	Depth set
	1/1	.Address					
Drilling commend	ced Wee	10-174	19115				
Drilling complete Date Shot	//	To The	0				
		III					
Open Flow		in			CANADA CONTRACTOR IN CONTRACTO		
	/10ths Merc.	in	Inch	CASING CEM	ENTED	SIZE	No. Ft. D
		lbs		COAL WAS E	NCOUNTEREI	AT 798	FEETINCH
	1111	feet					FEETINCH
	A STATE OF THE STA	feet		FEE	TINC	HES	FEET INCH
Formation	Color	Hard or	Тор	Bottom	Oil, Gas	Depth	Remarks
20 1	10	Soft			or Water	Found	
hale	Durk	SIA		10	1	ALL.	- CO
nd Stone	Light	Medin	16	25	3	S Se Ost	\$ 23
12,6	121	1.11-	,		110	12	
11/1/1/2			14	115	100	400	6
***	THE T	Soft both	25	45	1	10/	34
me o	White	Hourd	45-	70	12/ 1		23456
me luto & Shel	White	Hurd	45-		12'-8	E E ZIII O	68
ato & shel	White	Hurd	45 ⁻ 70	70	112'-8	EISINO	168
uto & shell	White	Hard Hard	45- 70 200	70 200 236	1/2/-8/	ESTINO	1681
uto & Shel ine ed Rock	White	soft-	45- 70 200 230	70 200 236 265	12'-8	EISINO	168
uto & Shel ine ed Rock	White	soft-	45- 70 200 230	70 200 236 265	1/2/-8/	EISINO	1681
uto & Sheld ine ed Rock late & let Rock	Red Lince	soft-	45- 70 200	70 200 236	12/-8/	ESTINO	168
ato & Shell ine ed Rock late & let Rock	Red Lince	soft-	45- 70 200 230 265-	70 200 236 265 400	1/2/-8/	Ersino	1681
ato & Shell and Rock late & Pel Rock Victory	Red Lince Pteel Line	Soft Soft Mechen	45- 70 200 230 265- 400 420	70 200 236 265 400 420	1/2/-8/	EISINO	16816
ato & Shell and Rurks late &	Red Lince Pred Line Line	soft- soft	45- 70 200 230 265- 400 420 466	70 230 236 265 400 420 460 535	1/2/-8/	ESTINO	1681
ato & Shell in le Rurks late & Flate &	Red Lince Freel Line June	Soft Soft Mechen	45- 70 200 230 265- 400 420 460 535-	70 230 236 265 400 420 460 535 540	1/2/-8/	ESTINO	1681
ato & Shell in le Rurks late & Auto &	Red Lince Freel Line June	Soft Soft Mechen	45- 70 200 230 265- 400 420 466	70 230 236 265 400 420 460 535	1/2/-8/	E SI II O	1681
ato & Shell in le Rurks late & Auto &	Red Lince Freel Line June	Soft Soft Mechen	45- 70 200 230 265- 400 420 460 535- 540	70 200 236 265 400 420 460 535 540 580	12-8	ESTITO	1681
ato & Shell and Rocks Pal Rocks Interpolate & Sure Shell Rocks See Rocks Rel Rocks Rel Rocks	Red Final France June June June June	Soft Soft Mechan slove	45 70 200 230 265 400 420 460 535 540 \$80	70 200 236 265 400 420 460 580 600	1/2/-8/	ESTITO	16816
ato & Shell and Rocks late & Auto & Arabana Sino Sino Sino Sino Sino Sino Sino Sino	Red Fine Time June June June June June White	Soft- Stells Soft- Mechan stone	45- 70 200 230 265- 400 420 460 535- 540 600	70 200 236 265 400 420 420 4536 580 600 798	1/2/-8/	SE STITO	1681
ato & Shell ne Rocks late & Auto & Arabana Sino Sino Sino Sino Sino Sino Sino Sino	Red Fine Time June June June June June White	Soft- Stells Soft- Mechan stone	45 70 200 230 265 400 420 460 535 540 \$80	70 200 236 265 400 420 460 580 600	1/2/-8/	ESTITO	1681
ato & shell and Rock late & late & rul Bloss and Bloss and Bloss and Bloss and Bloss and Bloss and Bloss and Bloss and Bloss	Red Lince Time June June white the Cert	Soft- Stella Soft- Mecheni Stone Harl	45- 70 200 230 265- 400 420 460 535- 540 600 798	70 200 236 265 400 420 420 4536 580 600 798	12'-8', 825	ELSINO.	16816
ato & shell ine and Rock late & Pel Rock Pul Bloss and Bloss ine Usfing	Red Lince Time June white White white	Soft- Stella Soft- Mecheni Slove Hard	45- 70 200 230 265- 400 420 460 535- 540 600 798 805-	70 200 236 400 420 420 420 580 600 820 820	825	6578	
ato & shell and Rock late & late & late & late & sul Bloss and Bloss and Bloss ine inte	Red Lince Time June white White Core White Dark	Soft- Stella Soft Mechan stone Hard Soft	45- 70 200 230 265- 400 420 460 535- 540 600 798 805- 820	70 200 236 265 420 420 435 580 600 798 800 820 860	825	6578	10/13/2023
ato & shell all Rocks Pale Rocks Pale Bloss and Bloss and Bloss into the fine apply	Red Line Fred Jime June white White Cord	Soft- Stella Soft- Mecheni Slove Hard	45- 70 200 230 265- 400 420 460 535- 540 600 798 805-	70 200 236 265 420 420 436 580 600 798 800 800 904	825	6578	
ato & shell all Rocks late & late & l	Red Lince Time Time Time Time White White White White Red White Red Red	Soft- Stella Soft Mechan stone Hard Soft	45- 70 200 230 265- 400 420 460 535- 540 600 798 805- 820	70 200 236 265 420 420 435 580 600 798 800 820 860	825	6578	
ato & shell include to late to late late to late to late to late to late to late to late to la	Red Lince Time Time Time Time White White White White Red White Red Red	Soft- Stella Soft Mechen Stone Hard Soft Meden	45- 70 200 230 265- 400 420 460 535- 540 600 798 805- 820 806 904	70 200 236 265 420 420 436 580 600 798 800 800 904	825	6578	
ato & shell all Rocks Pale Rocks Pale Bloss and Bloss and Bloss into the fine apply	Red Line Fred Jime June white White Cord	Soft- Stella Soft- Mechine Stone Hard Soft Medin Sigt-	45- 70 200 230 265- 400 420 460 535- 540 600 798 805- 820 860	70 2 3 6 5 4 7 0 0 5 8 0 0 4 9 1 0	825	6578	

EXTENSION AND ADDRESS OF THE PARTY OF THE PA	15-			(0)(0)			
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	Red.	Sufe-	932	955			
ine	white	Hard	955	980			
		- N. P.	980	1000			
Red Pronts	Red	soft-	1000	I DESAL			
Rale	Wark	seft.		1080			
ReilBork	Red	soft	1080	1090	1 7 2 1		
Pale	soft-		1040	# (NO)		1	
me	while	Hard	1155	1175	100		
Pale	Dark	seft	1175	1185			
itte Don	Land	Sand	1185	1203			
me	,		1203	1230			
00	Hard	1 /-		14 A.			
State	Durk	Sigh-	1230	1250	Jan. 1965		
Land	white	syl-	1250	1260			
Stolo	Dark	sist	1260	1290			
	- 14 TA FE	/	The second				
	2007	Total	depth	1270			
	19-20-6	150000	OFF	×-9 c			
	4	A STATE OF THE STA	1			constitute:	
			LOUIS NO.	3/12	(A = , = A)	3	10
	1747		74.0	770		9.9	
- John A	11/1				SE PER PROPERTY OF SECTION OF SEC	E 110	
A MESON	A SEA				20.5	AL S	
	LL 201 72		The second	10	T.	Warracos S	
Formation	Color	Hard-or Seft	Kap	Bottom	OH, Cas or Weder	Liettin AWAN Mana	Ketaari
	And Page	1861 (881.77)	101	1.E.	T ANOL	E8 141	EF INCI
			bhis, ist 24 hr	COAL WAS I	RCOUNTEDED T LINGS	AT A TAX PE	Sa. IMCI
		198	Current Current	Annual Annual			
Volume	/lesha Mesc.	Hage remove the second	mer	evalue orn	emico	126	ir i i
Open Flow	/loths Water	B	en e				
Date She	E,1.00			Liners Used,		The state of the s	of top.
		- X - Z - X -	(44.5	3		t t	ef. hortom
	The Annual Control of	Address.	A management	9 0 70 000			
	owned by			9 3 \ TQ - 2000 2	X Y STEELS	D	mtlysether in the real
The surface of two	THE SE AN ERO WE	Address at man		17	1243	3	
Ulstrich Vanier		County		19			es Ol
	7		16 Years you	16.		K.	nd of Packer
Paem (Vaters		7 h 200 h	C146 (195 J	Sixa			
Address, as Seen	A	1177	You Ye	Lumuk	promut	10/	3/2023
combant training			A. S.	Castag and	[[[[[]]]]]	Pett II	Parallera

APPROVED A Siminger, Owner

DERVITWENT OFBANKED

13-9

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER ARRANGED BY THE DEPARTMENT OF MINES:

Total Depth

12701

Fill with red clay from bottom 1270' - 1165' - 20' above Little Dunkard.

Wood Plug

1165* - 1162*

Neat Cement

1162' - 1152' - Sealing Dunkard Sand.

Continue filling with red clay from 1152' - 835' - 30' below Pittsburgh Coal.

PULL 825' - 6-5/8" casing.

Neat Cement

835' - 778' - 20' above Pittsburgh Coal.

Red Clay

778' - 132' - 20' below 84" casing.

Wood Plug

132' - 129'

Neat Cement

129 - 124

PULL 112' - 81" casing.

Red Clay

124' - to surface.

Erect Marker such as is described in Rule 18, 1931 Regulations -- giving name of operator, farm name, well number and date abandoned.

NOTE: CEMENT FOR MAKING CEMENT PLUGS BE MIXED WITH WATER ONLY-APPROXIMATELY FIVE GAL WATER TO ONE SACK CEMENT.

NOTEL CHANGES IN THE ABOVE WORK ORDER CAN BE GRANTEDONLY BY THE DEPARTMENT OF MINES, CHARLESTON, W. VA.

Coal Owner or Operator, To the Department of Mines Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

24th day of February , 194 2.

DEPARTMENT OF MINES 10/13/2023
Oil and Gas Division

By:

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

B-8.

FORM OG

To THE DEPARTMENT OF MINES, Charleston, W. Va.

ADDRESS

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

ERATOR
ESS
ESS
1010
1942
NDONED
Distri
Count
COLUMN TOTAL STREET, ST.

Gentlemen: MOTE: If plugging cannot begin on date specified below, please notify Department of Mines, Oil & Gas Division.

Waxi Valentine Blatt

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the 29th day of February , 194 2, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Well Operator.

10/13/2023

Farm

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

B FORM OG-8


STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

	BE MADE IN TRIPLI							
ADDRESSES.	,		1	1,	01.	,		
onsn	PERATOR OR OWNER		(1)	S.	NAME OF WELL	2	marcon ge	u
COAL OF	-ERATOR OR OWNER		0	in		11) Ike	
	ADDRESS		5.	VVVC	O COMPLETE	ADDR	ESS	
***************************************			Ma	4e7	1.			194 2
COAL O	PERATOR OR OWNER		R	- "	ELL AND L	-oc	ATION	
	ADDRESS		VIU	reu	14			District
	ADDRESS		un	ba,	1			Country
LEASE O	R PROPERTY OWNER			1				County
			Well No	0.	2			
	ADDRESS		7/0.	10	-073	0	00	
			vaxe	uls	10/0	rce		Farm
STATE INSPECTOR S	SUPERVISING PLUGG	ING						
		AFFIC	DAVIT					
STATE OF WEST	10.	ss:						
County of Mars	ball)	. ,	1			0	0
a.l.	Harring 9	in	and 6	da	ar,	11	Then I	Bey
being first duly sw	orn according to la		and say th	at the	y are expe	rier	ced in the	work of
plugging and filling	oil and gas wells and	d were em	ployed by	A	. 15.	9	Lin	inger
well operator, and p	participated in the w	ork of plu	gging and	filling	the above	e w	ell, that sa	id work
was commenced on and filled in the fol	the 2 day of 7	narch		, 194.2	and that	t th	e well was	plugged
SAND OR ZONE RECORD		MATERIAL		P	LUGS USED		CAS	SING
FORMATION	CONTENT	FROM	то		SIZE & KIND		CSG	CSG
1.1	O don't	1270	/				PULLED	LEFT IN
Joja	Red Clair	1270	1240	-				
Pu	1 1 - 1	10 eco	in 5				1240+	el-
	Lillat Red clay	1240	1120	10.				
	Wood Plug	1120	1117	lu	9 614			
()	Neut Cerront	1111	1100)		667728	9303
Pers	mul- Bud	2	950				(2010L1-	379
	1 73 ag news	950	837	-		6	3 80 100	(a. 30 C)
	Cernent of	037	722			5	The same	10 to
	Red elay	782	741	-		207	10	10 O
	Cement J	741	687			10		200
	Red Clay	687	425			1	(2)	2. 100
	Cernent	425	340	-10	1100		31415	Char
0011 001110	wood Blug	340	3/37	10/8	14 we	7	N OF MONUME	NT
COAL SEAMS	2 Bans S Cen	1-	+0	4000	t) cale	1-	O B	attra
NAME)	4 ledo to	Lion	Red	oly.	4 9	1	2	in a m
NAME) Pitts fing	h coul 80	0	200	(Tope	ia	lur_	1
NAME) Mossellar	m eval 70							•
	of plugging and G	ling soid	well was	oom 1	atad an ith		5	day of
1. 1	of plugging and fil	ing said	well was	comple	eted on the	e	~	uay or
	, 194 2			1.	0.		10/4	2/2022
/ And further de	ponents saith not.		a	K	· H	1	, 10/1	3/2023
			DI		Dil'a		7	200
			tall	and	unigh	J,	2	
Sworn to and s	subscribed before me	e this Z	day	of U	uen		317	, 194 >
				6	10P	The	the	000
My commission exp	11 10			(8)		10	/Notary I	ublic.
Decemb	r4 1945			9	P	ern	nit No. 27	0-1
and the same of th	IV CHARLESTON W VA					100		ALTERNATION DIST

Ca and the Belokenine wast flow him a till bein antiquete to show and are him. 10/13/2023



File No.

Drawing No.

Date Nov., 13, 1941 Scale 1" = 400'

- Denotes one inch spaces on border line

of original tracing.