FORM OG-1

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

TO BE DRILLED DEEPER.

10	THE DEPARTME	N.T. C	of WIINES,	
	Charleston,	W.	Va.	

Charleston, W. Va.		
Un-known		t Va Gas Company.
COAL OPERATOR OR COAL OWNER		WELL OPERATOR
	Clarksburg, West	
ADDRESS	COMP	LETE ADDRESS
	September 27th	• ,19 45
COAL OPERATOR OR COAL OWNER	PROPOS	ED LOCATION
	Grant	
ADDRESS		District
Robert E. Lee	Wetzel	County
OWNER OF MINERAL RIGHTS		30° 40'
Hundred, West Va.	Well No. 1768	80° 30'
ADDRESS		
	J. M. Snider	Farm
GENTLEMEN:		
The undersigned well operator is en	titled to drill upon the above nam	ed farm or tract of land for
oil and gas, having fee title thereto, (or as	s the case may be) under grant or le	ease dated
June 2, 1902	, made byJ. M. Snider	, to
Philadelphia Co. of West Va.	, and r	ecorded on the 26th. day
July 1011	, in the office of the Coun	
Book 111 , page 495	, in the ones of the source	oy order for some obtaining and
and County above named, determined by suland marks. The undersigned well operator is information of coal beneath said farm or tract of land caries of the same, who have mapped their same.	rmed and believes there are no co on which said well is located, or w workings and filed their maps as re	pal operators operating beds ithin 500 feet of the bound-
coal operators or coal owners (if any) above The above named coal operators or coal desire to make to such proposed location, or the drilling of a well at said proposed locatic coal mines, must be received by, or filed with a copy of this notice and accompanying plant that forms for use in making such object promptly on request and that all such object ground or grounds on which such objection posed location should be moved to overcom	on will cause a dangerous condition the Department of Mines within to by said Department. Said coal of tions will be furnished to them becomes must set forth as definitely and are based and indicate the directions.	by Section 3 of said Code, if in or about their respective en* days from the receipt of perators are further notified y the Department of Mines as is reasonably possible the
(The next paragraph is to be comple	eted only in Department's copy.)	
Copies of this notice and the enclosed		
named coal operators or coal owners at the or on the same day with the mailing or do West Virginia.	eir above shown respective address_elivery of this copy to the Department	day before, nent of Mines at Charleston,
	Very truly yours. PITTSBURGH & VERT YA CAS CO	garley
WEST VIRGINIA	#608 Union Natl.	
Or Orlanium.	of Clarksburg,	STREET
Well .	CIT	Y OR TOWN
212028/8/19	West Va.,	10/06/2023
		STATE

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

TO HE DETAILED DESIRE.

To THE DEPARTMENT OF MINES,

	CHAILGHUM, IT. VIII
Pittsburgh & West Va Gas Company.	Un-knovm
NAME OF WELL OPERATOR	COAL OPERATOR OR COAL OWNER
Clerkeburg, West Var	
сомриета абраеза	ADDRESS
September 27th.	
September 2/th.	COAL OPERATOR OR COAL TOWNER
PROPOSED LOCATION	COAL DELETER OR COAL OWNER
Crent	
District	
Wetzel	Robert I. Ise
19 4 4 6 E	отноем даляние по язимо
Well No 1768 86° 27°	Hundred, West Va.
	* PA 2691 * DETRIBLE
J. M. Snider	And all the second seco
	FINALL MARKET STATES
ed to drill upon the above named farm or tract of land for	The undersigned well operator is entitle
ic case may be) under grant or lease dated.	oil and gas, having fee title thereto, (or as ti
made by J. M. Smider to	June 2, 1902
yab . dtd2 edt ne bebroen bus .	Philadelphia Co. of West Va.
	1911, 1911
in the office of the County Clark for said County in	
	Book 111 , page 495
spetent engineer and shows the proposed location of a well of well operator on the farm and in the Augisterial District y and courses and distances from two permanent points or	to be drilled for all and gas by the undersigne
ed and believes there are no soal operators operating beds which said well is located, or within 500 feet of the bound- lengs and filed their maps as required by law, excepting the named as addressees.	The undersigned well operator is informed east beyeath said farm or tract of land on
where (if any) are notified that any objections they may don they are required to make by Section 3 of said Code, if will cause a dangerous condition in or about their respective a Department of Mines within ten" days from the receipt of y said Department. Said coal operators are further notified as will be furnished to them by the Department of Mines a must set forth as definitely as is reasonably possible the are based and indicate the direction and distance the moment.	The above named coal operators or coal or lesire to make to such proposed tecation, or what chilling of a well at said proposed location on innes, must be received by or filed with the receive of this notice and accompanying plat by an all forms for use in making such objection aromapity on request and that all such objections ground or grounds on which such objections could be moved to overcome as
domiy in Department's copy.)	(The next paragraph is to be completed
t were mailed by registered mail, or delivered to the above	Copies of this notice and the enclosed pla
above shown respective address ery of this copy to the Department of Mines at Charleston.	m on the same day with the mailing or delivived Virginia.
TERMENT ST. O. W. S. S. C. LAND.	TIT
White Hill Harden	
WELL DESCRIPTION	diggram.
#608 Union Ng61. Bank Bldg.	
YTHRY PO	
Clarksburg.	10

10/06/2023

Wost Va.,

NWOT NO YTIO

"Section 3.... If no such abjections be filed or be found by the department of minus within said per od of minus for many free of minus within said per department of minus, to said proposed location, the department of minus to the velle operator a diffice permit recition like their of such plat, that no objections have been made by the real operators to the location, or found their to be the department, and that the same is approved and the well operator authorized to proceed to drill at gold location.

A-10

PITTSBURGH AND WEST VIRGINIA GAS COMPANY

UNION NATIONAL BANK BUILDING CLARKSBURG, WEST VIRGINIA
October 2, 1945

West Virginia Department of Mines Oil and Gas Division. Charleston, West Va.

Dear Mr. Blackburn:

Enclose you Form OG-1, Notice of proposed location of oil and gas well, Form OG-10, Well Record, and well location map showing location of Well No.1768, J. M. Snider farm, Grant District, Wetzel County, to be drilled deeper.

Very truly yours, PITTSBURGH & WEST VA GAS COMPANY.

OCT 1945
WEST VIRGINIA
WEST VI

October 13, 1945

Pittsburgh & West Virginia Gas Company 608 Union National Bank Building Clarksburg, West Virginia

Gentlemen:

Enclosed is permit WET-331 to drill deeper Well No. 1768 on the J. M. Snider Farm, Grant District, Wetzel County.

Very truly yours,

Engineer OIL AND GAS DIVISION

JRB:K Bnol-2

CC: Inspector D. F. Desist

PITTSBURGH AND WEST VIRGINIA GAS COMPANY

UNION NATIONAL BANK BUILDING CLARKSBURG, WEST VIRGINIA
July 31, 1946

Not 331

West Virginia Department of Mines Oil and Gas Division. Charleston, West Va.,

Dear Mr. Blackburn:

Enclose you Form OG-10, Well Record on drilling deeper Well No.1768, J. M. Snider farm, Grant District, Wetzel County, West Va.,

Very truly yours,
PITTSBURGH & WEST VA GAS COMPANY.

AUG 1946
WEST VIRGINA
DEPARTMENT OF MARS

PITTSBURGH AND WEST VIRGINIA GAS COMPANY

INION NATIONAL BANK BUILDING OLARGEBURG, WEST VIRGINGA JULY 31, 1916

West Virginia Department of Mines Oil and the Division. Charleston, West Va.,

Dear Mr. Blackburn:

Hegord on drilling deeper Well Mo. 1768. J. M. Smider farm, Grant District, Wessel County, Vest Va.

PITTS OUT OF THE TA GAS COMPANY.

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
		in the second					
		,					
OUT DESCRI				-5700			
g Injun tal Depti-			1920 2030		0.18	5092-5010.	
-rederiged glavic ser	g .		1000 1000	5090 TàSO			
erconded	q.		1550	1770			
-recorded			1390 1400 1475	1775 1550			
-೩೦೦೨ವಿನರಡ್ಡ -೩೦೦೨ವಿನರಡ್ಡ			1912	1330 1330			
h. Gaal -recorded			610	- 1315			
n-recorded			0	870 870		11.5	
	Color I	-Haze or Soft	Teb	12 from "	or Water	Depth Found	Penistra
				1.01	A THE RESIDENCE		
			Toget has an pla				
						250	ort .
	Angle group	11			FLAGED T	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	Application of the	iur var					
						i i	COST SE
		or M. 1969					Company
	Service	Monda Ther 29, 190	og * M * Ag *	e white the	27071	51071	
tarifini perdan	HE OWNER TO	opens P. Ic			Tess.	18201	
	rente is owned it	To have Hormer		10.70	1315+ 190:	Tere.	6 00
and Cr		000000		TO TO			ed of Theke
continuitement Ven No. 176	Libble	on sys. i-	2300160	1. SER.			
is in To H.	Thicer		36-3/1	Zubing.	Drilling	Well -	Packars
	a lengant.	Tost Va Gas	Godfieda.	China na	d Used in	1,111,12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
to his No.	Cabirrali ?					10	/06/2023
	5.51		ANELL	MECOH			

APPROVED_

Ву___

(Title)



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

Company Pit	tsburgh 8	West Va Gas	Commen			On or G	as Well (KIND)
Address Clar	rksburg, W	lest Va.	company.	Casing and	Used in	T of4 :-	(KIND)
Farm J. M. S		100	26 2/1	Tubing	Drilling	Left in Well	Packers
Location (waters	Little	ten S/E. 1-	Acres 26-3/4	Size			
Well No. 1768			Elev.1108.69	16			77. 1 45
District Gran	nt	County_ We	tzel	13			Kind of Packer
The surface of tra	act is owned in	n fee by Herman	R. Rice	10	4601	4601	G: a
		Address Big I		81/4	1312'	1312'	Size of
Aineral rights ar	e owned by	Rebert E. Le		65%	18581	18581	Depth set
brilling common a	Sente	Address Hund	red, W.Va.	5 3/16	21071	2107'	
		ber 14, 1903		3			Perf. top
		the second secon	0	Liners Used			Perf. bottom
Vith		The second second		Liners Used			Perf. top
pen Flow	/10ths Water		Inch				Perf. bottom
	/10ths Merc.	in	Inch	CASING CEME	ENTED_	SIZE	To. FtD
olume			Cu. Ft.			N	D:
			hrs.	COAT WAS TO	MOOTHER	·= 870	01
ilresh water			_bbls., 1st 24 hrs.		NCOUNTERED		EET 84 INCH
alt water			feet		INCH		EETINCHI
		1	feet	FEET	INCH	IESF	EETINCH
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
gh. Coal n-recorded ig Dunkard n-recorded as Sand n-recorded st.Salt Sand n-recorded nd.Salt Sand n-recorded			810 817 1312 1330 1400 1475 1550 1770 1800 1920 2060	817 1312 1330 1400 1475 1550 1770 1800 1920 2060	Gas	2065–2070	01
	AND ST 28 29 37 31	OCT 1945 OCT 1945 WEST VIRGINIA WEST VIRGINI	121374			1	0/06/2023

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
			E.				
3.3			Take and				
7							
		The state of					
0.77 0.000.011							
tota sMelle Po i pentă	Derik	Soft	2278	23.25	09.0	2815-02191	SATE COUR
adon deillii Eg Philip Go	of degree	Section Fort	2060	22.4W	CHO	01 (070121)	60,00
Market bon	-	EPM			or Water	- Loung	
	Color	Mara or Soft	1,00	17911021 	Off. Cop.	0.445	Romarka
estil wither		Marie Target	100				
on the same			FERT DE SE DE	COAL TOAS	ECOUNTERE!	1	
TOBO TO THE	21,600 42		Ch E				
red agrices see	Maga Maga			CPPLACE CELL	EMARIN (FF. 1	SIZ II. LANGE INC.	
H-1		3/12					
in as coulty	107A J	3 1946		Lam Dec.		100 pt 10	
	June 2	blig 1916		97777			
n carl kining sa	country the		od, M. Ve.,	Q48			
eral prairies on to	or at an harmon		TD, W. Vo.,	8:17			
CPL PESTS			program	19.5			
Circles For the			1308,691	18			Lat Packet And
nine q. q.	rider Littlet	3/E. 34	50-0/1	arra			
TO SHARE THE PARTY.	Tabia's H			Cooper and Tubing	Leed in Drilling		
	and the same of th	cat Valuer	Callana.				6/2023
or and agent	-3T	. A.	ALECT	EECOH		10/0	0/2023
			2 8 3 Bank 5 - 5	And Sharp South New York			

Date Duly 30, 1946, 194_

APPROVED PLATSBURGH & WEST VA GAS COMPANY.

By W. C. McMasters (Title)

B-2 Littleton



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No.	331			RECORD NG DEEPER.		Oil or Gas V	Vell (KIND)
Company		est Va Gas Co	ompany.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm J. M. Si	nider	A	cres 26-3/4		Diming	WOM	
Location (waters)_		on S/E. 1-4	7704 /04 7			Vi	nd of Packer
Well No. 1768		El	ev.1108.69'	VA 16		KII	id of Facker
District Grant		_CountyWet	zel	. 13			
The surface of trac	et is owned in	fee by Herman R	R. Rice	10		Siz	e of
	· -	Address Big Ru	m, W. Va.,	81/4			
Mineral rights are	owned by Ro	bert E. Lee	2 -010 -020	65/8		De	pth set
		Address	ed, W. Va.,	5 3/16			
Drilling commence	June 26	oth, 1946		3		Per	rf. top
Drilling completed	July 19	, 1946		2		Per	rf. bottom
Date Shot	From	То_		Liners Used		Per	rf. top
WithOpen Flow 28 /						Per	rf. bottom
Volume/ Rock Pressure	10ths Merc. i	in	Inch Cu. Ft. hrs.		NTED	SIZENo. l	FtDat
Fresh waterSalt water		feet	bbls., 1st 24 hrs. feet feet	COAL WAS EN	INCI	HES FEE	T INCHES
Fresh water	,	feetl	bbls., 1st 24 hrs.	COAL WAS EN	INCI	HESFEE	TINCHES

AUG 1946
WEST VIRGINIA
DEPARTMENT OF MOVES

B-3

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

33/ INSPECTOR'S PLUGGING REPORT

Permit No. Wet - 35	# 1	Frank (*) and ser		A Park I was also I have a		We	II No/	768
COMPANY Equil	able Bas to x	WVa	ADI	DRESS Cele	w	va		Permit No.
FARM A . W		DISTRI	CT_	DRESS Cel	_co	UNTY WE	get	
Filling Material Used_			nik.			7		Contpany
Liner	Location	Amoun	it	Packer		Location	1	Farm
PLUGS USE	D AND DEPTH PLACED			BRIDGES		CASIN	IG AND T	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONS	TRUCTION-LOCATION		RECOVERED	SIZE	LOST
20.0			, 3 B		gma.	2802	2"	183'
			athea			2014	536	931
Perf. top			9	tige	láre	1485	678	373
Perf, bettom				30	ù.	489	84	823
Porf 'top			Filmers Use	dadiat mak	6.12	17'	10	443
Pair bettom				dontal no oroh	Cada	111	anigut set	Open flow af
No. PT	STATE SIZE	alam violik 3	O DMEAD	39.55				Volume
				216		lbs		litezaria washi
THOM		Programme San Tol	1.797 1.2,775					Tir.
THE ALL DAMES	Transcore .							
Orillers' Names	A FEET TO A SECOND SECO			1997		7931		sainw iis
Remarks:	•							
,	^						89//	
	Caugh	32 1	11-11-	Sind		27282931	137172	2
	1				1	DE WEST	C 1952	S Treated I
						DEPARTMENT	VIRGINIA	789
					1	Carried States	OF MINES	707
1/-26-5°	I hereby certify [v	visited the al	bove well on	this date.	1	018/1191	SIVLEL	S. S
				0	,7	de	een	V

STATE OF WEST VIRGINIA

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	- Series Spirit			Oil or	Gas Well	richa ikryn.
Company	e dividuo (1995)	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS WAR
Address		Size			Ligal Usinst	
Farm		16		1890	Kind of Pac	ker
Parm_		13		E PART BALA	olau apiris	Company of Company
Well No	AVOTE RECOVER	10	98	oosw T	Size of	MENTS.
	County	81/4				
D 1111		65/8			Depth set	
Drilling commenced		5 3/16				
Drilling completed	Total depth	3		,	Perf. top	
Date shot	Depth of shot	2			Perf. botton	1
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
					Perf. bottor	n
Open flow after tubing	/10ths Merc. inInch					
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil_	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTEREL	AT	FEET	INCHES
Fresh water	feetfeet	FEET	INC	HES	FEET	INCHES
Salt water	feetfeet	FEET	INC	HES	_FEET	INCHES
Delland Marror		·				Remarks
Drillers' Names			\$25 E			
Remarks:				•		

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Casing Record.

21071 - 5-3/16" Casing.

18581 - 6-5/811 11

1312! -8-1/4"

Lundred, West Mai

Well to be plugged and filled as follows:

Total depth 2285 feet.

Clay 2285 - 20251

2025 - 2015 1 2015 - 2014 1 Stone Lead Plug

Cement Plug 2014 - 20041

Bridge hole at 1500 feet.

1 - Sack cement on bridge at 1500 feet.

Clay to 1330 feet. 1330 - 13201 Cement Plug

Bridge hole at 847 feet.

Cement Plug 847 - 790:

Clay 790 - 480: 30' Below Pgh. Coal. 20' Above Pgh. Coal.

Cement Plug 480 - 4700 Clay 470 - 51

51 to surface. Cement Plug

Erect marker such as is described in Rule 18, 1931, Regulations. All to be done in a workman like manner.

NOTE:

Pull casing as hole is being filled and plugged.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well or approvide ride of this land. don the said well on opposite side of this sheet.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby apprior of the well above mentioned.

Lith day of August, 1952

DEPARTMENT OF MINES Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for





STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

TO THE DEPARTMENT	OF WITNES,
Charleston, W.	Va.

	2025 - 2025	Stone
Un-Known	E UITABLE GAS COMPANY-WEST V	A DIV.
Coal Operator or Coal Owner	Name of Well Operator	
	.dool Clarksburg, Westova. oo	
Address	Complete Address	Slay to Sement E
. Seed		19_5
Coal Operator or Coal Owner	WELL TO BE ABANDONE	Coment Fi
	Grant 074 - 084 30.	Distr
Address	· Wetzel of 'd	Coun
Robert E. Lee		
Lease or Property Owner	Well No. 1768	ram Joet od, od 11.
Hundred, West Va.	J. M. Snider	Fa
Address		: 350

Gentlemen:-

The undersigned well operator is about to abandon the above described well and will commence

August 12, 1952

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

ell Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared 10 06/2023 engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

WET-331-P

PERMIT NUMBER

PORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

	n		EQUIT	ABLE GAS COMPANY		A. DIV.
COAL OF	PERATOR OR OWNER			Clarksburg.		
	ADDRESS			November 21	RESS	19 52.
COAL OF	PERATOR OR OWNER		-	WELL AND LOC		
	ADDRESS		-	Grant		District
Robert 1	E. Lee,			Wetzel		County
Hundred	, West Va.		Well N	0. 1768	•	-
	ADDRESS			J.M. Snider	(3	28793037)
STATE INSPECTOR S	UPERVISING PLUG	GING	Not Insp	ected	200	WOE T
			DAVIT		20272232	Pron Viens
STATE OF WEST	VIRGINIA,)			2120	WAT OF ONLY
County of We	tzel	ss:			(E)	MINES
County Oi	rmond Shields	-)	and	Howard M. Lemle	- CO	1/01011111
				nat they are experien		work of
and filled in the foll	lowing manner:			, 19_52., and that th		
SAND OR ZONE RECORD		G MATERIAL	1	PLUGS USED	CSG	SING
Slate - Big Injun & -	Total Depth	2285 F	eet.	Cut 2" Tubing 2	PULLED	LEFT IN
Inrecorded.	Clay	2285	2025	Out 2" IUDINE A	TOY IGHT	
			CO. C. LEWIS CO. L.	211	21021	1831
In-recorded	Stone 5-3/16"Lead Pl	2025	2014	2#	21021	1831
In-recorded In-recorded In-recorded	Stone 5-3/16"Lead Pl Cement	2025 lug 2014 2013	2014	5-3/16"	2014	931
In-recorded In-recorded In-recorded In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged	2025 lug 2014 2013 1500	2014 2013 2003	5-3/16" Cut 6-5/8" Casi	2014	931
In-recorded In-recorded In-recorded In-recorded In-recorded	Stone 5-3/16"Lead Pl Cement	2025 lug 2014 2013	2014	5-3/16" Cut 6-5/8" Cast & 1485*	2014 ng 1728	93° - 1603°
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand -	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement	2025 11g 2014 2013 1500 1500	2014 2013 2003 (1-Bag)	5-3/16" Cut 6-5/8" Cast & 1485* 6-5/8"	2014 ng 1728*	93° - 1603° 373°
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - k Big Dunkard Sand	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement	2025 2014 2013 1500 1500	2014 2013 2003 (1-Bag)	5-3/16" Cut 6-5/8" Cast & 1485* 6-5/8" Cut 8-1/4" Cast	2014 ng 1728 1485 ng 1200	93° - 1603° - 373° - 1095°
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - & Big Dunkard Sand	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement	2025 lug 2014 2013 1500 1500	2014 2013 2003 (1-Bag)	5-3/16" Cut 6-5/8" Cast & 1485* 6-5/8" Cut 8-1/4" Cast 980*-828*-720*-	2014 ng 1728 1485 ng 1200 700-600	93° - 1603° - 373° - 1095° -550° & 2
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - k Big Dunkard Sand Big Dunkard Sand In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement	2025 2014 2013 1500 1500	2014 2013 2003 (1-Bag) 1330 1320	5-3/16" Cut 6-5/8" Cast & 1485* 6-5/8" Cut 8-1/4" Cast	2014 ng 1728 1485 ng 1200	93° = 1603° 373° = 1095°
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - & Big Dunkard Sand In-recorded In-recorded In-recorded In-recorded & Pgh. Coal	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged	2025 2014 2013 1500 1500 1500 1330 847	2014 2013 2003 (1-Bag)	5-3/16" Cut 6-5/8" Casi & 1485* Cut 8-1/4" Casi 980*-828*-720*- 8-1/4" 10"	2014 ng 1728 1485 ng 1200 700 600 489	93° - 1603° - 373° - 1095° -550° & 4823° 443°
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - & Big Dunkard Sand In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged Cement Clay Cement Clay Cement	2025 2014 2013 1500 1500 1500 1330 847 848 790 480	2014 2013 2003 (1-Bag) 1330 1320	5-3/16" Cut 6-5/8" Casi & 1485* 6-5/8" Cut 8-1/4" Casi 980*-828*-720*- 8-1/4" 10" (81" Casing ripp 6 feet 6-5/8" C	2014 ng 1728 ng 1728 ng 1200 ng 1200 ng 1200 ng 1200 ng 1200 ng 170 ng 1200 ng 170 ng 1200 ng 170 ng 1200 ng 1200 ng 170 ng 1200 ng 1200 ng 170 ng 1200 ng 1200 ng 1200 ng 170 ng 1200 ng 1200 ng 170 ng 1200	93° - 1603° - 373° - 1095° - 550° & 4 823° - 443° - 808 to 8 4 feet 6
In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged Cement Clay Cement Clay Cement Clay	2025 102 2014 2013 1500 1500 1500 1330 847 848 790 480 470	2014 2013 2003 (1-Bag) 1330 1320 790 480 470 5	5-3/16" Cut 6-5/8" Casi & 1485* 6-5/8" Cut 8-1/4" Casi 980*-828*-720*- 8-1/4" 10" (8\frac{1}{2}\text{" Casing ripp} 6 feet 6-5/8" C 2" Pipe in mark	2014 ng 1728 ng 1728 ng 1200 ng 1200 ng 1200 ng 1200 ng 1200 ng 170 ng 1200 ng 170 ng 1200 ng 170 ng 1200 ng 1200 ng 170 ng 1200 ng 1200 ng 170 ng 1200 ng 1200 ng 1200 ng 170 ng 1200 ng 1200 ng 170 ng 1200	93° - 1603° - 1603° - 1095° - 1095° - 550° & 4 823° - 443° - 808 to 8 4 feet o
Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded - Gas Sand - & Big Dunkard Sand Big Dunkard Sand Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded Un-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged Cement Clay Cement Clay Cement	2025 2014 2013 1500 1500 1500 1330 847 848 790 480	2014 2013 2003 (1-Bag) 1330 1320 790 480	5-3/16" Cut 6-5/8" Casi & 1485° 6-5/8" Cut 8-1/4" Casi 980°-828°-720°- 8-1/4" 10" (81" Casing ripr 6 feet 6-5/8" C 2" Pipe in mark above marker.	2014 ng 1728 ng 1728 ng 1200 n	93! - 1603! - 1603! - 1095! - 550! & 4 823! - 443! - 808 to 8 4 feet o
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - & Big Dunkard Sand In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged Cement Clay Cement Clay Cement Clay	2025 102 2014 2013 1500 1500 1500 1330 847 848 790 480 470 5	2014 2013 2003 (1-Bag) 1330 1320 790 480 470 5	5-3/16" Cut 6-5/8" Casi & 1485* 6-5/8" Cut 8-1/4" Casi 980*-828*-720*- 8-1/4" 10" (84" Casing ripp 6 feet 6-5/8" C 2" Pipe in mark above marker. DESCRIPTIO	2014 ng 1728 ng 1728 ng 1200 ng 1200 ng 1200 ng 1200 ng 170 ng 1200 ng 170 ng 120 ng 170 ng 1	93! - 1603! - 1603! - 1095! - 550! & 4 823! - 443! - 808 to 8 4 feet o
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - & Big Dunkard Sand Big Dunkard Sand In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged Cement Clay Cement Clay Cement Clay	2025 102 2014 2013 1500 1500 1500 1330 847 848 790 480 470	2014 2013 2003 (1-Bag) 1330 1320 790 480 470 5	5-3/16" Cut 6-5/8" Casi & 1485" 6-5/8" Cut 8-1/4" Casi 980"-828"-720"- 8-1/4" 10" (81" Casing ripp 6 feet 6-5/8" C 2" Pipe in mark above marker. DESCRIPTIO Cast Iron Pip	2014 ng 1728 ng 1728 ng 1200 n	93° - 1603° - 373° - 1095° - 550° & 4 823° 443° - 808 to 8 4 feet o
In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded In-recorded - Gas Sand - & Big Dunkard Sand In-recorded	Stone 5-3/16"Lead Pl Cement Hole Bridged Cement Clay Cement Hole Bridged Cement Clay Cement Clay Cement Clay	2025 102 2014 2013 1500 1500 1500 1330 847 848 790 480 470 5	2014 2013 2003 (1-Bag) 1330 1320 790 480 470 5	5-3/16" Cut 6-5/8" Casi & 1485* 6-5/8" Cut 8-1/4" Casi 980*-828*-720*- 8-1/4" 10" (84" Casing ripp 6 feet 6-5/8" C 2" Pipe in mark above marker. DESCRIPTIO	2014 ng 1728 1485 ng 1200 489 170 489 170 ed 2 Rips asing and er, 2 th Pe	93° - 1603° - 373° - 1095° - 550° & 4 823° - 443° - 808 to 8 4 feet o

twonH-nu

EQUITABLE GAS COMPANY - WEST VA. DIV.

Clarksburg, West Va.

November 21,

Hetzel.

1768

J.M. Snider

Not Inspected

fetzel

Robert E. Lee.

Hundred, West Va.

Reymond Shields

Howard M. Lemley

Equitable Ges Co., West Va. Div.

September


2025 2014 2285 2285 2025 Potal Dopth - Sig Tajun de -Cut 2" Tubing 2102 feet. 93.3.y 15015 "8 Stone bestosar-al 1831 2013 5-3/16"Lead Plac 2014 Debroser-ou 5-3/16" 2014 James 100 2013 1500 beercosex-ed Cut 6-5/8" Casine 1/28" - 16031 Borbird ofel 1500 Janen 5 Ju-recorded & 1/85t (205-[) 6-5/811 14851 3731 Un-recorded - Gas Jand -E Big Dunkard Sand Out 841/4" Casing 12001 = 10951 1330 007. Clay Big Dunkerd Sand DSEL 1330 Un-recorded Sembina ofoli 1231 173 Un-recorded & Pub. Coal Concat 054 878. (8g# Casing ripped 2 Rips 808 to 815) 6 feet (-5/8# Casing and 4 feet of 2# Pipe in marker, 2# Perferabed Clay Cement bobroomen'U Un-recorded Un-recorded Clay Un-recorded Surface . Terinam evode Pan. Coal 0.583 Cast Iron Pipe Post 817 Cest Iron Flate Lettered .Sovie .. oo eso effective

19

radatovoli

10/06/2023

19 52.



Company PITTSBURGH & W. VA. GAS

Address CLARKSBURG, W. VA.

Farm J. M. SNIDER

Tract Acres 26 3/4 Lease No. 6209

Well (Farm) No. ONE Serial No. 1768

Elevation (Spirit Level) 1108.69' V.A.

Quadrangle LITTLETON S.E. I 4

County WETZEL District GRANT

Engineer Kenneth B. Moone

Engineer's Registration' No.

File No. D.19 - P. 90 Drawing No.

Date 9-27-1945 Scale 1" = 300'

WELL LOCATION MAP

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

HES