



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,			
Charleston, W. Va.			
None	E. H. JENNINGS		
COAL OPERATOR OR COAL OWNER	1212 Clark Bui	OF WELL OPERATOR	
	Pittsburgh 22,		
ADDRESS		MPLETE ADDRESS	
	May	15	,19 4 7
COAL OPERATOR OR COAL OWNER	PROP	OSED LOCATION	
	Gr	ant	District
ADDRESS	Wat	203	
Mills Wetzel Lands, Inc.	Mer	39035	County
OWNER OF MINERAL RIGHTS	120	39000	
6th & Putman Sts., Marietta, Ohio	Well No. 139	80 35	
ADDRESS	John M	417.	TD
	John I	ALILS	Farm
GENTLEMEN:			
The undersigned well operator is entitled to			
oil and gas, having fee title thereto, (or as the cas	se may be) under grant o	r lease dated	
April 12, 1895 , mad	le by John Mills		, to
Kanawha Oil Company	, an	d recorded on the	4th day
of March, 1896	in the office of the Co	unty Clerk for said	County in
Book 47 , page 611			
The enclosed plat was prepared by a competen to be drilled for oil and gas by the undersigned we and County above named, determined by survey and land marks.	ll operator on the farm I courses and distances	and in the Magister from two permanen	rial District t points, or
The undersigned well operator is informed an of coal beneath said farm or tract of land on which aries of the same, who have mapped their workings coal operators or coal owners (if any) above named	s and filed their maps as	within 500 feet of	the bound-
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Depa copy of this notice and accompanying plat by said that forms for use in making such objections wipromptly on request and that all such objections must ground or grounds on which such objections are be posed location should be moved to overcome same.	they are required to make ause a dangerous conditions artment of Mines withing Department. Said coall be furnished to them st set forth as definitely	te by Section 3 of station in or about their ten* days from the loperators are furth by the Department as is reasonably	r respective the receipt of ther notified at of Mines possible the
(The next paragraph is to be completed only	ly in Department's cop	y.)	
Copies of this notice and the enclosed plat wer			to the above
named coal operators or coal owners at their above or on the same day with the mailing or delivery of	e shown respective address of this copy to the Department	essda	ay before, Charleston,
West Virginia.	y truly yours,	Leuren	18
231413101		of	President
AL SE	E. H. JENNINGS	BROS. COMPANY	
5 Mary 10 B		WELL OPERATOR	
00 11 20	1212 Clark Bui	lding, Pittsbur	gh 22, Pa.
Address		STREET	
Well Operator	r	1(0/06/2023
Address of Well Operator		CITY OR TOWN	
THE DEBUGGE		STATE	

*Section 3 If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WET-339 PERMIT NUMBER



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

TO THE DEPARTMENT OF MINES, Charleston, W. Va. E. H. JEHNINGS BROS. COMPANY Mone 1212 Clark Building Editerated 22, 22. 1947 May 15 COAL OPERATOR OR COAL OWNER PROPOSED LOCATION Justo Wetzel wills Wetsel Isada, Inc. 340 35 Well No. 139 6th & Potman Star, Marietta, Ohio John Wills GENTLEMEN: The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated. made by John Mills April 12, 1895 and recorded on the Ath day Hanawha Oil Company in the office of the County Clerk for said County in of March, 1896 Book 47 page 611 The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or The undersigned well operator is informed and believes there are no soal operators operating beds of soal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees. The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections with be furnished to them by the Department of Mines promptly on request and that all such objections must set form as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the programment. posed location should be moved to overcome same. (The next paragraph is to be completed only in Department's copy.) Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address.

or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston. West Virginia. Very traly yours, President E. H. JEWNYMAS BROS. CORFANT 1212 Clark Building, Pittsburch 22, Pa. 10/06/2023

Election 3.... It no such objections be field or be found by the department of mines, within said period of ten days from the reselve of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operators a drilling permit reciting the films of such plat, that no objections have been made by the cost operators to the location or round thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

288-18W-

Winterstand Werender beitriebe terest

A-1'

May 27, 1947

B. H. Jennings Brothers Company 1212 Clark Building Pittsburgh 22, Pommsylvania

Centlement

Reclosed is permit WER-539 to drill Well No. 139 on the John Mills Ferm, Great District, Wetzel County.

Vory truly yours,

Administrative Assistant OIL AND GAS DIVISION

Chilles Bhol-2

CC: Inspector Oliver W. Lineberg

E. H. JENNINGS BROS. COMPANY GENERAL OFFICE 1212 CLARK BLDG., LIBERTY AVE. & SEVENTH ST. PITTSBURGH 22, PENNA. September 2, 1947 Department of Mines Oil and Gas Division Charleston, West Virginia Attention: Mr. C. N. Hall Gentlemen: Enclosed please find a Well Record, in duplicate, of Well No. 139 drilled on the John Mills lands in Wetzel County, West Virginia, under Permit No. WET-339. The oil and gas production in this well is so small that we have decided to abandon it. Would you kindly send us, by return mail, a permit to do this. If there is any reason for delay in the issuing of the permit, would you kindly 'phone the writer at Court 2986, Pittsburgh, Pennsylvania. We are anxious to get the well plugged at an early date so that the drilling contractor may start another well. Very truly yours, JENNINGS BROS. COMPANY J. G. Vollmer, Treasurer jgv/jim enc. 10/06/2023 B-1

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No.WET - 339

Oil or Gas Well Oil & Cas

Company E.H. JENNINGS BROS. COMPANY Address 1212 Clark Building, Pittsburgh 22, Pa. Farm John Mills Acres 5451	Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters)	Size			
Well No. 139 Elev. 926	16			Kind of Packer
District Grant County Wetzel	13			
The surface of tract is owned in fee by Mills Wetzel Lands, I 6th & Putnam Sts. Address Marietta, Chio	n t0. 8¼	334' 1" 1252' 10"		Size of
Mineral rights are owned by Mills Wetzel Lands, Inc. 6th & Putnam Sts. Address Marietta, Chio	6 % 5 3/16	1970		Depth set
Drilling commenced June 24, 1947	3			Perf. top
Drilling completed August 14, 1947 Aug. 18, 147 30 qts. 2804 to 2789 Date shot Aug. 28, 147 30 qts Depth of shot 2789 to 2778				
Open Flow /10ths Water inInch				Perf. bottom
Volume	CASING CEM	ENTED	SIZE	.No. FtDat
Oil 16 gallons after shooting twice bbls, 1st 24 hrs.	COAL WAS E	NCOUNTERED	AT. 741	FEETINCHE
Fresh water none feet feet	FEE	TINC	HES	FEET INCHE
Salt water feet feet	FEE	TINCH	HES	FEET INCHE

Sand 1244 1254 1590 1635 1625	Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
1590 1635 1625 1915 1625 1915	tts. Coal			741	746			
ter (3 Bailers Hr) Knon Sand Ancil Cave Bener Sand	g Duncard Sar	id		1244	1254			
Hr				1590	1635			
1895 1915 1961 2016 2024 2028 2024 2028 2215 2024 2028 2215 2240 2260 2655 2767 2770 2809 2771 2794 2879 Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.		S						
ncil Cave ener Sand each Sand gard g Injun Sand ttz Sand nk Rock ray Sand eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Gordon Sand not Very Good.				3005				
### 2016								
2024 2028 2215 g Injun Sand ntz Sand ntz Sand nk Rock ray Sand eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole 2771 2794 All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.								
g Injun Sand ntz Sand ntk Rock ray Sand eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Gordon Sand not Very Good.								
ntz Sand nk Rock ray Sand nk Rock ray Sand eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.	THE RESIDENCE OF THE RESIDENCE OF THE PARTY							
nk Rock ray Sand eak?(Slate) ray Sand eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.								
ray Sand eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.								
eak?(Slate) rdon Sand ght Skum il? (Black) ow Gas ttom Hole All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Gordon Sand not Very Good.								
ght Skum il? (Black) ow Gas ttom Hole 2771 2794 2879 Steel Line Measure All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.								
All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.	rdon Sand			2770	2809			
All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.	ght Skum							
All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.								
All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.				2794				
All Slate Bottom of Gordon Sand to Bottom of Hole. Steel Line Run on Pitts. Coal, 8" Casing, 6-1/4 Casing, Bottom Hole Gordon Sand not Very Good.	ttom Hole				2879			
Gordon Sand not Very Good.	All Slate Bo	ttom of G	ordon Sand to	o Bottom of 1	Hole.			
2011/2/2	Steel Line	dun on Pitt	s. Coal, 8"	Casing, 6-1,	/4 Casing, B	ottom Hole		
10/06/2023 10/06/2023	Gordon Sand	not Very	Good.				0	1
SEP1947 SEP1947 SEP1947 SEP1947				- TF 0'0'				
SEP1947 WEST WANNA OF MINES 107			60	6311123455		*5	X	
SEP 1947 WEST WINNA OF MINES O			200	6			10	106/2023
STATE OF MISS TO THE STATE OF T			A.V	SEP1947	00)		"	10012023
STATE OF MINES TO MINES TO STATE OF MINES TO STATE OF MINES TO MIN			32	WEST VIDENNA	81			1/
			23 111	WINTERT OF BARNES	077			
TEEL CONTRACTOR OF THE PROPERTY OF THE PROPERT			Es	or mates	73/		1	
Con alginia			E	d				
	***		Ele	Dona malal	7			

Formation	Color	Soft	Тор	Bottom	or Water	Found	Remarks
ng N							
Ferdan Dand		0000					
and the second second			Same and a	a party minutes of the	Control vanta		
Steel Line	THE WHILE STATE	Cond Pin	Constant, C-	M Ceetne. B	44.4808770		
at more si	r rementary	elajoti krestų ar	PORROPPON UT	8. x .		Contract to the second	
The state of							
						1 4	Helicure -
If (blych) m (bg ton) Nole			* 1	2679			placi whe
(50			5335				
or Saun			FEST				
to 20010 Tou Strice Tou Strice Tours			2770	5000			
rei(chiae)			83.03	2770			
THE KINDS		9 2	2000	20105 20000			
THOU THE		100.00	SEVE	5025			
SULAN ERLIG			80.88	10.25 15.15 10.01 50.44 50.00 52.15			
or gand .			2024	şbxa			
ohl cave			1020	5057			
on band	N. P.		1808	1818			
(III)				3042			
\$14 (2 D2 1101	2						
r torug	9		3230 Frote:	1685			
10 * (887)			Tritor Andrews	158			
	1			The state of the s			
	0.09	DELEVAL OF	4,9%	Battess	Call Gan	Topic	1111000.00
Park to the second							
and the second second					reserved to the same		
				T. Carrie	United States	ER SEE	
Tree outsiders	röttö				L'ESTE PALM	E.C.	EL TYCH
A joins their	after on	66	2010	LILLY A. Vegel		NI A	
	Deps		refer to the se				
	Telefformericon	II.		ESETAGE CON			
CONTRACT	TORNA MOT AL		-				The Control of the Co
min compression		Transmi	5100 10 614	17301 - 6300			
ripuk sebilipes		, 110	2769 10 2775				
		7 - 7 - 7 - 7 - 7		agreement and	0.40		AS END TO THE ASSESSMENT
		y the control of	0000	200			
resultified at	name in the gray	Lie neteria	16 5 16 F.	0.25	THE STATE OF THE S		horses -
		y 10 1 1 1 1 2 2 4 5 5	e, onto	W. Commence			
to such actions of the	or to the thing to	PARTY THE RE	The property	717 L.	TSES: 30:	100	
19.456		the second	164	4.		the state of the state of	name of surgery through
en mer et jing	and the second		0.50	100			
omitted tratain				2776			
miniculation and	10		2000 2001				
A THE THIS IS	meral control	A PARTIE		Lupius	DAME	10/0	06/2023
Company to the	THE DA	学。《你静水》		Casing and		4 40 34	
							Action to the second

By....(Title)

....., Owner

APPROVED.....

Bir

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. WET-3.	79-12-				Wel	I No/	79.
COMPANY 8. H. J	entings }	Bros. C	ADDRI	ess PiHs	Clark Bl	dg.	A skalos
FARM John M	111/5.	DISTRIC	T Gra.	it (COUNTY 4	1e+2e	(
Filling Material Used							
Liner Loc	eation	Amount		Packer	Location		
PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASING AND TUB		ING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRU	CTION-LOCATION	RECOVERED	SIZE	LOST
					309'1"	150	
					1252100	8/4"	
				e desta	1970		
			N			- 0	es de ares
7			all reals			,	
Surely, 1991				911			
				361 (P 2014)			
hil	3318	ouriana	maria.	9 10			The same of
1.1	11 1	D 1		1 11	- A P-		
Orillers' Names Ma	. 7.6.	NZTY	y du	1 191. 1	E. D. Ka	we.	
Remarks:				*			
	11		1	to son	Soc 2 -	e	
7415	wella	s as p	ogjes	1 11	11/	Port	
Completal	9/17/4	7 20	cording	· to	. 17-6,	0-01	7.
Well re	eal inci	10 sel	1212222				
		218190	* CA 23	36			
9/18/97	I hereby certify I	visited the ab	SEP 1017 on the	nis date.			
DATE		E DEPART	MENT OF MALE		W. Lu	, 6.	
		E.	- multis	3		TRICT WELL	INSPECTOR
		Ele.	2 2 62			10/06/2	2023

STATE OF WEST VIRGINIA

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	2 L Joseph C		. C ADD	17.	Oil or	Gas Well	VX LAWY:
Company	COMMODES.	3.5	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	KERS
			Size			diga71 leffs	Marke Spailer
Farm	3901	mostociti	16		1(O) 3 15 9 th	Kind of Pa	cker
Well No.		easaisa Soil-Höhau	13	0.337	4 H7430 MH	Size of	
District	County		81/4				
Drilling commenced			65%			Depth set_	
3/1/20			5 3/16				
Drilling completed	Total depth_		3			Perf. top	
Date shot	Depth of shot		2			Perf. botto	m
Initial open flow	/10ths Water	inInch	Liners Used				
Open flow after tubing	/10ths Merc. i	nInch			OSSESSED A PARTITION OF THE PARTIT	Perf. botto	m
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.	-				***
Oil	bbls.	, 1st 24 hrs.	COAL WAS EN	COUNTERED) AT	FEET	INCHES
Fresh water	feet	feet	FEET.	INC	HES	FEET	INCHES
Salt water	feet	feet	FEET	INC	HES	FEET	INCHES
Drillers' Names							s differential to
		the state of	Legar of	18 18	N. A.		
Remarks:	141	1/4	J. 15003	- 47	1 7	N.N.	



B-9

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

Fill with clay from total depth 2879: - 2742'

Cement 2742' - 2732' - sealing pay sands

BRIDGE HOLE AT 2235

Fill with clay to 1985:

Cement 1985: - 1975:

Lift 6-5/8" casing set at 1970'

Continue filling with clay to 1875

Cement 1875: - 1865:

BRIDGE HOLE AT 1650'

Fill with clay to 1570°

Cement 1570° - 1560°

BRIDGE HOLE AT 1275° Fill with clay to 1250°

Lift 81 pipe and continue filling with clay to 1200:

Cement 1200: - 1190: - as pipe is lifted

Continue tollift pipe to and bridge hole at 800°

Fill with clay to 776:

Cement 776' - 721' - sealing Pittsburgh coal

Continue to remove pipe and fill with clay to surface.

ERECT MARKER SUCH AS IS DESCRIBED IN RULE 18, 1931 REGULATIONS

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

e tribles in

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for 3 the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

3d day of September , 19 47

DEPARTMENT OF MINES
Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

By:



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

TO THE DEPARTMENT	OF MINES,
Charleston, W.	Va.

FORM OG S

	E. H. JENNINGS BROS. COMPANY
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
2742	1212 CLARK BUILDING
zbnac yad gmileoc = 'SSYS	PUTTSBURGH, PA.
ADDRÉSS	COMPLETE ADDRESS
	13095 69 galo Haiw illi
	SEPTEMBER 3, 19 47
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED
13881	I - 18781 . depart
ADDRESS	- GRANT District
	Fill with clay to
1063	WETZEL County
LEASE OR PROPERTY OWNER	- 130 CARTON BACTO :
	Well No. 139
100 100 100 value	JOHN MILLS
ADDRESS - 1001	Farm
The undersigned well operator is about to a	abandon the above described well and will commence
e work of plugging and abandoning said well which date shall not be less than five days after	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received,
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received,
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department.	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received,
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the power	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received, artment of Mines.)
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the policy of the poli	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.)
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the presented the undersigned will proceed on the presented the presented the undersigned will proceed the presented the pre	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.) ar respective representatives may be present at the ner notified that whether you are represented or not
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the presented the undersigned will proceed on the cell in the manner required by Section 10, Articles	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.) ar respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of th	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received, artment of Mines.) It respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the presented in given you in order that you are further presented the undersigned will proceed on the limit the manner required by Section 10, Articiparts side of this notice, in "Work Order."	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.) ar respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the presented in given you in order that you are further presented the undersigned will proceed on the limit the manner required by Section 10, Articiparts side of this notice, in "Work Order."	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received, artment of Mines.) It respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the presented in the undersigned will. You are further presented the undersigned will proceed on the lift in the manner required by Section 10, Articoverse side of this notice, in "Work Order." This notice is being mailed by registered manner over date.	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.) ar respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the sail to each of you at the above addresses on the
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the process of the undersigned will. You are further oresented the undersigned will proceed on the lift in the manner required by Section 10, Articoverse side of this notice, in "Work Order." This notice is being mailed by registered manner over date.	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received, artment of Mines.) It respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the presented in the undersigned will. You are further presented the undersigned will proceed on the lift in the manner required by Section 10, Articoverse side of this notice, in "Work Order." This notice is being mailed by registered manner over date.	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.) ar respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the sail to each of you at the above addresses on the
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of the process of the undersigned will. You are further oresented the undersigned will proceed on the light in the manner required by Section 10, Articoverse side of this notice, in "Work Order." This notice is being mailed by registered manner over date.	on the <u>8th</u> day of <u>SEPTEMBER</u> , 19 <u>47</u> , er the day on which this notice so mailed is received, artment of Mines.) It respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the sail to each of you at the above addresses on the ry truly yours,
The undersigned well operator is about to a work of plugging and abandoning said well which date shall not be less than five days after in due course should be received by the Department of th	on the 8th day of SEPTEMBER, 19 47, er the day on which this notice so mailed is received, artment of Mines.) ar respective representatives may be present at the ner notified that whether you are represented or not nat date, or shortly thereafter, to plug and fill said the 4, Chapter 22 of the Code and given in detail on the sail to each of you at the above addresses on the

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

WET-339-P

(Over)

PERMIT NUMBER

B'P.




FORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

			E. H.	JENNINGS BROS.	The second secon			
COAL O	PERATOR OR OWNER		1212	Clark Bldg. Pit	1	. Pa.		
	ADDRESS		1212 Clark Bldg., Pittsburgh 22, Pa.					
			September 17, 1947					
COAL O	PERATOR OR OWNER		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		The second second	District		
	ADDRESS		,	Gre	2110	District		
Mills Wetze	l lands, Inc.			Wet	tzel	County		
	PROPERTY OWNER	,		100				
c/o L. N. Dana	Belpre, Ohio		Well I	Vo. 139				
			72	John Mills		Farm		
CTATE INCRECTOR	SUPERVISING PLUGO	INC	Olivi	· W. Liz	rebero.			
STATE INSPECTOR	SUPERVISING PLUGG	311\G	Z	· · · · · · · · · · · · · · · · · · ·				
		AFFIC	TIVAC					
STATE OF WEST	VIRGINIA,	ss:		turn				
County of	ny .		C	00		*		
A- 5/2a	strug		and Co	D. Jan	ve			
being first duly sw	orn according to la	w depose	and say t	hat they are experi	enced in the	work of		
plugging and filling	oil and gas wells an participated in the v	d were em	ployed by	y Co. A. Jamy	o Ome	<i>co.</i>		
well operator, and	participated in the v	vork of plu	gging and	d filling the above	well, that sai	id work		
was commenced on	the / D day of	Sept		, 194.7, and that t	the well was	plugged		
and filled in the fol	lowing manner:	1				F88		
AND OR ZONE RECORD	FILLING	G MATERIAL		PLUGS USED	CAS	ING		
FORMATION	CONTENT	FROM	то	SIZE & KIND	CSG PULLED	CSG LEFT IN		
2-76-42	Clay	2879	2742	6" Wood Season		LEFT II		
	Cement	2742	2732					
	Rock & Mud	2732	2235	Bridge		0		
	Clay	2235	1985					
	TO BE SEED OF THE PARTY OF THE	The second secon						
	Cement	1985	1975		1970 6-5	/8" 0		
	Clay	1975	1875		1970: 6-5	/8" 0		
	Clay	1975 1875	1875 1865		1970 6-5	/8" 0		
	Clay Cement Rock & Mud	1975 1875 1865	1875 1865 1650		1970: 6-5	/8" 0		
	Clay Cement Rock & Mud Clay	1975 1875 1865 1650	1875 1865 1650 1570		1970: 6-5	/8" 0		
	Clay Cement Rock & Mud Clay Cement	1975 1875 1865 1650 1570	1875 1865 1650 1570 1560	CO PA CONT.	1970: 6-5	/8" 0		
	Clay Cement Rock & Mud Clay Cement Mud & Rock	1975 1875 1865 1650 1570	1875 1865 1650 1570 1560 1275	Bridge	Jacob Company	1 :		
	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay	1975 1875 1865 1650 1570 1560 1275	1875 1865 1650 1570 1560 1275 1250	Bridge	1970 * 6-5	0		
	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay	1975 1875 1865 1650 1570 1560 1275 1250	1875 1865 1650 1570 1560 1275 1250 1200	Bridge	Jacob Company	1 :		
	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200	1875 1865 1650 1570 1560 1275 1250 1200 1190		Jacob Company	1 :		
COAL SEAMS	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock	1975 1875 1865 1650 1570 1560 1275 1250	1875 1865 1650 1570 1560 1275 1250 1200	Bridge	12531 841	0		
	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190	1875 1865 1650 1570 1560 1275 1250 1200 1190 800	Bridge	1253; 8 ¹ / ₄ ; 334; 10;	0		
	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776	Bridge DESCRIPTI	1253' 81" 334' 10"	0		
Pittsburgh	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Mud & Rock Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776	Bridge DESCRIPTI	1253' 81" 334' 10"	0		
Pittsburgh	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Mud & Rock Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776	Bridge DESCRIPTI	1253' 81" 334' 10"	0		
E) Pittsburgh	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 x 12	1253' 81" 334' 10"	O O NT		
Pittsburgh (E) and that the work	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 x 12	1253' 84" 334' 10" ON OF MONUMER 30" H	O O NT		
and that the work Supfamba	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay Cement Clay Cement Clay	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 x 12	1253' 84" 334' 10" ON OF MONUMER 30" H	O O NT		
and that the work Supfamba	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay Cement	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 x 12	1253' 84" 334' 10" ON OF MONUMER 30" H	O O NT		
and that the work Supfamba	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay Cement Clay Cement Clay	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 x 12	1253' 84" 334' 10" ON OF MONUMER 30" H	O O NT		
and that the work Supfamba And further de	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay Cement Clay Cement Clay	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 × 12 completed on the	1253' 84" 334' 10" ON OF MONUMER 30" 34"	O O NT		
and that the work Supfamba And further de	Clay Cement Rock & Mud Clay Cement Mud & Rock Clay Clay Cement Mud & Rock Clay Cement Clay Cement Clay Cement Clay Cement Clay	1975 1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721	1875 1865 1650 1570 1560 1275 1250 1200 1190 800 776 721 Top	Bridge DESCRIPTI 10 x 12	1253' 84" 334' 10" ON OF MONUMER 30" 34"	0 NT ight		

10/06/2023



NEW LOCATION

ELEV. 926

SCALE I" = 40 RODS

Company JENNINGS BROS
Address 1212 CLARK BLDG PITTSBURG PA
Farm JOHN MILLS
TractAcresLease No
Well (Farm) No. 139 Serial No.
Quadrangle LITTL ETON
CountyWETZEL
District GRANT
Engineer C.C.Hogg.
Engineer's the stration, No. 66 PENNA
File NoDrawing No
Date 5 /15/ 47 Scale
PHINTED CA

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.