

STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS DIVISION

	F. A. JOHNSON	
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
	Oil City, Pennsylvan	nia
ADDRESS	COMPLETE ADDRESS	
	November 12, 1948	10
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	, 19
ADDRESS	Center	District
	Wetzel	
OWNER OF MINERAL RIGHTS	39045'	County
OTHER OF MINERAL RIGHTS	Well No. 1 80° 30'	
ADDRESS	J. K. LONG HEIRS	Farm
ENTLEMEN:		
The undersigned well operator is entitled to di	rill upon the above named farm or tra	act of land for
l and gas, having fee title thereto, (or as the case i	may be) under grant or lease dated	
December 12, 1947, made b	y W. Colarly W	11. I Clark
Lallow Galinano	sy	to to
J. allew Johnson	, and recorded on the	29 _ day
January, 1948, in	n the office of the County Clerk for s	said County in
ok 39-A, page 94.		
The undersigned well operator is informed and coal beneath said farm or tract of land on which saids of the same, who have mapped their workings all operators or coal owners (if any) above named as	and well is located, or within 500 feet and filed their mans as required by law	of the hound
The above named coal operators or coal owners (issire to make to such proposed location, or which they be drilling of a well at said proposed location will cause all mines, must be received by, or filed with the Depart copy of this notice and accompanying plat by said D at forms for use in making such objections will be for request and that all such objections must set forth as counds on which such objections are based and indicate the moved to overcome same.	if any) are notified that any objective of a required to make by Section 3 or see a dangerous condition in or about the tent of Mines within ten* days from the operators are fournished to them by the Department of I is definitely as is reasonably possible of the conditions.	f said Code, if their respective the receipt of urther notified Mines promptly
(The next paragraph is to be completed only	in Department's copy.)	
Copies of this notice and the enclosed plat were		l to the above
med coal operators or coal owners at their above she on the same day with the mailing or delivery of test Virginia.	nown respective address	day before
	ruly yours,	
NOV 1948  NOV 1948  Address of Well Operator	WELL OPERATOR WELL OPERATOR WELL OPERATOR CITY OR TOWN	Transit 10/06/2023
Was operator)	CITY OR TOWN	

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

WET-347 PERMIT NUMBER

Movember 22, 1948 Mr. F. A. Johnson Oil City, Pennsylvania Doar Sir: Enclosed is permit NET-347 to drill Well No. 1 on the J. K. Lord Heirs Farm, Center District, Wetsel County. Very truly yours, OIL AND GAS DIVISION CHHOK Bacl-2 CC: Inspector Cliver W. Lineberg

Administrative Assistant

A N

REGISTERED
PROFESSIONAL ENGINEER

# F. ARTHUR JOHNSON PETROLEUM ENGINEER GEOLOGIST NATIONAL TRANSIT BUILDING OIL CITY, PENNSYLVANIA

November 23, 1948

Department of Mines Oil and Gas Division Charleston, West Virginia

Attention: Miss Griffith

Dear Miss Griffith:

I am sorry I was delayed in sending you the date of the lease located in Wetzel County on which the location has been surveyed. I am enclosing herewith the data you requested on my recent visit to your office.

Yours very truly,

Arthur Johnson

FAJ:BW Enclosure



F ARTHUR JOHNSON

our room bruly,

As the Restaurant correct construction by our most in the second construction of the second constructi

Aivi November 18, 1949 Mr. F. A. Johnson Oil City, Pennsylvania Dear Sir: We have not yet received record of drilling Well No. 1 on the J. K. Long Heirs Tract, Center District, Wetzel County for which permit WET-347 was issued November 22, 1948. This information is long past due and we would appreciate two copies of the well log on the enclosed Forms OG-10 as early as possible. Very truly yours, Administrative Assistant OIL AND GAS DIVISION MG:g encl 10/06/2023

B-2							
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate Lime Injun sand Slate Slate and sh Pink rock Lime Slate Lime Gordon sand	ell		2425 2435 2485 2735 2800 3165 3282 3286 3292 3311	2435 2485 2735 2800 3165 3282 3286 3292 3311 3336	Oil - Gas	3315-3316	
Total depth			1292 1315 1350 1370 1400 1430 1440 1510	3336 1330 1330 1330 1330 1330 1330			
Sand Slate and 1: Shale Coal wime Slate apail Live Live Slate Live Slate	er T		900 385 380 780 780 895 900 900 1050 1138 1279	225 250 750 750 750 750 1050 1155 1270 1292 = 3			
Olgy Shelly Shale sad-j.	ile	<i>*</i>	50 50 9	300 300 300			
rangraption		There are	3,00		OF Maron		grauta
Volume Liver Ladarian Prosh water Soft water		Tour Tour	APPENDICTION OF THE PROPERTY O		IZDE IZDE ACGORALES D	100 E.01	DACH DE LEICHEN
Minimal rights of the many of the many continues continues to make the many of	Cobolination of the Marian	or 30, 1978	- 47.204.00		22851 \$		th sat tan 5 when to rear
Address Price to the surface of the	Clark on so in	Inc.	otzel	To any the state of the state o	Dating 1661		Pacieta d of Paste
T. H	A Topa	22 - ASS. I	WARLE	S. P. S.			06/2023

APPROVED ONLISTENS, OWN

By\_

Diagon \*

Slate

Sand

Slate

Sand

Slate

Sand

Slate

Sand

Slate

Sand



### DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No.WE	347			RECORD		. Oil or (	Gas Well
Company F. A	rthur John	Inc.	investors Oil	& Casing and Tubing	Used in Drilling	Left in Well	Packers
	sburgh, Pá	K. Long Han	Acres /49-1	Size	Driming	Well	
Location (waters	)						Kind of Packer
Well No. 1			Elev. 1854	16			Kind of Lacker
District Cent	er	_CountyW	letzel	13	3211		
The surface of tr	act is owned in	fee by		10-4	16611		_ Size of
		Address	- 4	8¼	22621		De 41 aut
Mineral rights ar		T. Fog 14	- Jwchy	65%	32851		_ Depth set
Amon JC	Oatah	Address / er 30, 1948		5 3/16	<i></i>		Deef 4
Drilling commend	4 /	16-1950	12	3			Perf. top Perf. bottom
Drilling complete	0		77/	Z I in any III and			Perf. top
With 40	qu y	ye T	37/4	Liners Used			Perf. bottom
Open Flow	/10ths Water		Inch	CASING CEME	NTED	SIZE	_No. FtDate
Volume			Cu. Ft.	OILDITTO OLIVI			
Rock Pressure			hrs.		*	<b>+</b>	
Oil of	Hent 2		_bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	FEETINCHES
Fresh water		feet		FEET	INC	HES	FEETINCHES
Salt water		feet	feet	FEET	INC	HES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	
Clay			0	8			
Shelly			8	20			
Shale and li	me		20	300			A CONTRACT
Red rock			200	225			
Sand			300 325	325 350		1 1	
Slate and li	me		350	750			
Sand			750	780			
Shale			780	870			
Coal Lime			830	835			
Slate shell			835	900			
Lime			900	1050			
Coal			1050	1180			
Lime			1185	1270			
Slate			1270	1285			
Pittsburgh c	bal		1:285	1292 - SL	M		
Slate		oran di di	1292	1315			
Red rock			1315	1350			
Slate			1350 1370	1 <b>3</b> 70 1400			
Sand		100	1400	1430			
Red rock			1430	1440			
Slate Lime			1440	1500			19
Slate (1997)			1500	1510			
Sand	1		1510	1675			
Slate			1675	1700	011 - Ga	3315-33	116-1
and			1750	1750			
Slate			1830	1900	37475	1817181920	1
and			1900	1990	(3) M.	1	23

1990

2030

2060

2070

2110

2190

2270

2400

2425

10/06/2023

SEP 1950 WEST VIRGINIA DEPARTMENT OF MINES

1900 1990 2030

2060

2070

2110

2190

2270

2400

B-9

### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

# WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

TOTAL DEPTH 3336\*

Fill with red clay from total depth 3336' - 3295'- 20' above Gordon Sand Cement 3295' - \$285'

Lift and remove 5-3/16" casing

Continue filling to 3100\*

Cement 3100' - 3090' - 5' crushed stone on cement

SET A PERMANENT BRIDGE AT 2600° - a point in the Big Injun Fill with clay to 2450° Cement 2450° - 2440°

SET A PERMANENT BRIDGE AT 1690' - 30' below 8-1/4" casing

Continue filling with clay to 2280° Gement 2280° - 2270° 5° crushed stone on cement

Well No.

Lift and remove 6-5/8" casing

Lift 8-1/4" casing and as pipe is lifted, Fill with clay to 1322' Cement 1322' - 1265' - 50' below to 20' above Pittsburgh Coal

Fill with clay to 1215

Cement 1215' - 1160' - sealing coal seams

Fill with elay from 1160° to 865° Cement 865° - 810° Remove balance of 8-1/4" casing and agriculous broading to show set

Continue fill to 321'
Lift and remove 10" casing (321')
Continue fill to surface

Erect marker such as is described in Rule 18, 1931 Regulations

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

### Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well	Operator	•
------	----------	---

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 10/06/2023

day of September, 1950 .19

DEPARTMENT OF MINES
Oil and Gas Division

By: ( n Hall

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES OIL AND GAS DIVISION

may to third of well

### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To The Decision of Marco		
To The Department of Mines, Charleston, W. Va.		
Charleston, W. Va.		
	FERRIP CHICAGO CON	
	BURTONS ENTERPRISES	
Coal Operator or Coal Owner	Name of Well Operator	
	803 Keystone Building	
A.44	Pittsburgh, Pennsylvar Complete Address	ia
Address	Complete Marcis	
	September 18, 1950	19
Coal Operator or Coal Owner	ALLE A TANKE	19
	WELL TO BE ABANDONE	E <b>D</b>
	Center	
Address	tana - todas	District
10	Wetzel	
	Toyas - II NOGGI	County
Lease or Property Owner		
	Well No.	
Address	G. W. CLARK (J. K. LC	NG HRSFarm
NOTIFY INSPECTOR (	DLIVER W. LINEBERG - MORGANTOWN - TH	LEPHONE 582
24 HOURS IN ADVANCE	E OF PLUGGING DATE	
Gentlemen:—	The state of the s	
The undersigned well operator is about	t to abandon the above described well and w	ill commence
The underbighted well operator is about		
	Fill a ton oldy from 11004 to debt	
the work of plugging and abandoning said	well on theday of	19
	after the day on which this notice so maile	a is received,
or in due course should be received by the	Department of Mines.)	
This metics is given man in ander the	t was respective representatives were be	nogent at the
the second secon	t your respective representatives may be p	
	curther notified that whether you are repre	
represented the undersigned will proceed	on that date, or shortly thereafter, to plug	and fill said
well in the manner required by Section 10,	Article 4, Chapter 22 of the Code and given in	detail on the
reverse side of this notice, in "Work Order	r."	
This notice is being mailed by register	ed mail to each of you at the above addresses	on the above
date. The guid of reference to oblight and h		
Eam	Very truly yours,	
111819202730		
1510 A (ES)	18 for for for	
-0.1950 E	Joy Merchann	ell Operator.
SET VIRGINIA &	James Bus	tons
The Man of Med and the Man of the	II benches above less to think and in the militing oned.	10/06/2023
NOTE: Upon the abandonment of all well	s drilled prior to June 1, 1929, a plat prepared latch the tract of land is located, the name and ac	by a competent
the names of the owners and adjacent tracts, and	the location of the about to be abandoned well.	determined by
survey, and the courses and distances of such we be submitted with this notice.	ell from two permanent points or landmarks on s	said tract, shall
	(Over)	

WET-347-P

PERMIT NUMBER

