

DEPARTMENT OF MINES OIL AND GAS, DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,

Charleston, W. Va.			
Imperial Oil & Gas Products Co.	Louis F.	Silhol et al	
COAL OPERATOR OR COAL OWNER	NAME	OF WELL OPERATOR	
704 Second Ave. Pittsburgh, Pa.	316 Akron	Ave., Pittsb	urgh (16
ADDRESS		MPLETE ADDRESS	
		July 11	40
COAL OPERATOR OR COAL OWNER	PPOP	OSED LOCATION	_, 19 45
			the state of
ADDRESS	Grant		District
Virgil Willey and Lillian, his wife	Wetze	1	
OWNER OF MINERAL RIGHTS	And And Anna Control	390 35'	County
Pine Grove, Wetzel County, W. Va.	Well No. 2	80° 35-1	
ADDRESS			
GENTLEMEN:	Virgil and	d Lillian Wil	leyFarm
The undersigned well operator is entitled to detail			
The undersigned well operator is entitled to drill oil and gas, having fee title thereto (or and the	upon the above na	med farm or tract of	f land for
oil and gas, having fee title thereto, (or as the case ma	y be) under grant or	lease dated	
October 8, 1895 , made by_	Mikel Barr	et al	, to
FILL AGGIDATA COMPANY			
in t	he office of the Cou	inty Clerk for said	County in
Book 47 , page 558		dioric for Suid (Lounty In
The enclosed plat was prepared by a competent engand to be drilled for oil and gas by the undersigned well operated and County above named, determined by survey and couland marks. The undersigned well operator is informed and belief of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as according to the same of th	ieves there are no well is located, or filed their maps as	rom two permanent process of the coal operators operators within 500 feet of the required by law, exce	I District points, or ting beds e bound- pting the
desire to make to such proposed location, or which they are the drilling of a well at said proposed location will cause a coal mines, must be received by, or filed with the Department a copy of this notice and accompanying plat by said Department forms for use in making such objections will be furnion request and that all such objections must set forth as degrounds on which such objections are based and indicate the objection would be moved to overcome same.	any) are notified the required to make a dangerous condition at of Mines within the rement. Said coal coal ished to them by the efinitely as is reason direction and distance	n in or about their in en* days from the reperators are further Department of Mines	Code, if respective eccipt of notified
(The next paragraph is to be completed only in I	Department's copy.		
copies of this notice and the enclosed plat were mail	ed by registered ma	il, or delivered to the	e above
named coal operators or coal owners at their above shown or on the same day with the mailing or delivery of this West Virginia.	respective address_copy to the Departr	ment of Mines at Ch	before, arleston,
Very truly	yours,	1	
21415167/18/93	Lawif !	00.0	
	WELL	OPERATOR	
Address	316 Akron Ave	STREET	
Well Operator	Pittsburgh. 1		VOCIOGO
	0,	OR TOWN	0/06/2023
*Section 3 If no such objections be filed or be found	1- (1-	STATE	

ten days from the receipt of said notice and plat by the department of mines, within said period of ment shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections approved and the well operator authorized to proceed to drill at said location.

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

PERMIT NUMBER




STATE OF WEST VICTIMA

DEPARTMENT OF MINES

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To Tan Department of Mines. Charle ton, W. Ver
In the first of the control of the c
TO THE STORES OF THE STORES OF THE STORES OF THE STORES OF THE STORES.
COAL OFERATOR OR COAL OWNER - PROPOSED LOCATION
portlaid.
church with the service of the servi
. av. s. vendo, every enter.
washing the state of the state
the contract of the last of the case that the case that the case of the case o
The state of the s
WAR CHOOSE STORING OF THE STORY
Company of South carries with the south of the control of the cont
The enclosed plat was prepared by a component engineer and should the proposed libraries of a will to be drilled for all end by the understand well operator on the farm and in the fel material District and County above numbed, determined by survey and courses and distincts from two permanents points, or lead marks.
described was a first or tract of the waste and wall as accessed on the property of the body of the property o
Copies of this notice and the enclosed plat were entitled by regulatored main or delivered to the chore entired each entitle of conserve of their above shows respective the cost of the matter of the conserve of the conserve of the conserve of the cost of the
Normando Carrio
TANKE AND THE PROPERTY OF THE PARTY OF THE P
10/06/2023

to be not the state of the stat





DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.

Imperial Oil & Gas Products Co.	Louis F. Silhol, et al	•
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
704 2nd Avenue, Pittsburgh, Pa.	316 Akron Ave., Pittsb	urgh 16, P
	July 25	19 49
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	
	Grant	Disti
ADDRESS		District
Virgil and Lillian Willey	Wetzel	County
OWNER OF MINERAL RIGHTS	Wetzel 390 35'	
Pine Grove, Wetzel Co., W. Va.	Well No. 2 820 35'	t and the second
GENTLEMEN:	Virgil and Lillian Wi	lley Farm
The undersigned well operator is entitled to di	ill upon the shows named form on the	
oil and gas, having fee title thereto, (or as the case r	are below the above named farm of trac	t of land for
October 8, 1895	Mt a head Parent of lease dated	and the second second
October 8, 1895 , made b	Michael Barr et al	, to
Philadelphia Company	, and recorded on the_	5th day
of February, 1896, in	the office of the County Clerk for said	id County in
Book 47 , page 558		
The enclosed plat was prepared by a competent of to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and colland marks. The undersigned well operator is informed and lof coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings a coal operators or coal owners (if any) above named as	ourses and distances from two permane coal operators opedieves there are no did well is located, or within 500 feet of the coal operators open did well is located, or within 500 feet of the coal operators open did well is located, or	erial District ent points, or perating beds
The above named coal operators or coal owners (it desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Departra a copy of this notice and accompanying plat by said Dethat forms for use in making such objections will be furnished to make the companying plat by said Dethat forms for use in making such objections will be furnished and that all such objections must set forth as grounds on which such objections are based and indicate the moved to overcome same.	any) are notified that any objection are required to make by Section 3 of a a dangerous condition in or about the nent of Mines within ten* days from the partment. Said coal operators are furnished to them by the Department of Mindefinitely as is reasonably possible the definitely and distance the proposed local	ns they may said Code, if eir respective he receipt of ther notified nes promptly
(The next paragraph is to be completed only in	Department's copy.)	
Copies of this notice and the enclosed plat were m	ailed by registered mail or delivered +	to the above
named coal operators or coal owners at their above showson the same day with the mailing or delivery of the West Virginia.		
Very tru	- // /	/ i
55232425262	WELL OPERATOR	
JUL 1949 Address of Well Operator	316 Akron Avenue STREET Pittsburgh 16, Pennsy: CITY OR TOWN	 1 <u>†@∤06/2</u> 023
	STATE	
*Section 3 If no such objections be filed or be for		

resection 3... If no such objections be filed or be found by the department of mines, within said period of the days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections approved and the well operator authorized to proceed to drill at said location.

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

July 19, 1949 Imperial Oil & Gas Products Company 704 Second Avenue Pittsburgh, Pennsylvania Gentlemen: We are in receipt of notice of proposed location No.2 on the Virgil and Lillian Willey Farm. Grant District, Wetzel County by Louis F. Silhol et al, 316 Akron Avenue, Pittsburgh, Pennsylvania. copy of the notice and map of location should have been sent you by the well operator. If the location of the well will interfere with mining now in progress or projected on your mining maps, please file objections with the Department of Mines on or before July 29, 1949. Very truly yours, Administrative Assistant OIL AND GAS DIVISION CNH:K 10/06/2023 ATLANTIC 3020

A-11

BALDRIGE & SILHOL
ATTORNEYS AT LAW
996 UNION TRUST BUILDING
PITTSBURGH 19, PA.

ROBERT W. BALDRIGE LOUIS F. SILHOL July 25, 1949

Department of Mines Oil & Gas Division Charleston, West Virginia

Gentlemen:

Enclosed please find application to drill a well to be known as the V. Willey #2 located in Grant District, Wetzel County, West Virginia. There is also attached a sketch showing the proposed location.


Very truly yours,

LFS: NM

Enc.



Air July 26, 1949 Louis F. Silhol et al 316 Akron Avenue Pittsburgh 16, Pa. Gentlemen: We are in receipt of application of revised location No. 2 on the Virgil and Lillian Willey Tract, Grant District, Wetzel County (Michael Barr et al) but the white print accompanying the application has well No. 3 circled in red, which indicates that you have revised the location for No. 3 instead of No. 2. However, in comparing the two tracings we are unable to find any difference in the courses and distances of the first location and revised location. Please advise us as soon as possible. Very truly yours, Administrative Assistant OIL AND GAS DIVISION MG:g 10/06/2023 A ...



Slate & Lime

Coal (Mapleton) Slate & Lime

Lime

Slate

Sand Slate



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No. WE	T = 356		WELL	RECORE		Oil or G	as Well Gas
	kron Aver	nue, Pittsb			Used in Drilling	Left in Well	Packers
		an Willey		Size			
		Creek		16			Kind of Packer Anchor
Well No. 2		161 o ± a	Elev. 904				
		_County Wetz		STATE OF THE PARTY			Size of 2" x 6 5/8"
		fee by Virgil			173'	173'	Size of Z A O O/
		AddressPine G			4071	4071	Depth set
		perial Oil			10.		Depth set
		Address Pitts					Perf. top Pgh. Coal
		1949		3 2 Tubing	6361	6361	Perf. top 1811. Udal
		3, 1949			0.00	000	
		пТо		Liners Used			Perf. top
With		in Maple town	3/8				Perf. bottom
Rock Pressure			hrs.	COAL WAS EN	INCH	ES 605	FEET to -INCHES- FEET INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	20			
Rock			20	25			
Slate			25	45			
Red Rock			45	60			
Lime & Sl	ate		100	100			
Lime Sand			118	125	Water @	20	
Slate			125	142	,		
Lime & S1			142	175			
Gritty Li	ate		745	110		THE RESIDENCE OF THE PARTY OF T	
ar rool ma	A STATE OF THE PARTY OF THE PAR		175	182			
Lime & Sl	me		175 182	182 230	Show Gas		2 0401
Lime & Sl Sand	me ate		175 182 230	182 230 245			per hr. @ 240'
Lime & Sl Sand Lime & Sl	me ate	hand	175 182 230 245	182 230 245 268			hr. @ 240
Lime & Sl Sand Lime & Sl Lime	me ate	hard	175 182 230 245 268	182 230 245 268 296			per hr. @ 240
Lime & Sl Sand Lime & Sl Lime Red Rock	me ate	hard	175 182 230 245 268 296	182 230 245 268 296 303			hr. @ 240'
Lime & Sl Sand Lime & Sl Lime	me ate	hard	175 182 230 245 268	182 230 245 268 296			hr. @ 240

380

484 492

494

567

597

605

Show gas @ 492

321

380

484

492

494 567

597

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	A STATE						
				۷.			
	and the second			200			
7750				100 mg			
1000				200			
			122 A				
	17 17 1			1			
Trans.			996				
				100			
		Section as		7.0			
42	6) 2						
				100	THE PERSON		
			342	TORECA:			
			172	100	Asset A		
77 20 0			64	20 1			
							3
gomestin	2 No. 100	Section 1991	A Marie	4,003,0025	AN AMERICAN CONTRACTOR OF THE PARTY AND ADDRESS OF THE PARTY AND ADDRES	Section Control of Con	(2) 671 941 (5)
				Control of the Contro			
				F. F 100	B.A	Strategy for	-4-2
		Space of the	Company of the company	spetil entit	TO ANY LONG IS	ra Bob him	
				Account use	Carrier -	the state of the state of	
	14621114	The state of	- 100 A	· · · · · · · · · · · · · · · · · · ·			
	*********			TOLIGHA L. CONT. C.			C tory
		1.48		a constants		7704 . IT all	44.700
	•	44	THE RESERVE	• *************************************	The second secon		
The state of the s	Control of the contro	The state of the s	10 X 1 X 1				
		No. of the last of					
			104				Ol Mangar Transport
	7 - T	O GOP	181.43 E E	13876			
				· constitu		M. Ville	3,000-14
	*						0.0000
	- 200			in mount		10/0	6/2023
			186 178	ever the ever	Date		, 19
					Dave		, 18

APPROVED_

Ву____

_, Owner

(Title)

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No. WET - 356

With_

WELL RECORD Oil or Gas Well___ Gas Company Louis F. Silhol et al Used in Drilling Left in Well Casing and Tubing Packers Address 316 Akron Avenue, Pittsburgh 16, Pa. Farm Virgil & Lillian Willey Acres Size Location (waters) Fishing Greak Kind of Packer Anchor Elev 904 Well No. 3 County Wetzel DistrictGrant Size of 2" x 6 5/8 The surface of tract is owned in fee by Virgil & Lillian Address Pine Grove, W. Va. 84 1731 1731 Mineral rights are owned by Imperial 011 & Gas 407 : 4071 Depth set_ Products Co. Address Pittsburgh, Pa. 58/16_ Perf. top Pgh. Coal Drilling commenced Aug. 29, 1949 6361 6361 Drilling completed Sept. 3. 1949 2Tubing Perf. bottom___ Liners Used Date Shot____ Perf. top_ Perf. bottom_ 7 /10ths Water in Maple town Coal 23/10ths Merc-inPgh. Coal 1" Open Flow CASING CEMENTED_ SIZE _Cu. Ft. Rock Pressure___ lbs. hrs. COAL WAS ENCOUNTERED AT 192 FEET to -JUGH

OilFresh water			bbls., 1st 24 hrs.		NCOUNTERED A' INCHE		r to encure
Salt water		feet	feet	615 FEE	rinche	SFEE	TINCHES
Formation	Color	Hard or Soft	Тор	Bettom	Oil, Gas or Water	Depth Found	Remarks
Clay Rock Slate Red Rock Lime & Sla Lime Sand Slate Lime & Sla Gritty Lim Lime & Sla Lime Red Rock Slate Red Rock Slate Coal (Mapl Slate & Li Sand Slate Coal (Pitt Lime Slate Total DEPT	te e te te te te ston) me	hard	0 20 25 45 60 118 125 175 182 2245 293 314 494 597 5628	20 25 60 108 121 178 22 26 36 37 37 49 47 57 56 60 63 63 63 63 63 63 63 63 63 63 63 63 63	Show gas Water 300	213 gal. per	hr. 240

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

1 12		CASING AND	USED IN	LEFT IN	PACKE	RS
- Sign	WENUGO WAY	TUBING	DRILLING	WELL		
		Size			sterial Used_	
Address						
Farm	Packer Loc	16	A	HOMBSON.	Kind of Pack	er
The same of the sa		13		R RYAGO CIRA S	PLUGS DE	
	BRIDGES RUCTION EDGATION RECOVE	10		-oow	Size of	Malata O
	ACCORD MANAGEMENT CONTRACTOR CONT	Shirt of the same	13.2			elegated limit de continue le continue le
District	County	81/4			Depth set	
Drilling commenced		65/8			Depth set	
		5 3/16				
Drilling completed	Total depth	3			Perf. top.	
D. 1. 1. 1	Depth of shot	2			Perf. bottom	1
Date shot	Depth of shot	Liners Used			Perf. top	and the second s
Initial open flow	/10ths Water inInch	Liners Osed			Perf. bottom	
Open flow after tubing	/10ths Merc. inInch				Peri, botton	
Volume	Cu. Ft.	CASING CEM	ENTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
	bbls., 1st 24 hrs.					
Fresh water	feetfeet	FEE'	rIN	CHES	_FEET	INCHES
	feetfeet	1777	140			
	gas h	1	Comme	The de	200	Remarks
Drillers' Names			GO:		1/2 200	
Remarks:						
1 by 14 6						
					7 50	link
	his date.				101	a paris
-	Peter Sine					
	Manney Land					

B-4

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 112f	356-1	>				Well	No. 3	p ²
COMPANY		Kung	ic 60	ADDRESSITISTE	cha	h. Pa	,	p.ovi lavo.9
FARM Wish	all 13	arr.	DISTRICT	Shant	COT	JNTY MY	fil	
Filling Material Us	sed							
Liner	Location		Amount	Packer		Location		
PLUG	S USED AND DEP	TH PLACED		BRIDGES		CASIN	G AND TU	BING
CEMENT-THICK	NESS WO	OOD-SIZE	LEAD	CONSTRUCTION-LOCATION	- Van	RECOVERED	SIZE	LOST
Thate!	su la Sup	Popar	it any	1-7,	7/63/5			na Santak
Land William	gh.	ing	ng of	This were	tou	lge(L		
end have	R	roper	i me	Except	la l	2343	6780	
		14 CH 11 CH			ST 18 27 28	RECEIVI	MINES C	30
Drillers' Names	The en	ne at	- mell	e	1	ESISUSIIS	36/11/3/12	
Remarks: Paris fect of so prog	mat so id the best ma	Pany Akir k aling withing suite	for the at Vi	ling to installe 1, y falled to tated he was	d, or	n Engl	blang	Cur :
DATE DATE	59 I here	by certify I	visited the ab	ove well on this date.	1/2	Julifu	STRICT WELL	L INSPECTOR
						/	0/06/2	

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	distributation I	Eo maria	indic	Oil or	Gas Well
Company	Toposis F	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address		Size			Filing May 18 18 etc.
Farm	large Loc	16		100 AY	Kind of Packer
Well No	De la	13	ر د د د د د د د د د د د د د د د د د د د	1 17043 (5 (5))	Size of
	County	81/4			PORTROLEOSANDARA
Drilling commenced			11200	1030	Depth set
Drilling completed	Total depth	5 3/16	1	Mark In	Perf. top
Date shot	Depth of shot	2	din H		Perf. bottom
Initial open flow	/10ths Water inI	nch Liners Used	male le	(Left)	Perf. top
Open flow after tubing	/10ths Merc. inI	nch			Perf. bottom
Volume	Cu.	Ft. CASING CEME	NTED	SIZE	No. FTDate
Rock pressure	lbs	hrs.			
Oil	bbls., 1st 24	hrs. COAL WAS EN	NCOUNTERED	AT	_FEETINCHES
Fresh water	feet	feet FEET	INCI	HES	_FEETINCHES
Salt water	feet	feet FEET	INCI	HES	FEETINCHES
Drillers' Names	watery	in mark			The State of the S
in the same	a read the course	out & their	in the second	Tour	at the
Remarks:			1001 pine	121121	
		imalet			
1					(1116.58) 21
DATE	111176 1 /2, J				DISTRICT WELL INSPECTOR
ne de la companya della companya della companya de la companya della companya del					10/06/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No WEF 3	Well No. 3					
fa.T		ic 60	ADDRES Lillo Kur	the Pa.		Permit No.
COMPANY WILLIAM	I Barr	DISTRICT	16/ 4/	OUNTY WE	hel	
FARM////	· Mari	DISTRICT		0		EVERGINE)
Filling Material Used_			8.68			see a black
Liner	Location	Amount	Packer	Location		
	SED AND DEPTH PLACED	entropia de productivo de la companya del companya del companya de la companya de	BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS		LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
Thate; se	0/1	Eng-2	A STATE OF THE PARTY OF THE PAR		_Logiser	os entitud
Test to I					— burning	
Telling Telling	Bluet:	1 0/1	his will	lgott		La Tarestat ?
	Al		II amid Page 2 and agent			
	camp	me				
					ar king york	a wall mage)
	13712	Hatika ka	Daleys 2 to Transfer			in interes
<u> </u>	A CONTRACTOR					
						1670.15
Drillers' Names	-40 4	900	0. B.			ar.Jav y al-
Remarks:	Mane	mrile	and go			
Temarks.					262728	2930.30
114:	inl.				Br	A 1/23
Of the	7	hecho		23	SEP	1959
	Just	eum		021	RECE	IVED O
				100	DEPT. OF	MINES O
111				OF CONTRACTOR OF	19/00	17 M DE 9
West- 22. 5	I horehy contifu I	visited the ob	pove well on this date.		- ALDI	Ch Gran
DATE	T hereby certify I	visited the at	A A	a de la companya della companya della companya de la companya della companya dell	4	
			(AGIA)	ulteful	STRICT WEL	L INSPECTOR
					10/06/2	

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

CASING AND TUBING	USED IN DRILLING	LEFT IN	1. 2 3 6 15	
a:		WELL	PACK	ERS
-			Vind of Poo	
_		1,1017470	Kind of Pac	ker
- 10	Contract Con		Size of	
81/4		106W	(A) 2-17-12 (112-7	
65%	1 1991	10/1/	Depth set_	
			Perf. top	-
2			Perf. botton	1
Liners Used	March 1	183	Perf. top	
h			Peri. botton	<u> </u>
. CASING CEME	ENTED	SIZE	No. FT	Date
5.				
coal was E	NCOUNTERE	O AT	_FEET	INCHES
t FEET	INC	HES	FEET	INCHES
t FEET	INC	HES	FEET	INCHES
I may	101101	in the	to see that	remerks.
1181	affer	T.		
l t	13	16	16	Kind of Pace 13. 10

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Meat lement
Red clay from bottom

Neat cement
Red bloy

580' - 524'

472' - 462'

Weat cement

Grushed stone

636' - 472' 585' - 5' enished stone

5724' - 472' - 20' above mufletoim

462' - 457' 5' enished stone at 472'

Red clay

472 457 - 10'

Cement

10t - Ot

Virgil & Lillish Willey

Erect Marker as described in Rule 18, 1931 Regulations.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

FOSTER-McKENZIE COMPANY
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved /23

2nd day of JUNE , 159

DEPARTMENT OF MINES
Oil and Gas Division

By: M. E. Gressiele

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

TO THE DEPARTMENT OF MINES, Charleston, W. Va.

R. J. Hartman, Agent	Foster-McKenzie Company	
Coal Operator or Coal Owner _ 1200 g	Name of Well Operator 3829 Willow Avenue	
5/11 1/ 011110 01100	P. O. Box 10396,	
Pittsburgh 32, Pa.	Pittsburgh 34, Pa.	
Address	Complete Address	
\$621 - 154 3 control of the	Graphod Stone	
	May 22,	19 59
Coal Operator or Coal Owner -	Red clay	
	WELL TO BE ABANDONED	
10 - 101	Cerront,	
Address	Grant	_ District
Audi Co.		
7, and	Wetzel	_County
Virgil & Lillian Willey		
Lease or Property Owner	/2\	
ed in Role 18, 1931 Regulations.	Well No. Inree (3)	
Pine Grove, W. Va.		
Address	Michael Barr	Farm
Inspector to be notified MR. O. E. BUTCHER,	Hundred, West Virginia - Pres. 5	-4561
Gentlemen:— 214 HOURS IN AD	VANCE OF PLUGGING DATE	
The undersigned well operator is about to aba	ndon the above described well and will c	ommence
the work of plugging and abandoning said well on the less than five days after the day on which		
should be received by the Department of Mines)		

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

> Very truly yours, FOSTER-MC KENZIE COMPANY

> > Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a registered engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

WET-356-P PERMIT NUMBER

Net-356-7

DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

R. J. Martman, Agent		Foster-McKenzie Co.					
5921 Walnut PENVER OR OWNER Pittsburgh 32, Pa.		P. O. Box 10396 Pittsburgh 34, Pa. COMPLETE ADDRESS					
	ADDRESS		COMPL	ETE ADDR	ESS		
		Sept. 4				19 59	
COAL OF	PERATOR OR OWNER	Grant	WELL A	ND LOC	ATION		
	ADDRESS	Grano			District		
Virgil & Lillian Willey		Wetzel			County		
	R PROPERTY OWNER						
Pine Grove,		Well No.	Three	(3)			
	ADDRESS	Michael	Rame			_	
						Farm	
STATE INSPECTOR S	UPERVISING PLUGGING 0.	Butcher	R				
	AFFIDA	AVIT					
CHARE OF WECE		AVII					
STATE OF WEST	cs.						
County of Wetz							
Wayne Ran		nd Harry	Huggi	ns			
	orn according to law depose ar	nd say that th	ey are e	xperier			
plugging and filling	oil and gas wells and were empl	loyed by For	ster-M	ckenz	ie Co.	,	
	articipated in the work of plugg						
			24 and	that th	e well wa	s plugged	
was commenced on and filled in the following	the 15th day of August	, 19	, and	01140 01.		The second secon	
and filled in the foll	owing manner:	, 19	, and		I		
was commenced on and filled in the foll	owing manner:	, 19	PLUGS US		c	ASING	
and filled in the foll	owing manner:	, 19		SED	C S G PULLED	ASING CSG LEFT IN	
and filled in the foll	owing manner:	, 19	PLUGS US	SED	CSG	CSG LEFT IN	
and filled in the foll	cement 636' - 585' Stone 585' - 580'	, 19	PLUGS US	SED	CSG PULLED	CSG LEFT IN	
and filled in the foll	owing manner: FILLING MATERIAL Cement 636! - 585!	, 19	PLUGS US	SED	CSG PULLED	CSG LEFT IN	
and filled in the following sand or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472'	, 19	PLUGS US	SED	CSG PULLED	csg LEFT IN Ding Nor	
and filled in the following sand or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467'		PLUGS US	SED ND	csc PULLED 2" tub	csg LEFT IN Ding Nor	
and filled in the following sand or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', pr	alled 407	PLUGS US	SED ND -5/81	2" tul	csg LEFT IN Ding Nor	
and filled in the following and filled in the following and or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467'	alled 407	PLUGS US	SED ND	2" tul	csg Left in ing Nor	
and filled in the following sand or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg LEFT IN Ding Nor	
and filled in the following and filled in the following and or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', pr	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg Left in ing Nor	
and filled in the following and filled in the following and or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg Left in ing Nor	
and filled in the following and filled in the following and or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg Left in ing Nor	
and filled in the following sand or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg Left in ing Nor	
and filled in the following and filled in the following and or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg Left in ing Nor	
and filled in the following and filled in the following and or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US	SED ND -5/81	2" tul	csg Left in ing Nor	
and filled in the following sand or zone record formation itts. Coal	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079	PLUGS US SIZE & KII	-5/8" cas	2" tul	CSG LEFT IN Ding Nor	
and filled in the following sand or zone record formation itts. Coal apletown Coal coal coal coal coal coal seams	FILLING MATERIAL Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', pi Clay 407' - 173', pi Clay 173' to surface	alled 4079 alled 173	PLUGS US SIZE & KII	-5/8" Cas	2" tul 407'-	CSG LEFT IN DING NOT	
and filled in the following sand or zone record formation itts. Coal apletown Coal coal seams	Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173' - 173', proclay 407' - 173', proclay 407' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173' - 173'	alled 4079 alled 173	PLUGS US SIZE & KII	-5/8" Cas	2" tub	CSG LEFT IN DING NOT	
and filled in the following sand or zone record formation itts. Coal apletown coal coal seams	FILLING MATERIAL Cement 636' - 585' Stone 585' - 580' Clay 580' - 524' Cement 524' - 472' Stone 472' - 467' Clay 467' - 407', proclay 407' - 173', proclay 407' - 173', proclay 473' to surface	alled 4079 alled 173	PLUGS US SIZE & KII	-5/8" Cas	2" tul 407'-	CSG LEFT IN DING NOT	

DEPT. OF MINES

Permit No. WET-356-P

R. J. Martman, Agent

Virgil & Lillian Willey

Poster-McKengie Co. P. 0. Box 10396 -

Sept. 4 SEPTEN

Grant

19.59

Three (3)

Michael Barr

STATE INSPECTOR STREET, VISING ISLAGING O. C. Butcher

Pine Grove, W. Va.

ounty of Wetsel

Harry Huggins

ay that they are experienced in the wink Windows of Foster-McKenzie Co.

Ville

as commenced on the Light are of August 100 at the that the well was plugge

Cement 636' - 585' Pitts. Coal 2" tubing None Stone 585' - 580' Clay 580' - 524' Mapletown Goal Gement 524' - 472' 407:- 6" Mone Stone 672" - 4671 Clay 467! - 407!, pulled 407! of 6-5/8" Clay 407! - 173!. pulled 173! of 8" casing 173' None Clay 173' to surface COMENT EL L ER L ER Marolecoven 492' to 494'

and that the work of pluncing and allie completed on the 2k th

10/06/2023

TET-350-P

ATLANTIC 3020

BALDRIGE & SILHOL
ATTORNEYS AT LAW
996 UNION TRUST BUILDING
PITTSBURGH 19, PA.

August 1, 1949

ROBERT W. BALDRIGE LOUIS F. SILHOL

Mr. C. N. Hall Administrative Assistant Oil & Gas Division Department of Mines State of West Virginia Charleston, West Virginia

Dear Sir:

In response to your letter of July 26, 1949, I believe that the reason for the apparent confusion upon the location of the Willey Well #2 is due to the fact that previously another plat had been sent in.

In order to properly explain this situation, the land included in the tract of a sketch forwarded to you was originally the Michael Barr et al tract of land. During the years, this tract of land has been split up among the various owners and from our understanding is now divided as per the sketch which was previously enclosed. In order to make the proper designation of the various wells which are now being drilled, we have designated the wells as follows: the Barr #1 Well located upon the tract of land of Sarah Snyder et al and the Willey #1 and #2 wells upon the tract of land of the Virgil and Lillian Willey tract. The location shown as #2 on the sketch is really the Virgil Willey well #1 and the location marked #3 on the sketch is really the location to be known as the Virgil Willey #2 well. The reason that the #3 was circled in red was to designate that this is the new location to be known as the Virgil Willey #2. The corrections of courses and distances was to be applied to the location designated on the sketch as the #2 location and which is known as the Virgil Willey well #1. The previously enclosed plat was not to change the courses and distances of the #3 location but was to change the courses and distance of the #2 location as shown on the plat. In the event that we may furnish further information in regards to these wells, would you please advise at your convenience.

LFS:NM

AUG19.49 6181219 617161719

Yery truly yours,

BALDRIGE & SILHOL ATTORNÉYS AT LAW SEE DUION TRUST BUILDING PITTSEURGH IS PA

ROBERT W. BALDRICE LOUIS F. SILHOL

If M. W. Hall
Administrative assistant
Old o Old Pivision
Committee of Meat Virginia
Charleston, West Virginia

eda wasc

In response to your letter of July 26, 1949, I believe that the response to the secon for the expanent confident upon the location of the Willey and the the previously another rist and seen sent

ellage in the tract of a treated for you was originally has alled or you was originally has a land of the tract of the tra

Canad Jours Land

MET: NE 1

6.5 August 4, 1949 Mr. Louis F. Silhol 316 Alcon Avenue Pittsburgh 16, Pannsylvania Door Sirs

Enclosed is permit WEB-356 to drill Well No. 2 on the Virgil and Lillian Willey Farm, Grant District, Wetsel County.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

GHH:K Bucl-2

CC: Inspector Oliver W. Lineberg

*FOSTER-McKENZIE COMPANY 3829 Willow Avenue Pittsburgh 34, Pa.

May 22, 1959

State of West Virginia
Department of Mines
Oil & Gas Division
Charleston, West Virginia

Gentlemen:

Attached is our Notice of Intention to Plug and Abandon
Well #3 located on the Michael Barr Farm in Grant District,
Wetzel County, West Virginia.

Your prompt consideration and approval will be appreciated.

Very truly yours,

FOSTER-McKENZIE COMPANY

E. R. Rigatti

ERR/rb

CC: Equitable Gas Company R. J. Hartman, Agent Virgil & Lillian Willey

> 10/06/2023 10/06/2023

FOSTELLANDE STATE

SILS SILLANDE SALE

OF COLUMN SALES SALES

May 22, 115;

state of the state of Mines, or as Olivinion of the State of Mines, when the state of the state

Gentler ich:

Amagind to our Novice of Istorica to Fing and Abandon Walleys Lagrad on the Michael Ser. Face in Crant District, Noted Camp. West Virginia.

Your promet doubles then and approved will be ap-

.bettitott

Vary traly yours,

YOSTER-MaidONNIS COMPANY

Biogia .a .K

Cu: Martinle Gas Conçançio.
10. d. naçiona, Agant

May 25, 1959 Wat 359 Mr. E. R. Rigatti Foster-McKenzie Company 3829 Willow Avenue Pittsburgh 34, Pennsylvania Dear Mr. Rigatti: We are in receipt of applications for permits to abandon Wells No. 3 and 4 on Michael Barr Tract, Grant District, Wetzel County. You failed to give the permit numbers under which these wells were drilled and there is some confusion between information con your work orders and information on completion drilling records in our files. According to our files, the wells were drilled by Louis F. Silhol et al. Your application for plugging Well No. 4 corresponds with record for Well No. 3, Serial 4 drilled under Permit WET-358. We have no information corresponding to data on specifications for Well No. 3. Our record for No. 3 shows a total depth of 535 feet, and Well No. 4, Serial 5 was cancelled. We believe your No. 3 is possibly the well location cancelled and therefore, we will require two copies of the well record. Revised specifications for plugging your No. 4 (our No. 3. Serial 4) is enclosed. Very truly yours, Crawford L. Wilson, Director DEPARTMENT OF MINES Assistant Director OIL AND GAS DIVISION MG/m 10/06/2023

FOSTER-McKENZIE COMPANY

3829 Willow Avenue Pittsburgh 34, Penna.

May 29, 1959

State of West Virginia
Departement of Mines
Oil & Gas Division
Charleston, West Virginia

Attention: Mr. Crawford L. Wilson, Director

Gentlemen:

We wish to acknowledge receipt of your letter dated May 25, 1959 with regards to our applications for abandoning Wells No. 3 and No. 4 on the Michael Barr Tract, located in Grant District, Wetzel County, West Virginia.

As you stated in your letter, there is some discrepancy between the records which you have on file and our application for plugging. Therefore, in order to clarify our position in this matter, following is a brief explanation as to how this came about.

When these wells were originally drilled, Mr. Louis F. Silhol was acting as Trustee for the Partnership of Helen E. McKenzie and Ruth M. Foster (Foster-McKenzie Company). In 1951 services of Mr. Silhol were discontinued and the affairs of the Partnership since then have been handled by the writer.

For your information, enclosed in duplicate are photostatic copies of logs for Wells No.3 and No. 4. We trust that this will enable you to issue a work order for plugging Well No. 3.

Very truly yours,

FOSTER-McKENZIE COMPANY

E. R. Rigatti

ERR/rb Attachments

10/06/2023

FOSTER-McKENZIE COMPANY

3829 Willow Avenue Pittsburgh 34, Pa.

September 14, 1959

State of West Virginia
Department of Mines
Oil & Gas Division
Charleston, West Virginia

Gentlemen:

Enclosed is Affidavit of Plugging Wells No. 3, located on the Michael Barr Farm in Grant District, Wetzel County, West Virginia.

Should you require any additional information relating to this matter, please feel free to contact the writer at your convenience.

Very truly yours,

FOSTER-McKENZIE COMPANY

E. R. Rigatti

ERR/rb

Encl.



