

#### west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, April 3, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 4 47-103-00473-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 4

Farm Name: DEWHURST, J. B.

U.S. WELL NUMBER: 47-103-00473-00-00

Vertical Plugging
Date Issued: 04/03/2023

## PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1)Date	,	20	
2) Operator's			
Well No. DEWH	HURST, J.B	. 4	
3) API Well No.	47-103	- 00473	

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PEF	RMIT TO PLUG AND ABANDON
4) Well Type: Oil X / Gas X/ Liqui	d injection/ Waste disposal/
	nderground storage) Deep/ Shallow X
5) Location: Elevation 1228.58	Watershed South Fork Fishing Creek
District Grant	County Wetzel Quadrangle Folsom
6) Well Operator Unknown - DEP Paid Plugging Contract WVDEP	7) Designated Agent H. Jason Harmon
Address 601 57th Street	Address 601 57th Street
Charleston, WV 25304	Charleston, WV 25304
8) Oil and Gas Inspector to be notified	9)Plugging Contractor
Name Stephen E. McCoy	Name Unlimited Energy Services, LLC
Address 13016 Indian Creek Road	Address 264 Industrial Park Road
Jacksonburg, WV 26377	Jane Lew, WV 26378
Begin plugging and abandonment operations. F RIH Wireline. Run CBL on 5 ½" casing from TIH w/ tubing to 3396', set 400' Class A cement plug from Cut 5 ½" CSG at free point TOOH w/	w down the well into a grounded tank with a secure line. Pull rods and tubing. Load 5 ½" casing with fresh water. 3083'-surface. Determine free point on 5 ½" casing. 3426' to 3026' (oil shown at 2258' & 2916', elevation at 1228.58'). CSG. TIH w/ tubing to 3026'. hole 2866' to 2766'. TOOH w/ tubing. WOC. Tag TOC.
TIH w/ tubing 2766', set 2766' Class A co	ement plug 2766' to 0' (fresh water at 80'-120').
Top off well to surface with solid cement as needed. Erect monument with API	#, date plugged, and company name. Reclaim location and road to WVDEP specifications.
	MAR <b>6</b> 2023
	WV Department of Environmental Protection
Notification must be given to the district of work can commence.	oil and gas inspector 24 hours before permitted
Stephen N Work order approved by inspector	Digitally signed by Stephen Mccoy Date: 2023.02.24 07:45:03 -05'00'

00473

WW-4A Revised 6-07

2) Operator's Well Number	
DEWHURST, J.B. 4	

103

3) API Well No.: 47 -

STATE OF WEST VIRGINIA

	DE	PARTMENT OF ENVIRONMENT NOTICE OF APPLICATION	TAL PROTECT: N TO PLUG AN	ION, OFFICE OF OIL ANI D ABANDON A WELL	GAS
4)			a) Coal Operator		
	(a) Name	Thomas Pratt, WVDNR D1 Wildlife Biologist	_ Name		
	Address	West Virginia Department of Natural Resources	Address		
		1110 Railroad Street, Farmington WV 26571	_		
	(b) Name		<del></del> /:	ner(s) with Declaration	
	Address		Name	Thomas Pratt, WVDNR D1 Wildlife Bio	ologist
			Address	West Virginia Department of Natural R	esources
				1110 Railroad Street, Farmington WV	26571
	(c) Name		Name		
	Address		Address		
			<del>-</del> -1		
6)	Inspector	Stephen E. McCoy	(c) Coal Les	see with Declaration	
	Address	13016 Indian Creek Road	Name		
		Jacksonburg, WV 26377	Address		
	Telephone	681-344-3265			
	**************************************		<del>-</del>		
ŏ-	The reason However, you Take notice accompanying Protection, the Applica	lat (surveyor's map) showing the well locatio you received these documents is that you have right out are not required to take any action at all.  that under Chapter 22-6 of the West Virginia Code ng documents for a permit to plug and abandon a with respect to the well at the location described on tion, and the plat have been mailed by registered unstances) on or before the day of mailing or delive	e, the undersigned well well with the Chief of th the attached Application certified mail or de	operator proposes to file or has filed this e Office of Oil and Gas, West Virginia D on and depicted on the attached Form W	Notice and Application and lepartment of Environmental W-6. Copies of this Notice,
		Wall Operator	Unknown - DEP Pair	d Plugging Contract WVDEP	
~		OFFICIAL SEAL By:	Mick Goodwin	a	1. th
508 Y	WEST DO	NOTARY PUBLIC		vices, LLC, Plugging Contractor	Dear
	STA	TE OF WEST VIRGINIA Address	264 Industrial Park Ro		
6	2	224 Linger Run Rd 12th St Extension		oau .	RECEIVED
Do.	N. A.	Horner, WV 26372	Jane Lew, WV 26378 304-884-8246		Office of Oil and Gas
~	My Comm	ission Expires March 24, 2026 Telephone	304-004-0240		MAR 6 2023
					0 2023
	Ulli	la l'uncan	ay of Febru	Notary Public	WV Department of Environmental Protection
IVI	y Commission	Expires March 24	avavo		

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyoffier@wv.gov">deprivacyoffier@wv.gov</a>.



# WILDLIFE RESOURCES - DISTRICT 1 P.O. Box 99

1110 Railroad Street

Farmington, WV 26571-0099

PITTSBURGH PA 150 I MAK LUZU PINI /



Unlimited Energy Services, LLC 264 Industrial Park Road Jane Lew, WV 26378 P. Wayne Ammons

Jensen de la companya de la companya

V) \ 1-		
Attach this card to the back of the mailpiece, or on the front if space permits.  Article Addressed to:  If YES et	A. Signettripe  M. M	Agent   Daddress   O. Date of Delive   Park   D. Date of Delive   D. Date of D. Dat
Thomas Pratt, WVDNR D1 Wildlife Biologist West Virginia Department of Natural Resources 4110 Railroad Street, POBOX 99 Farmington WV 26571 HAND DEL' 2011		47
	Service Type Adult Signature Adult Signature Restricted Delivery Certified Mail® Certified Mail® Cortified Mail® Cortified Delivery Collect on Delivery	□ Priority Mail Express®     □ Registered Mail™     □ Registered Mail Restit     □ Belivery     □ Signature Confirmatio     □ Signature Confirmatio
2. Article Number (Transfer from service label) Collect on De	Collect on Delivery Restricted Delivery	Hestricted Delivery

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	ELIVERY
■ Complete Items 1, 2, and 3.	A. Signature	Ę.
Print your name and address on the reverse	×	□ Addr
so that we can return the card to you.  Attach this card to the back of the mailplece,	B. Received by (Printed Name)	C. Date of De
or on the front if space permits.  1. Article Addressed to:	D. Is delivery address different from Item 17 If YES, enter delivery address below:	Item 1?   Yes
Thomas Pratt, WVDNR D1 Wildlife Biologist		71
West Virginia Department of Natural Resources		L (
1110 Railroad Street,		) 3
Farmington WV 26571		3
		☐ Priority Mail Expre
9590 9402 7364 2028 0239 33		Signature Confirm
2. Article Number (Transfer from service label)	SIIVery	B
פפאב אפגט נכמם ספסט עימנ	국 머 all Restricted Delivery	)

Domestic Return Re

PS Form 3811, July 2020 PSN 7530-02-000-8053

264 INDUSTRIAL PARK ROAD JANE LEW, WEST VIRGINIA 26378

04/07/2023

04/07/2023

## SURFACE OWNER WAIVER

Operator's Well Number

DEWHURST, J.B. 4

## INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the	he planned work	described in these	materials, and I have no
objection to a permit being issued on those materials.			
FOR EXECUTION BY A NATURAL PERSON		FOR EXECUTIO	N BY A CORPORATION,
ETC.			
Thou P-Prot Date 36	2023 Name		
Signature	By _		
	Its _		Date
		Signature	Date

API No.	47-103-00473 P	
Farm Name		
Well No.	DEWHURST, J.B. 4	

## INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

XXZ A TXZTCTO

•	VAIVER
has examined this proposed plugging work order.	er/ lessee/ of the coal under this well location. The undersigned has no objection to the work proposed to be has complied with all applicable requirements of the West
Date: 3-6-2023	Than & Prod By: WV DNR Its District Biologist



IV-35 (Rev 8-81)

State of Mest Birginia

Department of Mines Oil und Vas Bivision

Date	March	25,	1987
Operat	or's		
	ewhurst		
API NO	. 47 -	103	473 D

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

WELL OPERATOR'S REPORT

DRILLING,	FRACTURING	AND/OR	STEMLATENG.	OR	PHYSICAL	CHANGE

WELL TYPE: Oil × / Gas ×/ Liquid Injection (If "Gas," Production / Undergroup	n_/Wast und Storag	e Disposa re/ Deep	1/ p/ Sha	1104 <sup>X</sup> _/)	
LOCATION: Elevation: 1263 Watershed	Buffa	lo Run o	f Fishir	ng Creek	
District: Grant County Wetze					
•				50 T 32 <del>78</del>	
Parall Parall Prince					s 5
COMPANY Ferrell Prior				1=	`
ADDRESS 4818 Rosemar Road, Parkersburg, W.	Casing	Uscd in	Left	Cement fill up	
DESIGNATED AGENT Ferrell Prior ADDRESS 4818 Rosemar Road, Parkersburg, W.	Tubing	Drilling	in Well		
	Size				İ
SURFACE CANER Union Trust National Bank Trustee C.Burke Morris ADDRESS Wetzel Hunting Club	20-16 Cord.				
MINERAL RIGHTS CONER John Kerns; Alma Carli	13-10"				{
ADDRESSigott Pennsylvania	9 5/8	<del> </del>		<del> </del>	1
OIL AND GAS INSPECTOR FOR THIS WORKROBERT	8 5/8	250	250		1
Lowther ADDRESSMiddlebourne, W.Va.	7			<del> </del>	}
PERMIT ISSUED 12/10/80	5 1/2		3083		RECEIVED
DRILLING CLAMPICED 10-14-1980	4 1/2				Office of Oil and Gas
DRILLING COMPLETED 10-17-1980	3	<del> </del>		<del> </del>	MAR 6 2023
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used				WV Department of nvironmental Protection
GEOLOGICAL TARGET FORMATION GORDON and Fift	h Sand	Dept	th 2716	3320 feet	•
Depth of completed well 3426 feet	Rotury X	/ Cable	e Tools		
Water strata depth: Fresh 80-120 feet;					
Coal seam depths: None			ed in the	area? No	
OPEN FLOW DATA		3			
Producing formation Gordon and Fifth	Sand Pau	zone dent	h 2710-3	258 feet	٤
Gas: Initial open flow show Mcf/d		550			6.
Final open flow Mcf/d					
Time of open flow between init					4
Static rock pressurepsig(surface					س
(If applicable due to multiple completion-	)				Ø
Second producing formation		zone den	rh	feat	
Gas: Initial open flow McF/d	Oil: Ini	tial coen	f)av	Ph1/4	
Final open flow Mcf/d	Oil: Fin	al open fi	low	DV1/4	
Time of open flow between init					
Static rock pressurepsig(surface	measureme	nt) after	hcu	rs shut in	

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIPULATING, PHYSICAL CHARGE, ETC.

Dowell Frac October, 1980

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	HOTTOM FIRET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
No Record 1st Salt Sand Slate & Shells Sand Slate & Shells Lime and Gritty Slate & Shells Sand & Lime Slate & Shells Sand Slate & Shells Sand Slate & Shells Sand Maxon Sand Shale Little Lime Shale Big Lime Keener Big Injun Shale Gorden Stray Sandstone Shale Gordon Sandstone Shale Murryville Sandstone Shale Shale Stale Shale Total Depth	0 1500 1540 1572 1592 1661 1680 1756 1777 1917 1945 2015 2015 2015 2100 2180 2210 2258 2364 2514 2525 2710 2746 2916 2955 3012 3015 3258 3264 3320	1500 1540 1572 1592 1661 1680 1756 1777 1917 1945 2015 2015 2100 2180 2210 2258 2364 2514 2525 2710 2746 2916 2955 3012 3015 3258 3264 3320	Show of Oil Office of Oil and Ga  MAR 6 2023  Show of Oil Environmental Protection  MAR 3 0 1987  DIVISION OF OIL 4 GAS DEPARTMENT OF ENERGY

(Attach separate sheets as necessary)

Well Op	erator	
By: Tic	Will Thin	
Date:		

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including wal, encountered in the drilling of a well."




## DEPARTMENT OF MINES

Co	ntampoint		OIL AND G	AS DIVISION /	2			
Quadrangle Cer			WELL	RECORD			Oil	
Permit No. WE	ET -473		YY L.L.			Oil or G	KIND)	
		COMPANY		Casing and	Used in	Left in	A 500	
Address 504 Ca	arlton Hous	se, Pittsbur	gh 19, Pa.	Tubing	Drilling	Well	Packers	
	Dewhurst		cres_2200		ļ	+		
Location (waters	)			Size				
Well No Fo	ur (4)		Elev_12091	16			Kind of Packer	
District Gran		CountyW	etzel	13	261	yes		
The surface of tr	act is owned in	fec by	e as all	10	400'		Size of	
other Dewl	hurst wellş	Address		814	1525'			
Mineral rights ar	re owned by S	ame as other	er Dewhurst	65%	2403	2403'	Depth set	
Wells	<u>s</u> ,	Address		5 3/16	3073'	3073'		
Drilling commend	ced May, I	960		3	-		Perf. top	
Drilling complete				2			Perf. bottom	
Date Shot	From	т		Liners Used	<del> </del>		Perf. top	
With				-			Perf. bottom	
Open Flow	/10ths Water is	n	Inch			<u> </u>		
			Inch	CASING CEN	IENTED 5.1.	/ RIZE 3073	No. FtDate	
Volume				Chillio Car				
		lbs	hrs.				nnom thousa	
Oil	show		_bbls., 1st 24 hrs.				FEETINCHES	
WELL ACIDIZE	ED						FEETINCHES	
				FEE	ETINC	HES	FEETINCHES	
WELL FRACTU	REDyes	•						
		9 bbls.	daile					
RESULT AFTER		1						
Fresh Water						Fee		
rresn water			<del></del>			T		
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks	
Clay			0	30				
sand	1		30	80				
red rock	1 1	3	80	125	!			
W. slate	1		125	170				
sand	1		170	200				
slate			200	295		1	RECENT	
sand			295	350	Į.	}	Office of Oil ar	D
slate	1		350	410			A	a Ga
sand	1 1		410	470	İ	1	MAR 6 2	022
slate			470	680			0 2	123
sand slate	1 :		680	740	N.		E WV Denom	
	1				I.	ì	Environ Parlman	
			740	755	!	Ì	WV Department Environmental Prot	of
lime	,,_		740 755	755 780			Environmental Prot	t of ection
lime slate & sh	ells		740 755 780	755 780 810			environmental Prot	t of 9Ction
lime slate & sh lime			740 755 780 810	755 780 810 950	and blass	24 045		t of 9Ction
lime slate & sh lime slate & sh	ells		740 755 780 810 950	755 780 810 950 965	coal bloss	om at 965		t of 9ctior
lime slate & sh lime slate & sh slate & sh	ells ells		740 755 780 810 950 965	755 780 810 950 965 978	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss	ells ells		740 755 780 810 950 965 978	755 780 810 950 965 978 979	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime	ells ells om		740 755 780 810 950 965 978	755 780 810 950 965 978 979	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime Pittsburgh	ells eils om		740 755 780 810 950 965 978 979	755 780 810 950 965 978 979 1002	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime	ells eils om		740 755 780 810 950 965 978 979 1002	755 780 810 950 965 978 979 1002 1003 1150	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime Pittsburgh slate & sh red rock	ells élls om coal		740 755 780 810 950 965 978 979 1002 1003	755 780 810 950 965 978 979 1002 1003 1150	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime Pittsburgh slate & sh	ells élls om coal		740 755 780 810 950 965 978 979 1002 1003 1150	755 780 810 950 965 978 979 1002 1003 1150 1200	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime Pittsburgh slate & sh red rock slate & sh	ells eils om coal ells		740 755 780 810 950 965 978 979 1002 1003 1150 1200	755 780 810 950 965 978 979 1002 1003 1150 1200 1300	coal bloss	om at 965		t of ection
lime slate & sh lime slate & sh slate & sh coal bloss lime Pittsburgh slate & sh red rock slate & sh red rock	ells eils om coal ells		740 755 780 810 950 965 978 979 1002 1003 1150	755 780 810 950 965 978 979 1002 1003 1150 1200	coal bloss	om at 965		t of ection

Formation	Color	Hard or Soft	Top /2	Bottom	Oil, Gas or Water	Depth Found	Remarks
black slate			1395	1415			vis
aand		1	1415	1447		1	
black slate	:		1447	1510	1		\$20
sand		1	1510	1548	Gas	1	3-g <sup>2</sup>
slate			1548	1610	'		
sand .			1610	1715		i i	
black slate	<b>=</b>	1	1715	1808	1		
sand		1	1808	1835	4		
black slate			1835	1875			
sand		1 1	1875	1927	1		
slate			1927	2018		×	
sand		1	2018	2055	1 1		
sand		1 1	. 2055	2132	1		27
red rock			2132	2200	1		
slate & sh	ells		2200	2247	1		
Big Lime	<b>!</b>	¦	2247	2347	1		
Injun sand			2347	2507	Gas		_
slate & sh			2507	2631			
sand			2631	2646			
slate & sh	ells		2646	2798			
lime		1	2798	2820			
slate & sh	ells		2820	3040	1 1		
red sand		}	3040	3050	1		
sand		1	3050	3098	Oil Show		
shale			3098	3104	1		*
	TOT	L DEPTH					
							Office of Oil a
		(A.	, ,				MAR 6 2 WV Departmental Pro

	Date	May	5	, 19_61
APPROVED	IMPERIA	LOILICO	MPAN	Y Owner
Ay_	MAIN		itle) Pr	04/07/20



WW-9 (5/16) API Number 47 - 103 \_ 00473 Operator's Well No. DEWHURST, J.B. 4

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name Unknown - DEP Paid Plugging Contract WVDEP OP C	Code	
Watershed (HUC 10) South Fork Fishing Creek Quadrangle Folsom		
Do you anticipate using more than 5,000 bbls of water to complete the proposed well wo	rk? Yes No	
Will a pit be used? Yes No V		
If so, please describe anticipated pit waste:		
Will a synthetic liner be used in the pit? Yes No If so, who	at ml.?	
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide a completed form WW-	9-GPP)	
Underground Injection ( UIC Permit Number		
Off Site Disposal (Supply form WW-9 for disposal location)	SEE BELOW	
Other (Explain		
		1-46
Will closed loop systembe used? If so, describe: Yes. Gel will be circulated from tank thro		
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil		
-If oil based, what type? Synthetic, petroleum, etc		
Additives to be used in drilling medium?Bentonite, Bicarbonate of soda		
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed offs	site	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sa		
-Landfill or offsite name/permit number? Austin Master Services, LLC; AMS Martins Ferr	y Facility; WF ID #BELM-05; Permit #WF-20	022-05
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cu		
West Virginia solid waste facility. The notice shall be provided within 24 hours of reject	tion and the permittee shall also d	isclose
where it was properly disposed.		
I certify that I understand and agree to the terms and conditions of the GENER	AL WATER POLLUTION PER	MIT issued
on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Env	ironmental Protection. I underst	and that the
provisions of the permit are enforceable by law. Violations of any term or condition of to regulation can lead to enforcement action.		
I certify under penalty of law that I have personally examined and am fam	iliar with the information submit	tted on this
application form and all attachments thereto and that, based on my inquiry of those individue information, I believe that the information is true, accurate, and complete. I am a	aware that there are significant	enalties for &
submitting false information, including the possibility of fine or imprisonment.	)	NIA 24, 20
Company Official Signature The Secret	RECEIVED Office of Oil and Gas	March (
Company Official (Typed Name) Mick Goodwin	MAR 6 2023	ALS V PU Dur Dur Ger B Exter WV
Company Official Title President	WV Department of	FICI TAR OF W OF W lives th St orner, ion Ex
	Environmental Projection	NC NC TATE 222 222 122 124 145 Hmiss
Subscribed and sworn before me this 27 day of February	, 20 23	S My Col
Mino Quinos		TOTAL STATE OF THE PARTY OF THE
- Umer Miner	_ Notary Public	
My commission expires March 24 2026		No IVIS
	04/07	V2023

Operator's Well No. DEWHURST, J.B. 4

_		60	
Lime 3	Tons/acre or to correct	to pH 6.0	
Fertilizer type 10-	-20-20 or Equivalent		
Fertilizer amount_	500	lbs/acre	
Mulch 2		_Tons/acre	
		Seed Mixtures	
Т	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Fescue	30
		Clover	5
		Contractor Mix	10
(s) of road, location, pled). If water from the ), and area in acres, o	pit and proposed area for land e pit will be land applied, pro of the land application area. olved 7.5' topographic sheet.	d application (unless engineered plans include vide water volume, include dimensions (L,	ding this info have been W, D) of the pit, and dime
(s) of road, location, pled). If water from the hand area in acres, o copied section of involves.	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.	ovide water volume, include dimensions (L,	ding this info have been W, D) of the pit, and dime
led). If water from the hand area in acres, o copied section of investigation and area by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy  Digit.  Date:	ovide water volume, include dimensions (L,	ding this info have been W, D) of the pit, and dime
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	w, D) or the pit, and dink
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ovide water volume, include dimensions (L,	w, D) or the pit, and dink
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	w, D) or the pit, and dink
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	w, D) or the pit, and dink
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	DEP standards
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	w, D) or the pit, and dink
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	DEP standards.  Office of Oil and  MAR 6 20
(s) of road, location, pled). If water from the hand area in acres, o copied section of involved by:  Approved by:  No pits very least to the proved by:	e pit will be land applied, proof the land application area.  olved 7.5' topographic sheet.  phen Mccoy Digit. Date:	ally signed by Stephen Mccoy 2023.02.24 07:46:22 -05'00'	DEP standards.  Office of Oil and







04/07/2023

EG23083 (47-103-00473) WW-9 33-17 EQT Production Company 15-67/100 ACRES Dewhurst 4 47-103-00473 2 48" Culverts S 33-24 1 W DNR 2 ACRES 300° TO 155 33-26 SPACING 2600' @ 0-59 W DNR 40.9 ACRES Dewhurst 4 47-103-00473 RECEIVED Office of Oil and Gas 6 2023 MAR **DENOTES TO INSTALL** STONE AT CREEK CROSSING WV Department of Environmental Protection © DENOTES TO INSTALL 12" MINIMUM CULVERT Unless otherwise noted, all roads shown hereon are existing and shall be maintained in accordance with WV D.E.P., Office of Oil and Gas Erosion and Sediment Control Field Manual as revised 8/2016 Entrances upon county/state roads shall be maintained in accordance with WV D.O.T. regulations, however, separate permits may be required by the WV D.O.T. PROPERTY BOUNDARY RDAD Sediment basins (traps) and appropriate erosion control barriers are to be constructed at all culverts and cross-drains as required in the aforementioned Erosion and Sediment Control Field Manual. Where field conditions dictate, alternative erosion control measures shall be enacted as required. DITCH SILT FENCE Earthwork contractors are responsible for notification to the operator and inspector prior to any deviation from this EXISTING VELL RAWN BY: Ben Singleton DATE: February 21, 2023 BROAD BASED DIP CULVERT SURVEYING AND MAPPING SERVICES PERFORMED BY: CRUSS TRAIN ALLEGHENY SURVEYS, INC. PIT-CUT WALLS 1-800-482-8606 P.O. BOX 438 PIT-COMPACTED VALLS BIRCH RIVER, WV 26610 PH: (304) 649-8606 AREA OF LAND APPLICATION
OF PIT WASTE FAX: (304) 649-8608



#### Kennedy, James P < james.p.kennedy@wv.gov>

## plugging permit issued 4710300437

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Tue, Apr 4, 2023 at 10:43 AM

To: Henry J Harmon <a href="mailto:henry.j.harmon@wv.gov">henry.j.harmon@wv.gov</a>, Stephen E McCoy <a href="mailto:stephen.e.mccoy@wv.gov">henry.j.harmon@wv.gov</a>, slemley@wvassessor.com

To whom it may concern, a plugging permit has been issued for 4710300437.

James Kennedy

WVDEP OOG

2 attachments



4710300437.pdf 3879K



ir-8 4710300437.pdf 120K