



2850' B Digi

SEP 29 1976



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

Rotary X Oil_

Permit No. Wet-607	ınt				Recycling_ Water Floo Disposal	Comb. Comb. Storage
Company Pennzoil			Casing and	Used in	Left	Cement fill up
Address P. O. Box 15 Farm Blackshere We			101 Tubing	Drilling	in Well	Cu. ft. (Sks.)
Location (waters) Sou	th Fork of Fis	hing Creek	a.		 	·
Well No. 72			Size 20-16		ļ	
	CountyWe		Cond.			
The surface of tract is ov	•		13-10" 10-3/	4 18	18	
Coastal Lumber					1	5 sks.
Address P.O.Box 8,			8 5/8		 	†
Mineral rights are owned	by Carl E. Be	aty, Jr.	7	1800	1800	335 sks.
Address_1	10 Water Stree	t, Huntingto	05 1/2			333 sks.
Drilling Commenced O	ctober 29, 197	6 W.Va.	4 1/2	2851	2851	50 sks.
Drilling Completed No	ovember 4, 197	6	3			30 aks.
Initial open flow	60 M cu. ft	2 bbls.	2		<u> </u>	1
Final production 60 N	1_cu. fl. per day_	1 bbls	Liners Used			
Well open	_hrs. before test_	RP.	tarrana			
Well treatment details: Fractured: 12/	15/76 w/28,000	# Frac. Sd.	Attach copy of c 20/40, 500 G	al. HCL 15	rd. %, 800 B	W
				· · · · · · · · · · · · · · · · · · ·		
			:	:		
				\$.		
Coal was encountered at_		Feet		Incha		
Fresh water	Fe	et	Salt V	Vater Inche	1	P
Producing Sand Big	Injun		A CONTRACTOR OF THE CONTRACTOR	·	•	Feet
					- 4	
Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Water	• Remarks
Sand & Silt				<u> </u>		
Silt & Shale		0	85			
		85	945			
Sand	· · · · · ·	85 945	945 1002			
Silt & Shale		85 945 1002	945 1002 1054			
Silt & Shale Sand		85 945 1002 1054	945 1002 1054 1088			
Silt & Shale Sand Shale & Silt		85 945 1002 1054 1088	945 1002 1054 1088 1145			
Silt & Shale Sand		85 945 1002 1054 1088 1145	945 1002 1054 1088 1145 1163			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand		85 945 1002 1054 1088	945 1002 1054 1088 1145 1163 1178			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt		85 945 1002 1054 1088 1145 1163	945 1002 1054 1088 1145 1163			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal		85 945 1002 1054 1088 1145 1163 1178 1262 1385	945 1002 1054 1088 1145 1163 1178 1262			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale & Silt		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale & Silt		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale & Silt Sand Shale Ist Salt Sand Silt & Shale		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale & Silt Sand Shale 1st Salt Sand Silt & Shale 2nd Salt Sand		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale & Silt Sand Shale 1st Salt Sand Silt & Shale 2nd Salt Sand Silt & Shale		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354 2381			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale 1st Salt Sand Silt & Shale 2nd Salt Sand Silt & Shale 3rd Salt Sand		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354 2381	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354 2381 2422			
Silt & Shale Sand Shale & Silt Sand Silt & Shale Sand Shale & Silt Pittsburgh Coal Shale & Silt Sand & Silt Silt & Shale Big Dunkard Shale & Silt Sand Shale & Silt Sand Shale 1st Salt Sand Silt & Shale 2nd Salt Sand Silt & Shale		85 945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354	945 1002 1054 1088 1145 1163 1178 1262 1385 1397 1754 1810 1865 1908 2010 2020 2120 2220 2310 2354 2381 2422 2583			

^{*} Indicates Electric Log tops in the remarks section.

		The state of the s			
Formation Color Hard or Soft	Top Feet 14	Bottom Feet	Oil, Gas or Water	* Remarks	
Little Lime Pencil Cave Big Lime Loyalhanna Big Injun Pocono Big Injun Shale	2583 2598 2632 2696 2752 2835	2598 2632 2696 2752 2835 2868			
Total Depth		2868			
	·		•		
•					
			263Y		
		• . u• .			
		<u>.</u>			

Date June 20 1077 APPROVED PEnazoir Company 1100
By Gutti a-facean
(Title) Eng. Dept





DEPARTMENT OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

Charleston, W. Va. Surface Owner Coastal Lumber Company Pioneer Division P. O. Box 8, Daley, W. Va. 262	DATE September 10, 1976
Address Pioneer Division P. O. Box 8, Daley, W. Va. 262	
P. U. Box 8, Daley, W. Va. 262	Company PENNZOIL COMPANY
-	Address P. O. Box 1588, Parkersburg, W. Va.
Mineral Owner Carl E. Boaty, Jr., Agt.	Farm Blackshere Wells & Co. Acres 3800
Address 110 Water Street	Location (waters) South Fork of Fishing Creek
Coal Owner Mannington, W. Va. 26582	Well No. 72 Elevation 1604.84
Address	
Coal Operator Mountaineer Coal Company P. O. Box 1632,	
TERMIT MUST BEAUDINGTON, W. Va. 26554 THE WELL SITE	
e W. Va. Code the Level ance with Chapter 22	
drilling state by approved	INSPECTOR
tions have not commenced by 1-13-77	TO BE NOTIFIED William Blosser
	ADDRESS Colfax, W.Va.
puty Director - Oil & Gas Division	PHONE 363-9105
GENTLEMEN:	
The undersigned well operator is entitled to drill upon th	ne above named farm or tract of land for oil and gas, having fee
title thereto, (or as the case may be) under grant or lease	dated February 20, 1892 by John Blackshe
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Com	dated February 20, 49 by John Blackshe pany and recorded on the day of
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Com	dated February 20, 49 by John Blackshe pany and recorded on the day of
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Com 19, in County, Book 35	pany and recorded on the day of Page547
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Com 19, in County, Book 35	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE
title thereto, (or as the case may be) under grant or lease et al	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required.
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp 19 in County, Book 35 X NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLE: The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or in the code of the cod	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. *
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp 19, in County, Book 35 X NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLE. The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or to coal owners at their above shown respective address	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. * y registered mail, or delivered to the above named coal operators day before or on the
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp 19 in County, Book 35 X NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLE: The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or it copies of this notice and the enclosed plat were mailed by	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. * y registered mail, or delivered to the above named coal operators day before, or on the epartment of Mines at Charleston, West Virginia.
et al made to South Penn 0il Company in County, Book 35 X NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLE: The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or in Copies of this notice and the enclosed plat were mailed by or coal owners at their above shown respective address mame day with the mailing or delivery of this copy to the Design of the code of the cod	dated February 20, 1892 by John Blackshe pany and recorded on the day of FRACTURE OR STIMULATE DEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. The registered mail, or delivered to the above named coal operators day before, or on the epartment of Mines at Charleston, West Virginia. Very truly yours, PENNZOIL COMPANY
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp 19 in County, Book 35 X NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLE: The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or it copies of this notice and the enclosed plat were mailed by or coal owners at their above shown respective address same day with the mailing or delivery of this copy to the Deep PLEASE SUBMIT COPIES OF ALL	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. * y registered mail, or delivered to the above named coal operators day before, or on the epartment of Mines at Charleston, West Virginia. Very truly yours, PENNZOIL COMPANY (Sign Name)
title thereto, (or as the case may be) under grant or lease et al made to South Penn 0il Comp. 19 in County, Book 35	dated February 20, 1892 by John Blackshe pany and recorded on the day of
itle thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp. 9 in County, Book 35 X	dated February 20, 1892 by John Blackshe pany and recorded on the day of
itle thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp. 9 in County, Book 35 X	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. * y registered mail, or delivered to the above named coal operators day before, or on the epartment of Mines at Charleston, West Virginia. Very truly yours, PENNZOIL COMPANY (Sign Name) Well Operator Curtis A. Luce P. O. Box 1588, Street
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp 19 in County, Book 35 X	dated February 20, 1892 by John Blackshe pany and recorded on the day of Page 547 REDRILL FRACTURE OR STIMULATE D BEFORE JUNE 5, 1969. or licensed land surveyor and all coal owners and/or operators notified that any objection they wish to make, or are required filed with the Department of Mines within ten (10) days. * y registered mail, or delivered to the above named coal operators day before, or on the epartment of Mines at Charleston, West Virginia. Very truly yours, PENNZOIL COMPANY (Sign Name) Well Operator Curtis A. Lucas P. O. Box 1588, Street rator Parkersburg,
title thereto, (or as the case may be) under grant or lease et al made to South Penn Oil Comp 19 in County, Book 35 X	dated February 20, 1892 by John Blacksher pany and recorded on the day of

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER	R TO X DRILL	DEEPENF	RACTURE-STIMULATE		
DRILLING CONTRACTOR:	(If Known)	RESPONSIBLE AGENT: NAME Pennzoil Company			
NAME F. W. A.					
ADDRESS		ADDRESS Parkersbu	rg, West Virginia 26101		
TELEPHONE		TELEPHONE 422-	6565		
ESTIMATED DEPTH OF CO	OMPLETED WELL: 2850 °	ROTARY X	CABLE TOOLS		
PROPOSED GEOLOGICAL	FORMATION: Big Injun				
TYPE OF WELL:	OIL_X GAS CO	OMB STORAGE	DISPOSAL		
	RECYCLIN	NG WATER FLO	OODOTHER		
	•				
TENTATIVE CASING PROC	GRAM:				
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP		
SIZE .	DRILLING	WELL	OR SACKS - CUBIC FT.		
20 - 16		•			
13 - 10					
9 - 5/8					
8 - 5/8					
7	1400 *	1400 1	Cement to surface		
5 ½	0050	00001			
4 ½	2850 ¹	2850 °	50 sks.		
2			Perf. Top Perf. Bottom		
Liners			Perf. Top		
			Perf. Bottom		
TO DRILL: SUBMIT FIVE (5) CO OF PLAT. TO DRILL DEEPER OR RE	PIES OF OG - 1, \$100.00 PERMICURILL: PIES OF OG - 1, SHOWING ORIGI	T FEE, PERFORMANCE B	OND AND PERMANENT COPY		
	IOR TO 1929, A PERMANENT CO				
TO FRACTURE - STIMULA	TE:				
OIL AND/OR GAS WE BOND, PERMANENT	LL ORIGINALLY DRILLED BEFORE	RE JUNE 5, 1929, FIVE (5)	COPIES OG - 1, PERFORMANCE		
	LL ORIGINALLY DRILLED ON AN IT NUMBER, AND PERFORMANCE		29, FIVE COPIES OG - 1, SHOW-		
Required forms must be four (24) hours in advan	pe filed within ninety (90) days of cance.	completion for bond release.	Inspector to be notified twenty-		
	• · · •				
The following waiver thereof.	must be completed by the coal ope	erator if the permit is to be	issued within ten days of receipt		
WAIVER: I the undersigned	d, Agent for	Coal Company, Owne	r or Operator of the coal under		
	xamined and place on our mine m				
	Coal Company				
Code.	6				
	• .	t selection in the comment of the co	For Coal Company		

Our Latte

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	COASTAL LUMBE	R CO.	Operator W	ell No.:B. T	WELLS #72	
LOCATION:	Elevation: 1, District: GR Latitude: 14 Longitude 80	ANT 425 Feet Sol	Cou uth of 39 D	nty: WETZEL	0 0	
Well Type:	OIL X GA					
<u>P 0</u>	HEFNER & ASSO BOX 249 DGEPORT WV 263		Coal Ope or Owner	P O BO	IMOLINI IIII OCCO	_
Agent: GB	HEFNER		Coal Ope	2		
Permit Issu	ed: 07/26/96		or Owner		CALAI D. YI	_
STATE OF WE	ST VIRGINIA, WETZEL	AFF]	IDAVIT		· / 1997	
		and		~~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~	ontting Of Oll & Gas bei	
the above and filling Gas Inspect commenced the well was represented to the well was represented by the well-was r	ent ent ent ent	perator, and ll, and ting the I day day d filled i FROM 2830 2640 1880 1780 1425 1325 110	RANDAL MICOIPETOR, SE OF Septement TO 2640 (tagged 1880 1780 1425 1325 110 Surface	y that they wells and wells and wells and wells and wells continued by that some some wing manner pipe REMOVE ed) 4 1/2" 1 7" 10 3/4"	are experience were employed ork of pluggi Oil a said work was and that ED LEFT 880 971 0 1804CT 26CT	by ng ind is
	otion of monume at the work of lay of <u>Septem</u> l		and rilling	o" above sur said well w	race completed	o n
And furthur	deponents sait	h not.	Kyl I) Tenkens		
OFFICIAL NOTARY STATE OF WE CURTIS A 1604 Rac	PUBLIC ST VIRGINIA LUCAS Street Oil and (ne 7, 2000	Guit	September Notary P	~	
My Collandadole an	·····				a Sta	