

39° 32' 30"

7

Laura Hearne

542<sup>a</sup>

7.5' TOPO

Henry Hyle

108<sup>a</sup>

23003-1/2-RS-67a

11/1/11/48

694<sup>a</sup>

W. H. Hoge

B. J. Hoge

RICHWOOD

GPA Southern

A. F. Empehart

159<sup>a</sup>

(M. Corby)

4923-38

637<sup>a</sup>

Thos W Corby 462<sup>a</sup>

(M. W. Corby)

1920 His

Martin

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS

FORM IV-6

(8-78)

NSB N6 E1



DATE 1-4-1979  
OPERATOR'S WELL NO 3  
API WELL NO.  
47-103-0981  
STATE COUNTY PERMIT

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL TYPE: OIL  GAS  LIQUID INJECTION  WASTE DISPOSAL   
(IF "GAS", PRODUCTION  STORAGE  DEEP  SHALLOW

LOCATION: ELEVATION \_\_\_\_\_ WATER SHED FISHING CR

DISTRICT GRANT COUNTY WETZEL

QUADRANGLE BIG RUN 7.5'

SURFACE OWNER \_\_\_\_\_ ACREAGE \_\_\_\_\_

OIL & GAS ROYALTY OWNER \_\_\_\_\_ LEASE NO. \_\_\_\_\_ LEASE ACREAGE \_\_\_\_\_

PROPOSED WORK: DRILL  CONVERT  DRILL DEEPER  REDRILL  FRACTURE OR STIMULATE  PLUS OFF OLD FORMATION  PERFORATE NEW FORMATION  OTHER PHYSICAL CHANGE IN WELL (SPECIFY) \_\_\_\_\_

PLUS AND ABANDON  CLEAN OUT AND REPLUS

TARGET FORMATION \_\_\_\_\_ ESTIMATED DEPTH \_\_\_\_\_


WELL OPERATOR Pennzoil Company DESIGNATED AGENT James A. Crews

ADDRESS P. O. Box 1588 ADDRESS P. O. Box 1588

Parkersburg, WV 26101 Parkersburg, WV 26101

M. 60234-3

LATITUDE 39° 32' 30"



00° 58' 08"

LONGITUDE

7'5 OGIS topo location

7.5' 10C	<u>0.765</u>	15' 10C	_____
	<u>2.10W</u>	(calc.)	_____

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad BIG RUN 7 1/2'

County WETZEL

District GRANT

WELL LOCATION MAP

File No. 103-0981

(095)

Well No. 3 / m. Gorbey Farm.  
 Lease No. Grant District Antye County,  
 Rig built by SPO Co  
 Well drilled by Kamekawa 10 ac Contractor.  
 Began drilling Nov 24 1906 Completed Jan 27 1907

ROCK FORMATION.	TOP.	BOTTOM.	REMARKS
Conductor		16	
Pittsburg coal	855	858	steel line meas
Big Bluehard sand	1325	1415	Shot 2 1/2" 15-20' - 24' 13 1/2' 1/2' hours
Salt sand	1632	1672	" 1 3/4" 17-20 ft.
Pinuel Cave	2071	2077	" 1 7/10 - 80 ft.
Big Lime	2080	2130	Shot 1 1/2" 30-41-60 ft @ 1905 ft.
" Syrus sand	2130	2360	" " "
Toply foot	2672	2700	
Red rock	2768	2810	
Stray sand	2910	2932	
London "	2932	2457	" " "
Oil 1st pay light	2934		" " "
Oil 2nd pay good	2455		" " "
gas	2955		" " "
Total depth		2964	" " "

**CASING RECORD.**

Size	CHARGED TO WELL		PUT IN WELL		PULLED OUT		LEFT IN WELL		Transferred before Completion		Left at Well Not in Use	
	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.
10			527	10	527							
8 1/4			1443		21							
6 7/8			2284	10	110							

Production First 24 Hours } Bbls. Signed A. L. Chambers Supt

47-103-0981