STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: B.	W. Peterson		_Operator Well No.:_7272		
Di La	atitude:	Feet South of	_ Quadrangle: FOLSOM V	5.65680 Sec.	
Well Type: OIL	_XX_ GAS				
Company C	onsolidation Co	oal Co. Coal O or Own	perator 1 Bridge Street Monon	gah, WV 26554	_
Agent D	avid Roddy Date 04/26/19	or Own			- - -
STATE OF WES County of Mono Dustin W. Benne	ngalia ss:	Matthew A. Yearsle	AFFIDAVIT y	ıly sworn according to law de	pose
The state of the s	d participated in the	work of plugging a	and filling oil and gas wells and v nd filling the above well say the well was plugged and filled in	at said work was commenced	
TYPE	FROM	ТО	PIPE REMOVED	LEFT	
Thixotropic with Green Dye	1380'	932'			
Expandable Cement		Surface			RECEIVED
7" Casing	9'	Unknown	0	Unknown	Office of Oil and Gas
8 5/8" Casing 16" Conductor	Unknown	Unknown 11'	0	Unknown 11'	
16 Collabotol	Surface	11	U	11	OCT 08 7019
said well was cor	monument: 77" of 7" cash npleted on the 4th ponents saith not.	ng with company name, well #,	API#, and date cemented. and er , 2019.	that the work of plugging and f	WV Department of Wingnmental Protection FFICIAL SEAL hard O'Dell bottory Public of West Virginia
Sworn and sul	expires: 06/14/2	is 231d day of 5	Henring 20 19 Telly O'D W Notary Public	My Con	nmission Expires ne 17, 2021 R 7 Box 72 burg, WV 26301
		00.00000		0:1.0.0	1
Affidavit reviewed	by the Office of Oil	and Gas: _ <i>Dere</i>	k M. Haught	Title: Oil & Gas Inspec	TOT

Plugging Report for MSHA

Well Numb	oer:	7272		Mine: Harr	rison Co	unty Min	e		Surface	
				100000000000000000000000000000000000000				-		Top of 16" Conductor at surface
De soult Nov	han	47-103-0	1067							Top of 8 5/8" casing unknown Top of 7" casing at 9'
Permit Nm	iber:	47-103-0	1007			•				Bottom of 16" Conductor at 11
Date Clear	n Out Star	ted:	8/19/2019							
Date Well	Bore Plug	ged:	9/4/2019			i				
Pittsburgh	Coal Sea	m:	1132 ft.	То 1139	ft.				Ø	
Plugs:									Expanding Cement	
From		То		Type of C					d P	
1380)*	932'		Thixotrop		nt w/			S S	
				Gre	een Dye				эте	
932	ř	Surfac	е	Expand	able Cem	ent			#	
						-				
Casing	Remain	ing in Well I	Bore			Th	lx Top:	932'		
Juomg	· vomuni	ing in troit	20.0						=	
	Тор	Botton	1 Left	Pulled					Thixotropic Cement w/Green Dye	
Sucker Rods					_				xotropic Cem w/Green Dye	
2 3/8" tubing 4 1/2" casing					-				pic	
7" casing	9'	Unknow	n Unknown	Unknown					Cen	
7" fiberglass									ner	
8 5/8" casing	Unknow	n Unknow	n Unknown	Unknown	_				#	
10 3/4" casing 16" Conductor	Surfac	e 11'	11'	0	_			1132'-		
16 Conductor	Suriac	e 11						1139'		
						Pittsbu	rgh Coal	- 13		
									計	
Cement:			_						ixot	
Expandable Thixotropic	-	13 85		sacks sacks					Тог	
Econofill	-	00)	sacks					310	
Mud Flush	-	100	00	gal					Cem	
Other									ner	
Est. Top Thix				ft					NE W	
Did Cement Ci	rc	YE	S						Thixotropic Cement w/Green Bye	
Comments:						Thix F	ottom:	1380'	еел	Bottom of 7" and 8 5/8" casing unknown
	treme	Moderate	Normal			THAL	- CHOIII.	1000		and o or odding and our
				Normal						
Lost Circulation Difficulty in Re			<u>oderate</u> 'eme Mode	Normal erate Norm	nal					
Debris in Well		Wood	Steel	Other:						

Surface Elevation (Surveyed) Bottom of Coal Structure (Map) Difference 1302 155 1147

RECEIVED
Office of Oil and Gas

OCT 08 2019

FORM WR-38 (Affidavit of Plugging)

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS WELLS DIVISION



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner

1 BRIDGE STREET MONONGAH, WV 26554

Address

CONSOLIDATION COAL CO.
Coal Operator or Owner

1 BRIDGE STREET MONONGAH, WV 26554 Address

COASTAL FOREST RESOURCES

Lease or Property Owner PO BOX 709 BUCKHANNON, WV 26201 Address CONSOLIDATION COAL CO.
Name of Well Operator

1 BRIDGE STREET MONONGAH, WV 26554

Complete Address FOLSOM, WV 7.5'

Well Location

GRANT District

WETZEL

County 7272

Well No. B.W. PETERSON

Farm

STATE INSPECTOR SUPERVISING PLUGGING

Derek M. Haught

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of MONONGALIA ss:

DUSTIN W. BENNETT and MATTHEW A. YEARSLEY being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 9TH day of August, 2019 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In		
Formation	•					
Cleaned a 6 1/4" hole from	n surface to 1380' inside of 7" casing.	7" Casing	0	Unknown		
Tagged solid cement plug	1380'. Left unknown amount of 7" casing	2000 	500.00	2002		
from 9' to unknown depth	. Possible 8 5/8" casing in well bore at	8 5/8" Casing	0	Unknown		
(unknown depth) per old	well records. Attempted to remove 7"	8 8	8			
casing by pulling 150% st	ring weight. All attempts were	16" Conductor	0	11'		
unsuccessful. Placed cuts	s in 7" and possibly 8 5/8" casing at 1358',					
	', 1149', 1144', 1139', 1137', 1135', 1133',					
	', 1032', 625', 429', 212', 170' and 80'.					
	and possible 8 5/8" casing with 15 shots					
	s shots at 1144'. 7" casing had pre-existing			1		
periorations at 1235 , 122	.4', 1214', 1204', 1194', 1184', 1174',1165', ', 1083', 1066', 1045', 355', 344', 322',					
	1, 1083, 1085, 1043, 333, 344, 322, 1, 125, 95, and 72. Cleaned a 6 ¼" hole					
	Seam (1132'-1139'). Left 11' of 16"					
conductor casing from su						
	80' back to surface as follows:					
	ks of Thixotropic Cement with Green Dye.					
932' to 315' with 75 sacks	s of Expandable Cement. 315' to surface					
with 60 sacks of Expanda	able Cement. Cement did circulate at					
surface.	-					
Coal Seams		Description of Monument				
Pittsburgh	1132' - 1139'	77" of 7" casing w/ company name, well number,				
		permit number and date of	d date cemented stated on 7"			
		casing. Well marker will be attached to cement				
		plug at ground level.				

... and that the work of plugging and filling said well was completed on the 4th day of September, 2019

And further deponents saith not.

Dustin W. Bennett

Matthew A. Yearsley

Swom to and subscribed before me this 23 day of

day of Spleinber, 2014

Notary Public

Permit No. <u>47-103-01067</u>

Well No. 7272

Latitude: 39° 29' 53.65680"N Longitude: 80° 31' 15.31920"W RECEIVED
Office of Oil and Gas

OCT 08 2019

My commission expires:

