

#### west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, June 13, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

TRIBUNE RESOURCES, LLC 3861 AMBASSADOR CAFFERY PARKWAY, SUITE 600

LAFAYETTE, LA 70503

Re: Permit approval for 2 47-103-01117-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 2

Farm Name: SOLE, JOHN

U.S. WELL NUMBER: 47-103-01117-00-00

Vertical Plugging Date Issued: 6/13/2023

### PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

1) Date March	Date March 8					
2) Operator	's	-	2023			
Well No.	Soles, John 2					
3) API Well	No. 47-103		- 01117			

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type: Oil $X$ / Gas/ Liquid	
	(If "Gas, Production or Und	derground storage) Deep/ Shallow
5)	Location: Elevation_~1377'	Watershed Pennsylvania Fork Fish Creek
	District Clay	County Wetzel Quadrangle Littleton
6)	Well Operator Tribune Resources, LLC	7) Designated Agent Harman Brown
	Address 3861 Ambassador Caffery Blvd.	Address 18396 Mountaineer Highway
	Lafayette, LA 70503	Littleton, WV 26581
8)	Oil and Gas Inspector to be notified Name Stephen McCoy	9)Plugging Contractor Name TBD
	Address 13016 Indian Creek	Address
	Jacksonburg, WV 26377	1.441.655
	Work Order: The work order for the mann	
		Office of Oil and Gas MAY 1 8 2023  WV Department of Environmental Protection
Notin	fication must be given to the district oi can commence.	l and gas inspector 24 hours before permitted
Work	order approved by inspector	Date 5/10/23

06/16/2023

#### Soles, John 2

API No.

47-103-01117

Elevation

1377'

Latitude

39.664968

Longitude

-80.527039

Freshwater

Approx 180' per 47 10302233

**PBTD** 

2405

Perfs

Big Injun

2362'

	Casing		Cement						
	Size	Depth	Sxs	Est. Top					
Surface 10"		245		1					
Intermediate	8-1/4"	1458							
Production	6-5/8"	2310							
Liner	5 3/10	398'	IIS .						

Procedure

Free point 6-5/8" production casing, back off, rip/cut, or perforate casing as directed by state inspector.

Free point 8-1/4" intermediate casing, back off, rip/cut, or perforate casing as directed by state inspector.

Pull 10" surface casing, back off, rip/cut, or perforate casing as directed by state inspector.

RIH w/ work string, pump Gel 6% spacer between cement plugs.

Plugs	Material	Dept	h	Est. Top	Thickness	
		Bottom	Тор		feet	
Formation	Cement	2405	2300		105	
6-5/8" casing	Cement	2300	2200	2250	100	
	Gel	2200	1430		770	- 6 1200 1200
Elevation	Cement	1430	1350 132	5 1377	80 10	5 Done plug from 1430-1300'
8-1/4" Casing	Cement	13501325	1300	1350	50 .	S. F.
	Gel	1300	1130		170	
Pitts' Coal	Cement	1130	1030	1080	100	RECE
	Gel	1030	300		730	Office of Oil and Gas
10" Casing	Cement	300	200	245	100	MAY T
Top Plug	Cement	200	0		200	MAY 1 8 2023

Gel: Fresh water with 6% + Bentonite clay by weight

Cement: Class A
Allow Proper cure time between cement plugs.
Bund 105 CLS needed to determine proper freepoints.
Tag all cement tops to confirm depth—Top off as needed.

Clean up location. Erect monument with API No per WV code

WV Deparment of Environmental Protection WR-35 Rev (9-11)

# State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Report of Well Work

DATE:	April 17, 2023	
API#:	47-103-01117	

06/16/2023

TION: Elevation: 1377	Quadrangle: Littleton								
- Card									
District: Clay Latitude: 39.664968 Feet South of Deg.	County: Wetz								
Longitude -80.527039 Feet West of Deg.	Mir Mir								
Company: Tribune Resources									
Address: 3861 Ambassador Caffery Blvd., Suite 60	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.					
Lafayette, LA 70503									
Agent: Harman Brown									
Inspector: Stephen McCoy	10"	245'	245'						
Date Permit Issued:	8-1/4"	1458'	1458'						
Date Well Work Commenced: 6-10-1901	6-5/8"	2310'	2310'						
Date Well Work Completed: 6-18-1901	5-3/16"	2748'	398'						
Verbal Plugging:									
Date Permission granted on:									
Rotary Cable Rig									
Total Vertical Depth (ft):									
Total Measured Depth (ft): 3349'									
Fresh Water Depth (ft.):									
Salt Water Depth (ft.):									
Is coal being mined in area (N/Y)? No									
Coal Depths (ft.): 1080'									
Void(s) encountered (N/Y) Depth(s) No									
N FLOW DATA (If more than two producing formation roducing formation Big Injun Pay zo as: Initial open flow MCF/d Oil: Initial open flow MCF/d Final open flow Time of open flow between initial and final tests atic rock Pressure psig (surface pressure) after as: Initial open flow MCF/d Oil: Initial open flow as: Initial open flow MCF/d Oil: Initial open flow MCF/d Final open flow Time of open flow between initial and final tests psig (surface pressure) after after cock Pressure psig (surface pressure) after as:	bone depth (ft) 2  bw * Bl  Hours  er Hour  e depth (ft) 317  bw * Bl  Bb  Hours	bl/d bl/d rs 0-3183' bl/d	ī	RECEIVE Office of Oil an MAY 1820 WV Department ronmental Prote					

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

Harman Brown	4/21/2023
Signature	Date

# 47103011178

Were core samples taken? Yes N	oX	ere cuttings caught during	drilling? YesNoX
Were Electrical, Mechanical or Geophysic	al logs recorded on this well	If yes, please list N/A	
NOTE: IN THE AREA BELOW I FRACTURING OR STIMULATING, I DETAILED GEOLOGICAL RECOR COAL ENCOUNTERED BY THE WE	PHYSICAL CHANGE, ET D OF THE TOPS AND	C. 2). THE WELL LOG BOTTOMS OF ALL I	WHICH IS A SYSTEMATIC FORMATIONS, INCLUDING
Perforated Intervals, Fracturing, or Stimula	ating:		
Gordon - two Nitro shots. Nov. 190	04 16 qt. & Jan. 1905	20 qt.	
Plug Back Details Including Plug Type and	d Depth(s): 5 7 1085 above	adoped effort to D. 9. A	Filled from TD to 2405
Produced gas from Big Injun.	3-7-1903 abai	idoned enon to P & P	A. Filled from 1D to 2405.
Formations Encountered: Surface:	Top Depth	/	Bottom Depth
			Dra
			Office of Oil and Gas
			MAT 1 8 2023
			lan .
			Environmental Protection



Select County: (103) Wetzel ✓ Select datatypes: ☐ (Check All) Production Enter Permit #: 01117 Plugging Owner/Completion Stratigraphy Sample Get Data Reset Logs Pay/Show/Water Btm Hole Loc

Table Descriptions
County Code Translations
Permit-Numbering Series Usage Notes Contact Information WVGES Main "Pipeline-Plus"

WV Geological & Economic Survey:

Well: County = 103 Permit = 01117 Link to all digital records for well

Report Time: Tuesday, June 13, 2023 9:40:53 AM

 API
 COUNTY
 PERMIT
 TAX\_DISTRICT
 QUAD\_75
 QUAD\_15
 LAT\_DD
 LON\_DD
 UTME
 UTMN

 4710301117
 Welzel
 1117
 Clay
 Littleton
 Littleton
 39.664139
 -80.531325
 540201.4
 4390586

There is no Bottom Hole Location data for this well

Owner Information:

API CMP\_DT SUFFIX STATUS SURFACE\_OWNER WELL\_NUM CO\_NUM LEASE LEASE\_NUM MINERAL\_OWN OPERATOR\_AT\_COMPLETION PROP\_VD PROP\_TRGT\_FM TFM\_EST\_PR
4710301117 1/19/1905 Original Loc Completed John Sole 2
4710301117 1/19/1915 Worked Over Completed John Sole 2
4710301117 1/19/1915 Worked Over Completed John Sole 2

 
 Completion Information:

 API
 CMP\_DT
 SPUD\_DT
 ELEV
 DATUM
 FIELD

 4710301117
 1/19/1905
 9/28/1904
 Littletn-1

 4710301117
 11/9/1915
 -/-/ Littletn-1
 FIELD DEEPEST\_FM DEEPEST\_FMT INITIAL\_CLASS FINAL\_CLASS TYPE
Littletn-Sgr Rn Hampshire Grp Fifth unclassified unclassified Oil unknown Shot 3346 Littletn-Sgr Rn Hampshire Grp Fifth unclassified unclassified not available unknown Shot

Pay/Show/Water Information:

DEPTH BOT FM BOT G\_BEF G\_AFT O\_BEF O\_AFT WATER QNTY 2367 Big Injun (undiff) 3188 Gordon

Production Gas Information: (Volumes in Mcf) \* 2022 data for H6A wells only. Other wells are incomplete at this time.

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
	Pennzoil Company	1981	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Company	1982	2,080	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Company	1983	3,780	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Company	1984	1,335	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1987	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1989	3,297	626	691	453	408	396	284	68	0	20	20	331	0
4710301117	Pennzoil Products Company	1990	1,061	48	104	0	70	527	282	0	0	0	30	0	0
	Pennzoil Products Company	1991	4,216	0	0	122	163	250	258	717	594	257	558	385	912
4710301117	Pennzoil Products Company	1992	8,107	544	895	911	1,116	736	1,085	565	1,024	860	369	2	0
	Pennzoil Products Company	1993	9,832	424	1,098	845	756	582	280	531	995	1.174	1.091	1.075	981
	Pennzoil Products Company	1994	9,085	1,083	814	766	861	632	673	1.022	627	1,196	537	558	316
	Pennzoil Products Company	1995	1,693	197	307	329	202	468	190	0	0	0	0	0	0
	Pennzoil Products Company	1996	115	0	0	115	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1997	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1998	4,910	0	0	0	0	0	0	486	498	226	1,209	1,167	1.324
	Pennzoil Products Company	1999	15,559	1,255	1,312	2.024	1,301	1.447	990	1,220	944	1,156	1,353	1,337	1,220
	East Resources, Inc.	2000	9,543	1,287	931	1,323	906	462	515	571	184	490	366	1,171	1.337
	East Resources, Inc.	2001	6,260	960	877	1,282	943	539	223	223	134	61	0	293	725
	East Resources, Inc.	2002	12,532	825	554	446	325	1,186	1,506	1,374	1.434	1,312	1.381	1,058	1,131
	East Resources, Inc.	2003	7,808	998	799	807	1,102	1,238	36	0	138	800	563	396	931
	East Resources, Inc.	2004	3,869	466	472	385	243	0	0	0	0	0	583	1.296	424
	East Resources, Inc.	2005	15,532	1,523	1,333	1,352	1.135	1,155	1,339	1.036	1.078	1.384	1.406	1.364	1.427
	East Resources, Inc.	2006	13,877	1,386	1,006	710	1,090	1,270	1,242	1,271	1.306	1,246	1.247	1.085	1.018
	East Resources, Inc.	2007	12,805	999	947	964	941	911	964	939	1.077	1,167	1,271		1,367
	East Resources, Inc.	2008	18,891	1,382	1,347	1.419	1,476	1,581	1,469	1,513	1.864	1,165	2.038	1.955	1.682
	East Resources, Inc.	2010	13,945	1,350	1,273	1,462	1,564	1,558	987	984	1,059	773	1.019	969	947
	East Resources, Inc.	2011	11,576	1,020	907	981	1,013	1,049	991	1,022	979	985	933	879	817
	HG Energy, LLC	2012	10,285	915	885	869	821	905	904	889	955	843	778	777	744
	HG Energy, LLC	2013	8,746	825	751	830	916	841	753	851	805	799	831	335	209
4710301117	HG Energy, LLC	2014	6,670	749	185	914	742	864	855	833	890	245	276	101	16
	Ascent Resources - Marcellus LLC	2015	575	13	7	20	37	50	60	55	61	67	76	64	65
	Ascent Resources - Marcellus LLC	2016	901	57	57	70	71	79	83	87	87	84	84	73	69
	Ascent Resources - Marcellus LLC	2017	1,080	70	67	74	85	89	102	108	104	101	103	91	86
	Tribune Resources, LLC	2018	1,146	86	87	89	91	105	103	98	104	105	100	88	90
	Tribune Resources, LLC	2019	1,161	86	83	91	97	103	101	109	107	102	101	91	90
	Tribune Resources, LLC	2020	1,144	89	83	94	91	98	101	105	107	101	98	90	87
4710301117	Tribune Resources, LLC	2021	1,128	86	83	93	91	97	97	104	105	102	98	85	87

Production Oil Information: (Volumes in Bbl) \*\* some operators may have reported NGL under Oil \*2022 data for H6A wells only. Other wells are incomplete at this time.

API	PRODUCING_OPERATOR	PRD YEAR	ANN OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
	Pennzoil Company	1981	- 9	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Pennzoil Company	1982	4	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Pennzoil Company	1983	9	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Pennzoil Company	1984	33	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Pennzoil Products Company	1987	0	0	0	0	0	0	0	0	0	0	0	0	ő
4710301117	Pennzoil Products Company	1989	0	0	0	0	0	0	0	0	0	0	0	0	o
	Pennzoil Products Company	1990	0	0	0	0	0	0	0	0	0	0	0	0	o
	Pennzoil Products Company	1991	0	0	0	0	0	0	0	0	0	0	0	0	o
4710301117	Pennzoil Products Company	1992	0	0	0	0	0	0	0	0	0	ő	0	ó	0
4710301117	Pennzoil Products Company	1993	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1994	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1995	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1996	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pennzoil Products Company	1997	0	0	0	0	0	0	0	0	0	0	n	0	Õ
4710301117	Pennzoil Products Company	1998	0	0	0	0	0	0	0	0	ō	0	0	0	0
4710301117	Pennzoil Products Company	1999	0	0	0	0	0	0	0	0	0	0	Ô	0	0
	East Resources, Inc.	2000	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2001	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	East Resources, Inc.	2002	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	East Resources, Inc.	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2004	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2005	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2006	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2007	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2008	0	0	0	0	0	0	0	0	0	0	0	0	0
	East Resources, Inc.	2010	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	East Resources, Inc.	2011	0	0	0	0	0	0	0	0	0	0	0	o	0
4710301117	HG Energy, LLC	2012	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	HG Energy, LLC	2013	0	0	0	0	0	0	0	0	0	0	0	0	ő
	HG Energy, LLC	2014	0	0	0	0	0	0	0	0	0	0	0	0	ő
	Ascent Resources - Marcellus LLC	2015	0	0	0	0	0	0	0	0	0	0	0	0	ŏ
4710301117	Ascent Resources - Marcellus LLC	2016	0		-			11,500					0	· ·	
4710301117	Ascent Resources - Marcellus LLC	2017	0	0											
4710301117	Tribune Resources, LLC	2018	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Tribune Resources, LLC	2019	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Tribune Resources, LLC	2020	0	0	0	0	0	0	0	0	0	0	0	0	ő
4710301117	Tribune Resources, LLC	2021	0	0	0	0	0	0	0	0	ő	0	0	0	0

4710301117 HG Energy, LLC	2014	0	0	0	0	0	0	0	0	0	0	0	0	0.1
4710301117 Ascent Resources - Marcellus LLC	2015	0	0	0	0	0	0	0	0	0	0	0	0	ő
4710301117 Ascent Resources - Marcellus LLC	2016	0							-					-
4710301117 Tribune Resources, LLC	2018	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117 Tribune Resources, LLC	2019	0	0	0	0	0	0	0	0	0	0	0	0	ŏ
4710301117 Tribune Resources, LLC	2020	0	0	0	0	0	0	0	0	0	0	0	0	ŏ
4710301117 Tribune Resources, LLC	2021	0	0	0	0	0	0	0	Õ	0	o	0	0	ő

4710301117P

Production Water Information: (Volumes in Gallons) \* 2022 data for H6A wells only. Other wells are incomplete at this time.

API	PRODUCING OPERATOR	PRD_YEAR	ANN WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4710301117	Ascent Resources - Marcellus LLC	2016	- 0						umana.						
4710301117	Tribune Resources, LLC	2018	0	0	0	0	0	0	0	0	0	0	0	0	0
4710301117	Tribune Resources, LLC	2019	0	0	0	0	0	0	0	0	0	ő	0	0	0
4710301117	Tribune Resources, LLC	2020	0	0	0	0	0	0	0	0	0	0	0	0	ő
4710301117	Tribune Resources, LLC	2021	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

- Wireline (E-Log) Information:
  \* There is no Scanned/Raster Log data for this well
- \* There is no Digitized/LAS Log data for this well
- \* There is no Scanned or Digital Logs available for download

There is no Plugging data for this well

There is no Sample data for this well

WW-4A Revised 6-07

1) Date: March 8, 202	3		
2) Operator's Well Numb Soles, John No. 2	er		
3) API Well No.: 47 -	103	01117	

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

		NOTICE	FAPPLICATIO	ON TO PLUG ANI	D ABANDON	A WELL	
4)	Surface Owne	er(s) to be served: Genevieve Booth	5)	(a) Coal Operator Name	N/A		
	Address	3810 Sugar Run Road		Address			
		Littleton, WV 26581					
	(b) Name			(b) Coal Own	er(s) with Decl	aration	
	Address			Name	N/A		
				Address			
	(c) Name			Name			
	Address			Address			
		When the second second			****		
6) I	nspector	Stephen McCoy		(c) Coal Loss	ee with Declara	tion	
- 3	Address	13016 Indian Creek		Name	N/A	ttion	
-		Jacksonburg WV 26377		Address	N/A		
7	Telephone	681 344-3265					
-					***************************************		
-	Take notice the accompanying Protection, wit the Application	are not required to take as at under Chapter 22-6 of documents for a permit t h respect to the well at the	the West Virginia Code to plug and abandon a value location described on mailed by registered	this regarding the application, the undersigned well operwell with the Chief of the On the attached Application as or certified mail or deliver to the Chief.	erator proposes to file	or has filed this No West Virginia Depa	otice and Application and artment of Environmental
							RECEIVED
			Well Operator	Tribune Resources, LLC	0.		Office of Oil and Gas
			By:	Lee Lawson	#		1.7
			Its:	Regulatory/HSE Director			MAY 1 8 2023
			Address	3861 Ambassador Caffe	ery Blvd., Suite 600		
				Lafayette, LA 70503			WV Department of
			Telephone	337-769-4064			Environmental Protection
	criped and sw Commission Ex	pires LILL		y of April	2023 Notary P	ublic	ALYCE R. SAVOIE Notary Public State of Louisiana Parish of Lafayette
Oil ar	d Gas Privacy	Notice			L	My	Notery ID # 040836 y Commission Expires At Death

My Commission Expires At De The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.



RECEIVED
Office of Oil and Gas

MAY 1 8 2023

WV Department of Environmental Protection

#### SURFACE OWNER WAIVER

Operator's Well Number

Soles, John 2

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

> NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION GAS

> > MAY 1 8 2023

RECEIVED

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number. the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;
- Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;
- The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no			described in the	ese materials,	and I have n	0
objection to a permit being issued on th FOR EXECUTION BY A NATURAL P ETC.			FOR EXECU	TION BY A C	ORPORATION	I,
	_ Date	Name				
Signature		Ву _				
		Its _			Date	

Signature

WW-4B

## 4710301117

API No.	49-103-01117
Farm Name	
Well No.	Soles, John 2

# INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging	work order. The undersigned has r well operator has complied with a	_/ of the coal under this well location no objection to the work proposed to be applicable requirements of the West
Date:		RECEIVED
	Ву:	Office of Oil and Gas
	Its	WV Department of Environmental Protection


WW-9 (5/16)

API Number	47 -	103	_01117
Operator's W	ell No	).	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN	
Operator Name Tribune Resources, LLC. OP Code 494514693	
Watershed (HUC 10) Pennsylvania Fork Fish Creek Quadrangle Littleton	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No	
Will a pit be used? Yes No V ANY WELL EFFLUENT MUST RE	
If so, please describe anticipated pit waste: CONTAINED IN TANKS AND DISPOSED PRO	OFF-SITE
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	Orienta
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP)	g mm
Underground Injection ( UIC Permit Number	
Reuse (at API Number)  Off Site Disposal (Supply form WW-9 for disposal location)	
Other (Explain	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A	
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the CENERAL WATER POLLUTION PERMIT issues and applicable of the Central 1, 2016, but the Office of City and Consolidate Water Pollution Permit is a property of the Central Pollution of the Central Pollution Permit is a property of the Central Pollution Permit in Permit is a property of the Central Pollution Permit in Pollution Permit is a property of the Central Pollution Permit in Po	aed
on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable is	the aw
or regulation can lead to enforcement action.	
I certify under penalty of law that I have personally examined and am familiar with the information submitted on tapplication form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtain	ina
the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties submitting false information, including the possibility of fine or imprisonment.	for
	CEIVED
Company Official Signature	Ollando
Company Official (Typed Name) Lee Lawson	8 2023
AAV.	
Subscribed and swom before me this 2744 day of Abil 2023	ment of
Subscribed and sworn before see this day of upul , 20 23	rection
ALYCE R. SAV	
State of Louis	ana [
My commission expires Parish of Lafay Notary ID # 04 My Commission Expire	0836
my commission expire	O AL DOGUIT


	Operator's We	ell No
Proposed Revegetation Treatment: Acres Disturbed 0.5	5 Preveg etation nH	
Lime 2 Tons/acre or to correct to	110,000000000000000000000000000000	
Fertilizer type 10-10-20	, pri	
Fertilizer amount 500	lbs/acre	
otrou. O	ons/acre	
	Sand Mixtures	
	Seed Mixtures	
Temporary Seed Type   lbs/acre	Perman	
Seed Type lbs/acre	Seed Type  Tall Fescue	lbs/acre 40
	Ladino Clover	5
Photocopied section of involved 7.5' topographic sheet.  Plan Approved by:  Comments: Property reclaim, seed, mulc	h all greas.	
		Office of Oil and Ga
		MAY 1 8 2023
		MACA
ritle: WDOILE GAS Tuspector	Date: 5/0/23	Environmental Protection
Pield Reviewed?	) No	



RECEIVED Office of Oil and Gas

MAY 1 8 2023

WV Depart 6/2023 Environmental Protection



RECEIVED
Office of Oil and Gas

MAY 1 8 2023

WV Department of

06/16/2023

WW-7 8-30-06




### West Virginia Department of Environmental Protection Office of Oil and Gas

### WELL LOCATION FORM: GPS

WELL LO	CATION FORM. OF	3		
<sub>API:</sub> 47-103-01117	WELL NO.:	2		
FARM NAME: Soles, John	1			
RESPONSIBLE PARTY NAME:	Harman Brown			
COUNTY: Wetzel		lay		
QUADRANGLE: Littleton				
SURFACE OWNER: Genevie	eve Booth			
ROYALTY OWNER: Elkhorn	Minerals II, LLC, Lion	Royalty, LLC		
UTM GPS NORTHING: 43905	69.27			
UTM GPS EASTING: 540340	.92 GPS ELEVA	<sub>гіол:</sub> 1377'		
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements:  1. Datum: NAD 1983, Zone height above mean sea level 2. Accuracy to Datum – 3.03  3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assigned as will not accept GPS coordinate: 17 North, Coordinate Units: movel (MSL) – meters.	API number on the stes that do not meet neters, Altitude:  RECEIVED Office of Oil and Gas		
	me Differential	MAY 1 8 2023		
Mapping Grade GPS X: Post	Processed Differential  -Time Differential	WV Department of Environmental Protection		
4. Letter size copy of the topography map showing the well location.  I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.				
David R. Oliver Digitally signed by David R. Oliver Date: 2023.04.23 08:45:40 -04'00'	Pipeline/Facilities Engineer	4/23/2023		
Signature	Title	Date		

M





#### Kennedy, James P < james.p.kennedy@wv.gov>

#### plugging permit issued 4710301117

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Tue, Jun 13, 2023 at 10:57 AM

To: lee.lawson@tribuneresources.com, Stephen E McCoy <stephen.e.mccoy@wv.gov>, slemley@wvassessor.com

To whom it may concern, a plugging permit has been issued for 4710301117.

James Kennedy

WVDEP OOG

**4710301117.pdf** 3971K