FORM IV-2 (Obverse) (12-81)



Date:	May	12	, 19	82	
Operate Well N	or's	Sch	amp #3		
	ell No	47	103	1263	

County

Permit

State

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

								TO CITE DIVE	01011	_
		OIL	AND	GAS	WE	LL	PERMI	T APPLI	CATION	Ī
WELL TYPE:	Oil_XX		Gas X	X	J					
	(If "Gas"	, Produc	ction _	XX	/	Und	erground	storage		I
CATION	Elevation		929	3		Wa	tershed.	Fishing	Creek	

WELL TYPE:	Oil XX / Gas XX /		
	(If "Gas", Production XX / Undergroup	nd storage/ I	Deep/ Shallow/)
LOCATION:	Elevation: 929.3 Watershed		
	District: Green County:_		
WELL OPERATO			William E. Carpenter, Jr.
Address	3501 Emerson Avenue, #4B	Address3	3501 Emerson Ave., #4B
	Parkersburg, WV 26104		
OIL & GAS	ER C. W. Schamp, Leola S. Arthur	COAL OPERATOR	none
Address	Mary Belcher 1801 Beaver Street		
Addiess	Parkersburg, WV 26101	o de la constantina	11 -
Acreage	97	COAL OWNER(S) WIT	TH DECLARATION ON RECORD:
SURFACE OWNE	ER C. W. Schamp, Leola S. Arthur	Name none	
Address	and Mary Belcher 1801 Beaver Street	Address	
	Parkersburg, WV 26101		
Acreage	97	Name	
FIELD SALE (IF	MADE) TO:		
Address			
		COAL LESSEE WITH	DECLARATION ON RECORD:
OIL & GAS INSE	PECTOR TO BE NOTIFIED	Name none	RECEDERA
Name Rober	ct Lowther	Address	THE PROPERTY OF THE PROPERTY O
-	Middlebourne, WV 26159		MAY 2 6 1982
			OIL AND GAS DIVISION
The undersigned	d well operator is entitled to operate for oil or gas pur	poses at the above location	THE MENT OF MINES
other contract XX			
		the undersigned wen open	
	se, or other contract has been recorded:)		
	, 19, in the office of the Clerk		
Va., in	Book at page. A	permit is requested as for	
PROPOSED WO	ORK: Drill XX / Drill deeper/ Redu		
	Plug off old formation/ Perforate	new formation/	ALL PROVISIONS SEING IN ACCOR
	Other physical change in well (specify)	LIJALIA HALDIO DELL	ARTICLE & OF THE AVIANT CORRECT
			APPROVED FOR
	-planned as shown on the work order on t	he reverse side hereof.	TE OPERATIONS HAVE NOT COMM
The above name	ed coal operator, coal owner(s), and coal lessee are he	reby notified that any objec	tion they wish to make or are required to
make by Code \$22	2-4-3 must be filed with the Department of Mines w	vithin fifteen (15) days after	er the receipt of this Application by the
Department.			
C Cat. 5			

Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed by registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal lessee on or before the day of the mailing or delivery of this Permit Application to the Department of Mines at Charleston, West Virginia.

	E SUBMI				
GEOPH	IYSICAL	LO	GS	DIRE	CTLY
то:					
WEST	VIRGINI	A	OIL	AND	GAS
CO	NSERVA	TIC	N	COM	IMIS-
SION					
1615 W	ASHINGT	101	ST	REET	EAST
CHARL	ESTON,	W	253	311	
TELEP	HONE: C	304)	348	3-3092	

By William & Corporation

Well Operator

By William & Corporation

Its PRESIDENT

09/08/2023 THE COASTAL CORPORATION

FORM IV-2 (Reverse) (12 - 81)

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

HAUGHT ENERGY

DRILLING CO	NTRAC	TOR (IF	KNOWN	1)		HAUGHT	ENERGY			
				Ad	dress	SMITHV	ILLE, WEST	VIRGINIA		
GEOLOGICAL	TARGE	T FOR	MATION,			GORDON SPI	EECHLY			
			leted wel					XX/ Cab	le tools /	
							; salt,			
									/ N- XX	,
				400	9,	ls coal	being mined	in the area? Yes	/ No XX	_/
CASING AND	TUBING	G PROG	RAM							
CASING OR TUBING TYPE	SPE Size	CIFICAT	IONS Weight per ft	New	Used	FOOTAGE For drilling	Left in well	CEMENT FILL-UP OR SACKS (Cubic feet)	PACKERS	
Conductor	13"		28#		Х	∂6 0	200	Surface	Kinds	
Fresh Water										
Coal							a tract grad		Sizes	
Intermediate	8 5/8	ERW	23#	X		1000'	1000'	Surface		
Production	41/2	ERW	9.50#	X		40001		350 sacks	Depths set	
Tubing										
Liners									Perforations:	
Liners			-							
				-					Top Botto	<u>m</u>
20 634	1		1	-	-					
THIS PERMIT ALL PROVISION ARTICLE 4 ON APPROVED F IF OPERATION BY	separate Fart of the MUST BEING THE WORLD	Form Iv-2 work for POSTER VA. Codrilli	shall not which a p AT THE ACCORD. ODE, THE ME	be recermit WEL ANCE THIS	y water quired is sought sough	for fracturing oght and is noted CHAPTER 22 N IS HEREBY NT SHALL EXF	lling within 200 r stimulating a d as such on the	(v) if applicable, the control of the propose well where fracturing Form IV-2 filed in control of the propose well where fracturing the propose well as the propose well a	d well. or stimulating is to nnection therewith.	
The unders proposed wel The undersig	signed coal location.	al operate If a min	ore map exi	_/ ov	wner_nich co	WAI / lesse vers the area of osed to be done	issued within IVER ee/ of the well location	on, the well location h	well 1000/008/2023 n as been added to the min operator has complied v	e man
Date:			, 19				Ву			
							Its			



1) Date: F	EBRUARY 7	83
2) Operator's Well No	SCHAMP #3	
3) API Well No.	47 103-1263 -	REN.

					RA U				P #3
IL LING CONT	TRACTOR.					3)	API Well No.	47	103-1263 -RE
ILLING CONT			1,000		STATE OF WEST	VIDCINIA	is thing	State	County
e Coast	al Co	rpora	tionDI	PARTME	NT OF MINES, O	IL AND GAS DI	VISION	v oet som i	adlib od o Tg. (f.)
01 Emer	son A	ve. #	43						
rkersbu	ror MI	7 26	104		GAS WELL PER				react VIION (At
					n medicina de antigo. Si colecti de antigo				
WELLTITE			oduction _	XX	/ Undergroup	nd storage	/ De	an .	/ Shallow
LOCATION:	Elevat	tion:	929.3		Watershed:	Fishin	g Creek	ер	_/ Shallow
AD THEMS IN SELECTION	Distri	ct:	Green	on legislation	County:	Wetzel	Ou	adrangle:	Porters Fal
WELL OPER	RATOR	The C	oasta	1 Corp	oration	11) DESIGNA	TED AGENT	Willi	am L. Carpe
Address	3501	Emer	son A	ve. #4	Burgeonerop	Addres	s 350	LEmer	son Ave. #1
	Parke	ersbu	rg, W	V 261	04		Parke	ersbur	g, WV 2610
OIL & GAS	WAIED	C W	Sch	amp T	ceola S.		i u	None	S) Where well
Address					ner	12) COAL OF	LKATOK	Da Hiam	in a stoke 9 to
riduress	The second secon	of the Automotive Control of the Con		Street		Addres	To grateron	S COLDINA	e beratalgor e
Acreage						as) COAL ON	WNER(S) WITH	H DECLAR	RATION ON RECOR
SURFACEO	WNER_	C. W.	Schai	mp, et	. al.	Name	None		
Address	THE RESERVE OF THE PARTY OF THE	APPARATE SERVICE AND APPEAR	THE RESIDENCE OF THE PARTY OF T	Street		Addres	S TOTAL TO	n / casett	uns incapit 18
			A THE RESERVE OF THE PARTY OF T	WV 26	0101			386	Januarino (9
Acreage	The second second second	acre	S			Name	0.0000000000000000000000000000000000000	unio e	T 998 697 171
FIELD SALE						Addres			200 ON 70E
Address	DESCRIPTION OF THE PROPERTY OF	16 11 TO	TRAIL TO		etter anderen				
OIL & GAS I	INSPECTO	P TO BE	NOTIFIE	D			None None	DECLARAT	TION ON RECORD:
Name						Addres		Victor Washington	\$20 miles (61)
Address	Gene	ral D	elive:	ry	or like L vi a	god stateges			Is, it stow (81)
	Midd.	lebou	rne,	WV 26	159	to regard out the	a gride hybita	Lav grisu	Designation
PROPOSED			77	Drill deene	r / Par		The Party of the P	2.111.25	2-48 apro-8
PROPOSED	WORK:					drill			
		Plug off	old forma	ation	/ Perforat	e new formation			(46) Austrigates
		Plug off	old forma	ation	/ Perforat	e new formation			
		Plug off	old forma	ation	specify)	e new formation	Languages of	itaariot : Viols	(4) Austrigated
GEOLOGICA	AL TARGE	Plug off Other ph T FORMA ompleted	old forma ysical chan ATION, _ well,	ationge in well ((specify) Perforated P	eechley	0	tanuoti viona it banai	(4) Austrigated
GEOLOGICA 17) Estimated 18) Approxim	AL TARGE d depth of c nate water s	Plug off Other ph T FORM ompleted trata dept	old forma ysical chan ATION, _ well, hs: Fresh	ationge in well ((specify) Fordon Specify fordon specify	e new formation eechley et salt, 80	O feet.	viors viors vi tracosl	(4) Austrigated
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim	AL TARGE d depth of c nate water s nate coal se	Plug off Other ph T FORMA ompleted trata dept am depths	old forma ysical chan ATION, _ well, hs: Fresh :4	ationge in well ((specify) Fordon Specify fordon specify	eechley	O feet.	viors viors vi tracosl	16) Austripated 17) Set explan 18) Degit serel 18) Ceration
GEOLOGICA 17) Estimatec 18) Approxim 19) Approxim CASING AN	AL TARGE d depth of c nate water s nate coal se	Other ph T FORMA ompleted strata dept am depths	old forms ysical chan ATION, _ well, hs: Fresh :4 AM	4000 ,]	specify) fordon Specification of the specification	eechley et 80 coal being mined i	O feet. n the area? Ye	of soles	bos sizou ak
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim	AL TARGE d depth of c nate water s nate coal se	Other ph T FORMA ompleted strata dept am depths	old formay sical chan ATION, _ well, _ hs: Fresh AM	4000 ,]	specify) fordon Specification of the specification	ee new formation eechley et 80 coal being mined i	O feet. n the area? Ye	NT FILLUP	bos sizou ak
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE	AL TARGE d depth of c nate water s nate coal se D TUBING	Plug off Other ph T FORM ompleted strata dept am depths PROGR SPI Grade	old forma ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft.	4000 ,]	Perforate specify Food sed Food sed For drilling	ee new formation eechley et salt, 80 coal being mined i	feet. n the area? Ye CEME OR OR (CI	NT FILL-UP SACKS	No XX
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor	AL TARGE d depth of c nate water s nate coal se	Plug off Other ph T FORM ompleted strata dept am depths F PROGR	old formaysical chandarion,well,hs: Fresh :4 AM ECIFICATION Weight	ation	Perforate Specify Specify Specify Specify Specify Specification Specific	ee new formation eechley et salt, 80 coal being mined i	feet. n the area? Ye CEME OR OR (CI	PS SACKS	No XX
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water	AL TARGE d depth of c nate water s nate coal se D TUBING	Plug off Other ph T FORM ompleted strata dept am depths PROGR SPI Grade	old forma ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft.	ation	Perforate specify Food sed Food sed For drilling	ee new formation eechley et salt, 80 coal being mined i	feet. n the area? Ye CEME OR OR (CI	NT FILL-UP SACKS	/ No_XX PACKERS Kinds
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal	AL TARGE d depth of c nate water s nate coal se D TUBING Size	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft. 28#	ation ge in well (4000 , 100 95 RS New Use	Perforate specify Food For drilling 200 feet	ee new formation eechley et salt, 80 coal being mined i	O feet. In the area? Ye	NT FILL UP SACKS Libic feet)	/ No_XX PACKERS
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal	AL TARGE d depth of c nate water s nate coal se D TUBING Size 13"	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft28#	ation ge in well (4000 ,	Perforate Specify Fordon Specify Feet; 50 feet; 50' Is feet; 60' Is feet;	ee new formation eechley et salt, 80 coal being mined in tage INTERVALS Left in we 200 1	O feet. In the area? Ye	NT FILL-UP SACKS	No XX PACKERS Kinds
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production	AL TARGE d depth of c nate water s nate coal se D TUBING Size	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft. 28#	ation ge in well (4000 ,	Perforate specify Food For drilling 200 feet	ee new formation eechley et salt, 80 coal being mined i	O feet. In the area? Ye	NT FILL UP SACKS Libic feet)	/ No_XX PACKERS Kinds
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Fubing	AL TARGE d depth of c nate water s nate coal se D TUBING Size 13"	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft28#	ation ge in well (4000 ,	Perforate Specify Fordon Specify Feet; 50 feet; 50' Is feet; 60' Is feet;	ee new formation eechley et salt, 80 coal being mined in tage INTERVALS Left in we 200 1	O feet. In the area? Ye	NT FILL UP SACKS Libic feet)	PACKERS Kinds Sizes
GEOLOGICA 17) Estimated 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal	AL TARGE d depth of c nate water s nate coal se D TUBING Size 13"	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft28#	ation ge in well (4000 ,	Perforate Specify Fordon Specify Feet; 50 feet; 50' Is feet; 60' Is feet;	ee new formation eechley et salt, 80 coal being mined in tage INTERVALS Left in we 200 1	O feet. In the area? Ye	NT FILL UP A SACKS abic feet)	PACKERS Kinds Sizes Perforations:
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Fubing	AL TARGE d depth of c nate water s nate coal se D TUBING Size 13"	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft28#	ation ge in well (4000 ,	Perforate Specify Fordon Specify Feet; 50 feet; 50' Is feet; 60' Is feet;	ee new formation eechley et salt, 80 coal being mined in tage INTERVALS Left in we 200 1	O feet. In the area? Ye	NT FILL UP SACKS Libic feet)	PACKERS Kinds Sizes
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	AL TARGE d depth of c nate water s nate coal se D TUBING Size 13"	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW	old forms ysical chan ATION, _ well, hs: Fresh :4 AM ECIFICATION Weight per ft28#	ation ge in well (4000 ,	Perforate Specify Fordon Specify Feet; 50 feet; 50' Is feet; 60' Is feet;	ee new formation eechley et salt, 80 coal being mined in tage INTERVALS Left in we 200 1	O feet. In the area? Yes	NT FILLUP SACKS abic feet) Cface FEB 8	PACKERS Kinds Sizes Perforations: 1093 Bot
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	AL TARGE d depth of c nate water s nate coal se D TUBING Size 13" 8 5/8	Plug off Other ph T FORMA ompleted strata dept am depths F PROGR SPI Grade NEW ERW	old formaysical chan ATION, _well,	ation ge in well (4000 ,	Perforate Specify Fordon Specify Feet; 50 feet; 50' Is feet; 60' Is feet;	te new formation eechley et salt, 80 coal being mined in FAGE INTERVALS Left in w. 200 1	O feet. In the area? Yes	NT FILLUP SACKS abic feet) Cface FEB 8	PACKERS Kinds Sizes Perforations:

similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes No XX

If the answer above is No, nothing additional is needed. If the answer is Yes, you may use Affidavit Form IV-60.

23) Required Copies (See reverse side.)

24) Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed by registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal lessee on or before the day of the mailing or delivery of this Permit Application to the Department of Mines at Charleston, West Virginia.

Notary:	174	ase	33 N.D. Y	0 0 13	201B
Notary: My Commission Expires	Look	101	1990		

47-103-1263-REN.

Signed: _

,	Commission Expires	
		OFFICE USE ONLY
		DRILL INC. DED.

DRILLING PERMIT February 10,

Date

This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector. (Refer to No. 10) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the

proper district oil	and gas inspector 2	hours before	actual permitted	work has com	menced.) said of allowing the first best and and and are the
Permit expires	October 1	0, 1983		unless dri	lling is commenced prior to that date and prosecuted with due diligence.
Bond: Blanke	Agent:	Plat:	Casing	Fee 437	Administrator, Office of Oil and Gas

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - 5) Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
- 7) Use separate sheet if necessary
- 8) Present surface owner at time application is filed.
- 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4) A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).
 - 23) Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
 - 24) The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

AND THE CONTROL OF TH

	TIM	WAIVER			
The undersigned coal operatoramined this proposed well location. If a added to the mine map. The undersigned operator has complied with all applications.	a mine map exists ved has no objection	to the work propos	ea of the well locationsed to be done at the	on, the well locat is location, provi	ion has been ded, the well
A STATE OF THE STA		30 T T	es : Languer	A cent .	5 bno8
Date:, 19	Admin	Ву		one of	
		Its			

A-5

IV-9 (Rev 8-81)



DATE May 12, 1982
WELL NO. Schamp #3

State of Mest Airginia Bepartment of Mines

API NO. 47- 103- 1263


Bepartment of Mines Gil and Gas Division

CONSTRUCTION AND RECLAMATION PLAN


COMPANY NAME The Coastal Corporation		DESTRUCTED M	ENT William E. Carpenter, Jr
Address 3501 Emerson Ave., #4B		Address	3501 Emerson Avenue, #4B
Telephone 304-428-3471		Telephone	
LANDOWNER C.W. Schamp, Leola Arthur 8	& Mary B	elcheson cons.	DISTRICT Upper Ohio
Revegetation to be carried out by_		liam E. Carpen	
This plan has been reviewed by	4	oper Ohio	
and additions become a part of this pi	lan:	5/21/82	All Culterions
		Date	
		(SCD Agen	Masen
ACCESS ROAD		(SU ALE	
ACCESS ROAD			LOCATION
Structure	_ (A)	Structure	Diversion Ditches (1)
Spacing .	and the	Material	Earthen .
Page Ref. Manual	10 mg	Page Ref.	Manual I-11
Structure	(B)	Structure	Siltration Barrier (2)
	- (5)		(2
Spacing	-	Material_	Straw
Page Ref. Manual		Page Ref. 1	Manual N/A
Structure	(C)	Structure	
			TO TO TO TO TO TO
			COS WESSER
		Material_	MRCRI AED
		Material Page Ref. 1	MAY 2 6 1982
Page Ref. Manual All structures should be inspecte	- ed regula	Page Ref. 1	od if and OIL AND GAS DIVISION
Page Ref. Manual All structures should be inspecte commercial timber is to be cut and	stacked	Page Ref. 1 rly and repaire and all brush a	od if and OIL AND GAS DIVISION
Page Ref. Manual All structures should be inspecte	e dirt w	Page Ref. 1 rly and repaire and all brush a	od if and OIL AND GAS DIVISION
Page Ref. Manual All structures should be inspecte commercial timber is to be cut and cut and removed from the site before	e dirt w	Page Ref. In repairs and all brush cork begins.	od if and OIL AND GAS DIVISION
Page Ref. Manual All structures should be inspecte commercial timber is to be cut and cut and removed from the site before	stacked e dirt w REVEGETA	Page Ref. In and repaire and all brush cork begins.	ed if necessity AND GAS DIVISION and small timber to be
Page Ref. Manual All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I	e dirt w	Page Ref. In repaire and all brush cork begins.	ed if necessity AND GAS DIVISION and small timber to be
Page Ref. Manual All structures should be inspecte commercial timber is to be cut and cut and removed from the site befor	e dirt w	Page Ref. In repair and all brush cork begins.	ed if necessity AND CAS DIVISION and small timber to be Treatment Area II Tons/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Tons/accordant correct to pH 6.5 Fertilizer 500 lbs/accordant	e dirt w REVEXETA	Page Ref. Page R	Treatment Area II Tons/acre 500 lbs/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Time Tons/accordent to pH 6.5 Pertilizer 500 lbs/accordent (10-20-20 or equivalent)	stacked e dirt w REVERTA	Page Ref. Page R	Treatment Area II State of the ph formula of th
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Time Treatment Area I Cime Tons/accordance Tons/	stacked e dirt w REVEXETA re	Page Ref. Page R	Treatment Area II Street to pH 6.5 Tons/acre 10-20-20 or equivalent) 2 Tons/acre 2 Tons/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Lime Tons/accordant to pH 6.5 Fertilizer 500 lbs/accordant to pH 6.5 Tons/accordant to pH 6.5 Tons	e dirt w REVEXETA In	Page Ref. Marly and repaired all brush of corresponding to the second se	Treatment Area II Tons/acre to pH 500 lbs/acre 10-20-20 or equivalent) and Straw 2 Tons/acre -Fescue 35 lbs/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Lime Trons/accordect to pH 6.5 Fertilizer 500 lbs/accordect to pH 6.5	stacked e dirt w REVERTA Te	Page Ref. Page R	Treatment Area II Tons/acre Straw 10-20-20 or equivalent) Tons/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Time Tons/accordant to pH 6.5 Fertilizer 500 lbs/accordant to pH 6.5 Tons/accordant to pH 6.5 Tons	stacked e dirt w REVERTA Te	Page Ref. Marly and repaired all brush of corresponding to the second se	Treatment Area II Tons/acre to pH 500 1bs/acre 10-20-20 or equivalent) and Straw 2 Tons/acre Tons/acre 35 lbs/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Time Trons/accordance or correct to pH 6.5 Tertilizer 500 lbs/accordance in the site before in t	stacked e dirt w REVERTA Te	Page Ref. Page R	Treatment Area II Tons/acre to pH 500 lbs/acre 10-20-20 or equivalent) and Straw 2 Tons/acre 1-Fescue 35 lbs/acre Top 5 lbs/acre lbs/acre lbs/acre lbs/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Time Tons/accordance or correct to pH 6.5 Pertilizer 500 lbs/accordance (10-20-20 or equivalent) Thick Hay and Straw 2 Tons/accordance K-31-Fescue 35 lbs/accordance Red-Top 5 lbs/accordance to phonomercial timber is to be cut and cut and removed from the site before Treatment Area I Tons/accordance to phonomercial timber is to be cut and cut and cut and removed from the site before Tons/accordance to phonomercial timber is to be cut and cut and removed from the site before Tons/accordance to phonomercial timber is to be cut and cut and cut and removed from the site before Tons/accordance to phonomercial timber is to be cut and cut and cut and removed from the site before Tons/accordance to phonomercial timber is to be cut and cut and removed from the site before Tons/accordance to phonomercial timber is to be cut and cut	stacked e dirt w REVERTA Te	Page Ref. Page R	Treatment Area II Tons/acre to pH 500 lbs/acre 10-20-20 or equivalent) and Straw 2 Tons/acre 1-Fescue 35 lbs/acre Top 5 lbs/acre lbs/acre lbs/acre lbs/acre
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Time Trons/accordant to pH 6.5 Tertilizer 500 lbs/accordant to pH 6.5	REVERETA REVERETA RE RE RE RE RE RE RE RE RE R	Page Ref. In and repaire and all brush of ork begins. TION Lime or correst Fertilizer Mulch Hay a Red Red	Treatment Area II Tons/acre Stream 2 Tons/acre Tons/acre 10-20-20 or equivalent) Ind Straw 2 Tons/acre Top 35 lbs/acre lbs/acre lbs/acre with the proper bacterium.
Treatment Area I Lime Tons/acc or correct to pH 6.5 Fertilizer 500 lbs/acm (10-20-20 or equivalent) Aulch Hay and Straw 2 Tons/acc Red-Top 5 lbs/acm *Inoculate all legumes such as vetal noculate with 3X recommended amount.	REVERETA REVERETA RE RE RE RE RE RE RE RE RE R	Page Ref. Page R	Treatment Area II Tons/acre to pH 500 lbs/acre 10-20-20 or equivalent) and Straw 2 Tons/acre Top 5 lbs/acre lbs/acre lbs/acre with the proper bacterium. 09/08/2023
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Lime Tons/acc or correct to pH 6.5 Fertilizer 500 lbs/accc (10-20-20 or equivalent) fulch Hay and Straw 2 Tons/acccc Red-Top 5 lbs/acccccc *Red-Top 5 lbs/acccccccccccccccccccccccccccccccccccc	REVERETA REVERETA RE RE RE RE RE RE RE RE RE R	Page Ref. Page R	Treatment Area II Tons/acre to pH 500 lbs/acre 10-20-20 or equivalent) and Straw 2 Tons/acre Top 5 lbs/acre 1bs/acre lbs/acre with the proper bacterium. 09/08/2023 1liam E. Carpenter, Jr. 501 Emerson Avenue, Suite 4B
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before Treatment Area I Lime Tons/account of the site before To	REVERENA REVERE	Page Ref. Page R	Treatment Area II Trons/acre Straw 2 Trons/acre 10-20-20 or equivalent) and Straw 2 Trons/acre Top 5 lbs/acre lbs/acre lbs/acre with the proper bacterium. 09/08/2023 Iliam E. Carpenter, Jr. 101 Emerson Avenue, Suite 4B arkersburg, WV 26104


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.
QUADRANGLE PORTORS FALLS.

LEGEND
Well Site Access Road —



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





ASSI MENT OF OIL AND GAS LEAS

29-89-16		
WHEREAS, On the 29th day of	July .	181 a certain oil and gas
nining lease was entered into by and between		
essors , and Mustang Petroleum,		
nd State of West Virginia	in the County of wet:	zeı
Bound on the North by lan	ds of Starkey Heir	8
Bound on the west by land		
Bound on the South by land Bound on the East by land		Heirs
containing ninety-seven (97) acres, more or	less.
Recorded in Deed Book 100	, page 511 in said	County.
Said lease. S. being recorded in the office of the Cour	nty Clerk of said County, in	Book 62 A Page 8
of the Clerk of County Records of sai		
NOW, THEREFORE, KNOW ALL MEN B	Y THESE PRESENTS: T	hat the undersigned
Mustang Petroleum, Inc.		
sum of One Dollar, and other good and valuable co	nsiderations, cash in hand p	aid by
the oil and mineral lease above mentioned, inso	far as said lease covers:	
	RE	CEIVED
	FE	B 8 - 1983
	OILA	IND GAS DAVE
		ND GAS DIVISION PARTMENT OF MINES
and all personal property, machinery and equipmen and interests in and to said land, created by virtue		leasehold and other rights, titles
hi TO HAVE AND TO HOLD unto the said	Max Becker	
successors and assigns, forever, in accordance w	ith the terms and provisions	of said lease
And for the same consideration the undersigne its heirs, successors and representatives do	hereby covenant with	the said assignee, its successors
and assigns, that said lease, hereby assigned, 15		The state of the s
payable under the same, duly paid; that the undersing the condition with full property are now unencumbered; and to warrant wa	I right to convey the same, a	and that said lease, rights and
aid assignee, its successors and assigns, against all a he same or any part thereof.	nd every persons whomsoeve	er lawfully claiming or to claim
in WITNESS WHEREOF, The undersigned this instrument thisday of		ha signed and sealed
	MUSTANG PETRO	DLEUM, INC.
	Mai	Dieken
	Max Becker,	the water of the same of the s

This instrument was prepared by: Gladys B. Denning

	Local Control of the
STATE OF Ohio	
COUNTY OF Washington	
	for the State and County aforesaid, on this day person-
the person whose name is subscribed to the foregoing in same for the purposes and consideration therein express	nstrument, and acknowledged to me that he executed the
Given under my hand and seal of office this	13th day of October 1981
	My Commercial epoces Copi 17.
	Notary Public Marilege 5 Fang
	Manage Control
STATE OF	
COUNTY OF	
	for the State and County aforesaid, on this day person-
ally appeared	, known to me to be the person
whose name subscribed to the foregoing i executed the same for the purposes and consideration t	nstrument, and acknowledged to me thatherein expressed.
기계 2018년 - 일본 - 10 시간 10 전에 대한 경기 이렇게 하고 있다면 하는 경기 전에 되었다면 함께 되었다면 함께 되었다면 하는 것이라면 하는 것이라면 하는 것이다면 하는데	day of19
	Notary Public
	Buddenstand allegates has been possed as a reformed to
STATE OF	
COUNTY OF	
STATE OF WEST VIRGINIA, COUNTY OF WETZE	I TO-WIT
OFFICE OF THE CLERK OF THE COUNTY COUR	OF WETZEL COUNTY.
The foregoing paper writing was this day	TOSER 16, 1981, at 4:30 P.M.
presented for record in my office, and thereupon, t record.	ogether with the certificate thereto annexed, is admitted to
Teste:	Tearl Tree Clerk,
	County Court of Wetzel County
	C
County (as	
Gas Go	
<u>ह</u>	09/08/2023
Se Oi	09/08/2023 09/08/2023 09/08/2023
It of O Lease From	F P S
ent L	3. Hd 0E + 91 900
3 og min	MES VIRGINIA
(V)	WETZEL COUNTY WETZEL COUNTY WETZEL COUNTY
B A A SS	BIIO3 ATRINOP AGG TO

orm 50

B-11

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION



INSPECTOR'S COMPLIANCE REPORT



OIL & GAS DIVISION

		DE	PT. OF MINE
Permit No. Company C	103-1263 Ren County Well No.	tzel amp	
Date	s		
cocquered	Acceptance of the Control of the Con	IN COMP	LIANCE
RULE	DESCRIPTION	Yes	No
23.06	Notification Prior to starting Work	-	-
25.04	Prepared before Drilling to prevent waste	-	
25.03	High-Pressure Drilling		
16.01	Required Permits at wellsite	***************************************	accepted the later of the later
15.03	Adequate Fresh Water Casing		
15.02	Adequate Coal Casing	-	
15.01	Adequate Production Casing	-	
15.04	Adequate Cement Strength		
23.02	Maintained Access Roads	***************************************	
25.01	Necessary Equipment to prevent Waste		-
23.03	Reclaimed Drilling Site	-	-
23.04	Reclaimed Drilling Pits	-	
23.05	No surface or underground Pollution	-	-
7.03 COMMENTS:	slase Cancel this sem the work has Started	nel as	no_
1			
all of th	spected the above well and (HAVE/HAVE NOT) found it to the rules and regulations of the Office of Oil and Gas I of West Virginia.	be in compliance Department of Min	ce with
	DATE: 10-19-8	2-3.	09/08/2023



Scate of West Virginia Bepartment of Alines 'Oil and Gas Vivision Charleston 25305

THEODORE M. STREI

WALTER N. MILLER
DIRECTOR

November 2, 1983

Coastal Corporation 3501 Emerson Avenue, Suite 4B Parkersburg, W. Va. 26101

In Re:	PERMIT NO: 47-103-1263-REN.
	FARM: C. W. Schamp, et al
	WELL NO: 3
	DISTRICT: Green
	COUNTY Wetzel (2/83)

Gentlemen:

The FINAL INSPECTION REPORT for the above described well has been received in this office. Only the column check below applies:

XXXXXX The well designated by the above permit number has been released under your Blanket Bond. (Permit Cancelled - Never Drilled.)

Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on their records.

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Theodore M. Streit, Administrator Office of Oil & Gas-Dept. Mines

