DRILLING CONTRACTOR:

7) OIL & GAS

) Date:_	October	19	. 19 82
Operate	or's		

County

Permit

Falls

State

269

Well No.	MOR	GAN	146-	1
ADI Wall No	47	10	3 sinG	1

			그리스 사람들은 사람들은 그리고 가장하는 경기 때문 그는 사람들은 사람들이 가장 하나 사람들이 모르는 것이다.
THE	COASTAL	CORPORATION	STATE OF WEST VIRGINIA
			DEPARTMENT OF MINES, OIL AND GAS I

P. M. & BETTY YOHO

THE COASTAL		OF MINES, OIL AN		ON sello vá mo ha	
3501 EMERSON	I AVE #IIB	S WELL PERMIT		o obino (mintan enide o	
PARKERSBURG,	, WV 26104	CONTROL (CONTROL	on visuate	d met bight ai fl	fine we
4) WELL TYPE: A	Oil XX Gas XX		O'E BLOVE	n binong dan nya	
	G (If "Gas", Production XX Elevation: 650.4				Shall
	District: Green	County:	Wetzel	Quadrangle: P	orte
6) WELL OPERATOR Address	OR The Coastal Corpora 3501 Emerson Ave., #Parkersburg, WV 2610	ation 11)	DESIGNATED Address	AGENT Willia 3501 Emerso Parkersburg	m E. n Av

ROYALTY OWNER NONE & MORGAN HEIRS Address NewMartins ville, WV ark Street 146 acres 13) COAL OWNER(S) WITH DECLARATION ON RECORD: Acreage SURFACE OWNER P.M. & Betty Yoho NONE Name NewMartins ville, WV Address Clark Street, Address

12) COAL OPERATOR

146 acres Acreage Name . FIELD SALE (IF MADE) TO: Address Address

COAL LESSEE WITH DECLARATION ON RECORD: OIL & GAS INSPECTOR TO BE NOTIFIED NONE Name _ OCT 2 1 1982 Name Robert A. Lowther Address General Delivery Address 26749 Middlebourne, WV

OIL & GAS DIVISION Drill XX / Drill deeper 15) PROPOSED WORK: Fracture or stimulate EPT. OF MINES Redrill Plug off old formation_ / Perforate new formation Other physical change in well (specify) Speechley & Balltown 16) GEOLOGICAL TARGET FORMATION, 4000

17) Estimated depth of completed well, feet 500 18) Approximate water strata depths: Fresh feet; salt,_ XX 600 19) Approximate coal seam depths: _ Is coal being mined in the area? Yes

20) CASING AND TUBING PROGRAM

CASING OR TUBING TYPE			SPECIFICATIONS			FOOTAGE	FOOTAGE INTERVALS		PACKERS	
TOBING TYPE	Size	Size Grade Weight per ft. New		New Used For drilling Left in well		Left in well	OR SACKS (Cubic feet)	contact see		
Conductor	113/4	NEW	25#	X		30'	feller sincelles	surface	Kinds Trans	
Fresh water	Carl But	assistiv	VIBUOD!	Sing #	in all	spirandairni pr	of to rapid our	o de composabilità	FA(1)	
Coal	had samsa	1495,233,231	at los Pine	DELE	(Alatan	nich kranderskeit	The constants for	a free tree specific behavior	Sizes	
Intermediate	8 5/8	ERW	20#	X		900'	900'	surface	EATS TO SE	
Production	4 1/2	ERW	9.50#	X		4000'	4000	320 sacks	Depths set	
Tubing							s teapyrieus s	to the still of		
Liners			antino de	1255		tinge to sagaint	as jakiszon asi	to make the series to p	Perforations:	
									Top Bottom	
								FEXING DICE	377 147	
il ad James 64	Farmel		atiol ba		and a	Fredericksonson Fe	mile to be min	destination of the	can has semilare	

21) EXTRACTION RIGHTS

Check and provide one of the following:

Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil or gas.

The requirement of Code 22-4-1-(c) (1) through (4). (See reverse side for specifics.)

The requirement of Code 22-4-1-(c) (1) through (4). (See reverse side for specifics.)

22) ROYALTY PROVISIONS

Is the right to extract, produce or market the oil or gas based upon a lease or other continuing contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes No XX

If the answer above is No, nothing additional is needed. If the answer is Yes, you may use Affidavit Form IV-60.

23) Required Copies (See reverse side.)

Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed by registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal lessee on or before the day of the mailing or delivery of this Permit Application to the Department of Mines at Charleston, West Virginia.

Notary: Shares Since My Commission Expires Sept 19, 1990	Signed:	W. E. Corpenter	
My Commission Expires 2011 19, 1990		PRESIDENT	Carlo Sa

inh 19, 1990 Its:	PRESIDENT
	The state of the s
OFFICE USE ONLY	

DRILLING PERMIT 47-103-1269 Permit number

Date

This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector. (Refer to No. 10) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

Permit expires	June 29,	1983		unless dri	illing is commenced prior to that date and prosecuted with due diligenc
Bond:	Agent:	Plat:	Casing	Fee	Fred Smitte
DIANKEL	10	MIN	. I'll .	308	Administrator, Office of Oil and Gas

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - 5) Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
 - 7) Use separate sheet if necessary
 - 8) Present surface owner at time application is filed.
 - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4) A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).
 - 23) Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
 - The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

	THOWAIVER	The state of the s
amined this proposed well location. If a added to the mine map. The undersigned operator has complied with all applicable.	mine map exists which covers the are d has no objection to the work propo-	
D. John C.	1997 Jan	tel 1 miles & moral & moral

IV-9 (Rev 8-81)



DATE September 27, 1982 WELL NO. Morgan 146-2

API NO. 47 - 103

State of Mest Wirginia

Bepartment of Mines Bil and Gas Bivision


CONSTRUCTION AND RECLAMATION PLAN

[1882년 : 12일 <u>- 1</u> 1일 : 12일 : 12[12] : 12[12		
		SIGNATED AGENT William E. Carpenter, Jr
	Pksg.	Address 3501 Emerson Ave., #4B, Pksg
Telephone (304) 428-3471		Telephone (304) 428-3471
LANDOWNER P. M. and Betty Yoho		SOIL CONS. DISTRICT Upper Ohio
Revegetation to be carried out by	William	E. Carpenter, Jr. (Agent)
This plan has been reviewed by	Upper	Ofrio SCD. All corrections
and additions become a part of this plan	n:	10/18/52
		(Date)
		(SCD Agent)
ACCESS ROAD		LOCATION
		Divorgion Ditahog
Structure Ditch Relief Culvert	(A)	Structure(1)
Spacing N/A		Material Earthen
Page Ref. Manual 1:7		Page Ref. Manual 1-11
Structure	(B)	Structure (2)
Spacing		Material MTGTTTTM
Page Ref. Manual		Page Ref. Manual
Structure	(C)	Structure 0CT 2 1 1982 (3)
Spacing		Material Oil & GAS DIVISION
Page Ref. Manual		Page Ref. Manual DEPT. OF MINES
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before	acked and	all brush and small timber to be begins.
Treatment Area I		Treatment Area II
Lime Tons/acre	1	Lime Tons/acre
or correct to pH 0.5		or correct to pH 6.5
Fertilizer 500 lbs/acre (10-20-20 or equivalent)		Fertilizer 500 lbs/acre (10-20-20 or equivalent)
Mulch Hay & Straw 2 Tons/acre		Mulch Hay & Straw 2 Tons/acre
Seed* KY 31 Fescue 2 lbs/acre		Seed* KY 31 Fescue 2 lbs/acre
Red Top 5 lbs/acre		Red Top 5 lbs/acre
lbs/acre		lbs/acre
*Inoculate all legumes such as vetch, Inoculate with 3% recommended amount.		and clovers with the proper bacterium.
NOTES: Please request landowners!		
ecoperation to protect new seedling for one growing season.		Parkersburg, WV 26104
Attach separate sheets as necessary for comments.		
necessary jor comments.	PHC	NE NO. (304) 428-3471

(REV 8-81)

ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP. QUADRANGLE PORTORS FALLS

LEGEND Well Site Access Road




WELL SITE PLAN

ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.

LEGEND	
Property boundary	Diversion
Road = = = = =	Spring →
Existing fence — x — x —	Wet spot
Planned fence // /	Building
Stream \	Drain pipe 0
Open ditch	Waterway

09/08/2023



B-11

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

FINAL INSPECTION REQUEST

INSPECTOR'S COMPLIANCE REPORT



OIL & GAS DIVISION
DEPT. OF MINES

Permit No.	3-1269	County wells	l	
Company Coa	stal Corp	FATTE P.M. yok	0	Make and the second of the control of
Inspector		Well No. 1406-3	2	mangalant south resource servings re-
Date	•			
			IN COMPI	LIANCE
RULE	DESCRIPTION		Yes	No
23.06	Notification Prior to starting Wor	rk		
25.04	Prepared before Drilling to preven	nt waste		
25.03	High-Pressure Drilling			
16.01	Required Permits at wellsite			n database de la companie de la comp
15.03	Adequate Fresh Water Casing		-	
15.02	Adequate Coal Casing			***************************************
15.01	Adequate Production Casing			unication (distribution
15.04	Adequate Cement Strength			
23.02	Maintained Access Roads		-	
25.01	Necessary Equipment to prevent Was	ite		
23.03	Reclaimed Drilling Site			oussandelmentilib
23.04	Reclaimed Drilling Pits			
23.05	No surface or underground Pollution	on	-	
7.03	Adentification Markings		1	
COMMENTS:	lease cancel th	is flimit	as	no
on sit	e work has la	Med		Million (Charles Control of Contr

I have inspected the above well and (HAVE HAVE NOT) found it to be in compliance with all of the rules and regulations of the Office of Oil and Gas Department of Mines of the State of West Virginia.

IGNED: _/

DATE: 11-24-83

09/08/2023



WALTER N. MILLER

DIRECTOR



State of West Birginia

Bepartment of Mines Gil and Gas Bivision Charleston 25305

December 8, 1983

THEODORE M. STREIT ADMINISTRATOR

Coastal Corporation 3501 Emerson Avenue, Suite 4B Parkersburg, WV 26104

will remain under bond coverage for life of the well.

	FARM: P. M. & Betty Yoho
	WELL NO: Watkins/Yoho/Morgan 2-14
	DISTRICT: Green
	COUNTY Wetzel
Gentlem	en:
Th this of	e FINAL INSPECTION REPORT for the above described well has been received in fice. Only the column check below applies:
XXXXXX	The well designated by the above permit number has been released under your Blanket Bond. (Permit Cancelled - Never Drilled.)
	Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on their records.
	Your well record was received and reclamation requirements approved. In

In Re: PERMIT NO: 103-1269

Very truly yours,

accordance with Chapter 22, Article 4, Section 2, the above captioned well

Theodore M. Streit, Administrator Office of Oil & Gas-Dept. Mines

