

	FILE (	COPI					1	) Date:		coper	1011		19_84
(Obverse)							2	Opera Well			Morga		
THE COMMUNICATION OF PROPERTY AND ADMINISTRAL AND ADMINISTRAL AND ADMINISTRAL	man or contract only a compa				OF THE PERSON NAMED AND ADDRESS.	t electrical programme como con constitucione de constitucione con constitucione de constit			Code				
Constitution of the second of	********				e de la companie de l		<ul> <li>Color to the color to the color</li></ul>	•	Well NO.	47	- 10	)3 -	1320-LI
					1	MARIE OF	J. F. 1885			Stat		unty	Permit
							, 5	. UIC	Permit No	o. <u>U1</u> 0	:9K,	103	0114
.48. 01	noer_7	Nove			-				T.T.	ir. 13 1	-201-14		,
						ATE OF WEST WASTE DISPO	VIRGINIA DSAL WELL W	ORK P				19	Jmer hr .
er Byll i oe e Gerol Arjana e	7 Sec. 15	344.5	7. 7. 7. 7. THE	Contact to	100	for the	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			- 1 to 1 to 1	gilland (m.)	gains / or	ger enga
Talketto Biblioto in			OFFIC	E OF C	IL AND	GAS, DEPART	MENT OF MIN	ies, Ai	ND FOR		Marie en S	i dueron	- de <b>s</b> + d.
				OF WA		LASS II WELL OURCES, DEP	S UNLY) ARTMENT OF			OURCES		. <b>9</b> 0 €: - ali, <b>b</b> 1	Talta jako Baratara
And the second of the second	·					The state of the s				···	— Tuest il tu		របស់ការខន្ធ ១
													r ing larve
6) WELL TYP					ection (no					moer	avoli _	·	signs Herre
7) LOCATION						Wate	• • •	rice					
0) WELLODE		ict:	Gra		C		nty: Wetz			uadrangl		Run	7.5'
8) WELL OPE					Compa: 1588		9) DESIC			r <u>Ja</u> i			
Add	lress	100						Addre	ess	Pa	0. Box rkersbi		
lo) OIL & GAS					irg. W	.Va 26	101	e e e		<u>ra</u>	rkersbi	irg,	<u>W.Va.</u>
Name			Robert		101		ii) Drili	thic c		~~~~~~	Alexander	11999	,
Address	****		General			·	Name		UNIKAC	JUK:	. 179		eta a ser a fa fa
7 2001 055 _			Middleb				Add						
•				· · · · · · ·	<del></del>	20143	, man			<del></del>			<del></del>
2) PROPOSED	WELL V	VORK:	Drill_X		/ Drill	deeper	/ Redrill_		/ Stin	nulate			
		•	Plug of	f old f	ormation	_/ Perforate	new formation						
			Other ph	ysical c	hange in v	well (specify)							
3) GEOLOGIC	CAL TARG	GET FOR	-		_	· · · · · · · · · · · · · · · · · · ·	Big In	јшпDег	oth 240	9fee	et(top) to_2	2427 f	eet(bottom)
			MATION,				Big In 3214 nGo		oth <u>240</u> 313				eet(bottom)
Estimated de Approximate	epth of co	mpleted v	MATION, well, (or act as; Fresh,	ual dep	th of exist	ing well)	3214ftGo	rdon				2427 f 3154	eet(bottom)
Estimated de Approximate	epth of co	mpleted v	MATION, well, (or act as; Fresh,	ual dep	th of exist	ing well)	3214ftGo	rdon					eet(bottom)
<ul><li>4) Estimated de</li><li>5) Approximate</li><li>6) Approximate</li><li>7) Is coal being</li></ul>	epth of co e water str e coal seam mined in	mpleted verata depth n depths: the area?	MATION, well, (or act as; Fresh, Pit	tual depr	th of exist	ing well)	3214ftGo _x <b>1024-</b> 1	rdon eet. 031					eet(bottom)
<ul><li>Estimated de</li><li>Approximate</li><li>Approximate</li><li>Approximate</li><li>Is coal being</li><li>Virgin reserve</li></ul>	epth of co e water str e coal seam mined in oir pressu	mpleted verata depthen depths: the area? the in targe	MATION, well, (or act as; Fresh, Pit: Yes et formation	tsbur	th of exist	feet; salt,	3214ftGo	rdon eet. 031					eet(bottom)
<ul> <li>4) Estimated de</li> <li>5) Approximate</li> <li>6) Approximate</li> <li>7) Is coal being</li> <li>8) Virgin reserv</li> <li>9) Estimated re</li> </ul>	epth of co e water str e coal seam g mined in roir pressu servoir fra	mpleted verata depth in depths: the area re in targe	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI-	tsbur / No.X	th of exist	feet; salt,salt,sig. Source	3214ftGo 	rdon Geet. 031 ted	313	4	3	3154	
<ul> <li>Estimated de</li> <li>Approximate</li> <li>Approximate</li> <li>Is coal being</li> <li>Virgin reserv</li> <li>Estimated re</li> <li>MAXIMUM</li> </ul>	epth of co e water str e coal seam g mined in roir pressu servoir fra	mpleted variate depth in depths: the area in targe acture pres	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI-	tsbur / No.X 3120	cgh Coa	feet; salt, all 0 sig. Source 3435	3214 mGo 21024-1  Estima  psig (BHFI RI-10RR)	rdon eet. 031 ted c_105	313	4	Sura RT - 3	3154 	ci.C 242
14) Estimated de 15) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 190 MAXIMUM 21) DETAILED	epth of co e water str e coal seam g mined in roir pressu servoir fra I PROPOS IDENTIF	mpleted variate depths: the area? re in targe acture press SED INJE	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI- CCTION OF N OF MATI	tsbur / No.X 3120 PERATI	th of exist  Gh Coa  G-  ONS: V	feet; salt,	3214 mGo  3214 mG  321	rdon et. 031 ted ') G-101 TIVES:	313	4 hole press	sure BI-2	2120p	si;G=243
4) Estimated de 5) Approximate 6) Approximate 7) Is coal being 8) Virgin reserv 9) Estimated re 90 MAXIMUM DETAILED SUPPLY	epth of co e water str e coal seam mined in oir pressu servoir fra I PROPOS I DENTIF We 1	mpleted variate depth of the area for target currents of the area for the area fore	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI CTION OF N OF MATI	tsbur / No.X 3120 PERATI	th of exist  Gh Coa  G-  ONS: V	feet; salt,	3214 ftGo  1024-1  Estima  psig (BHFI BI-10BB1 LUDING ADDITATION CHEMILICATION CHEMILI	rdon  eet.  031  ted  ")  G=10E  TIVES:	313  Belottom Fresh	hole press Water	sure BI = 2	2120p	si;G-243 low wate
4) Estimated de 5) Approximate 6) Approximate 7) Is coal being 8) Virgin reserv 9) Estimated re 90 MAXIMUM DETAILED SUPPLY 2) PILTERS (H	epth of co e water str e coal seam g mined in oir pressu servoir fra I PROPOS I DENTIF We 1 1	mpleted variate depth of the area for the ar	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI- CCTION OF N OF MATI	tsbur / No.X 3120 PERATI ERIALS	th of exist  agh Coa	feet; salt,	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemicoduced wa	rdon et. 031 ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma	hole press water intair aterfl	sure BI=2	3154 2120p shal	si;G-243 low wate lity, al ions wil
4) Estimated de 5) Approximate 6) Approximate 7) Is coal being 8) Virgin reserv 9) Estimated re 90 MAXIMUM DETAILED SUPPLY 2) PILTERS (H	epth of co e water str e coal seam g mined in oir pressu servoir fra I PROPOS I DENTIF We 1 1	mpleted variate depth of the area for the ar	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI- CCTION OF N OF MATI	tsbur / No.X 3120 PERATI ERIALS	th of exist  agh Coa	feet; salt,	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemicoduced wa	rdon et. 031 ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma	hole press water intair aterfl	sure BI-2 from water lood op	3154 2120p shal	si;G-243 low wate lity, al ions wil
4) Estimated de 15) Approximate de 16) Approximate (17) Is coal being (18) Virgin reserve (19) Estimated re (19) MAXIMUM (21) DETAILED SUPPLY (22) PILTERS (14) SPECIFICA	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY):	mpleted variate depth in depths: the area re in targetecture presentation in the control of the	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI- ection of N OF MATI ed with ridges HODIC PRO	tsbur / No.X 3120 PERATI ERIALS	th of exist  agh Coa	feet; salt,	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemicoduced wa	rdon et. 031 ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma	hole press water intair aterfl	sure BI-2 from water lood op	2120p shal qua erat bec	si;G-243 low wate lity, al ions wil
4) Estimated de 15) Approximate de 16) Approximate 17) Is coal being 18) Virgin reserve 19) Estimated re 20) MAXIMUM 21) DETAILED SUPPLY 22) FILTERS (H. 23) SPECIFICA 24) CASING AN	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY):	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit Yes et formation ssure BI- CCTION OF N OF MATI ed With ridges HODIC PRO	tsbur / No.X 3120 PERATI ERIALS	th of exist  agh Coa	sig. Source	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa	rdon et. 031 ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma from w	hole press Water intair aterf]	sure BI-2 from water lood or	2120p shal qua erat become	si;G-243 low wate lity, al ions wil
4) Estimated de 15) Approximate de 16) Approximate (17) Is coal being (18) Virgin reserve (19) Estimated re (19) MAXIMUM (21) DETAILED SUPPLY (22) PILTERS (14) SPECIFICA	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY): TIONS FO	mpleted variate depth in depths: the area in targetecture presentation treater Cartron Cartr	MATION, well, (or act is; Fresh, Pit: Yes et formation sure BI- cTION OF N OF MATI ed With ridges HODIC PRO GRAM IFICATIONS Welght Welght	tsbur/No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of /pr OTHER CORR	Estima  psig (BHFI BI-10BB1 LUDING ADDI her chemi oduced wa osion CONTR	rdon  cet. 031  ted  color  rives: cals ter 1  col:	313 3Bilottom Fresh to ma from w	hole press water intair aterfl einjec	sure BI-2 from water lood or	2120p shal qua erat bec	si;G-243 low wate lity, al ions wil
14) Estimated de 15) Approximate de 16) Approximate 17) Is coal being 18) Virgin reserve 19) Estimated re 20) MAXIMUM 21) DETAILED SUPPLY 22) FILTERS (H. 23) SPECIFICA 24) CASING AR TUBING TYPE	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY):	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- eCTION OF N OF MATI ed with ridges HODIC PRO	tsbur/No.X 3120 PERATI ERIALS bact	th of exist  agh Coa	sig. Source	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa	rdon  cet. 031  ted  color  rives: cals ter 1  col:	313 3Billottom Fresh to ma from w	hole press water intair aterfl einjec	sure BI=2 from water lood or	2120p shal qua erat become	si;G-243 low wate lity, al ions wil omes nec
4) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 190 MAXIMUM 21) DETAILED SUPPLY 22) FILTERS (H. 13) SPECIFICA 24) CASING AR TUBING TYPE 25 Conductor	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY): TIONS FO	mpleted variate depth in depths: the area in targetecture presentation treater Cartron Cartr	MATION, well, (or act is; Fresh, Pit: Yes et formation sure BI- cTION OF N OF MATI ed With ridges HODIC PRO GRAM IFICATIONS Welght Welght	tsbur/No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of /pr OTHER CORR	Estima  psig (BHFI BI-10BB1 LUDING ADDI her chemi oduced wa osion CONTR	rdon  cet. 031  ted  color  rives: cals ter 1  col:	313 3Bilottom Fresh to ma from w	hole press water intair aterfl einjec	sure BI-2 from water lood op	2120p shal qua perat become	si;G-243 low wate lity, al ions wil
14) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserve 19) Estimated re 19) Estimated re 19) Estimated re 19) Estimated re 19) DETAILED SUPPLY 19) SPECIFICA 19) CASING AN CASING OR TUBING TYPE 19) Conductor 19) Presh water 19	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY): TIONS FO	mpleted variate depth in depths: the area in targetecture presentation treater Cartron Cartr	MATION, well, (or act is; Fresh, Pit: Yes et formation sure BI- cTION OF N OF MATI ed With ridges HODIC PRO GRAM IFICATIONS Welght Welght	tsbur/No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of /pr OTHER CORR	Estima  psig (BHFI BI-10BB1 LUDING ADDI her chemi oduced wa osion CONTR	rdon  cet. 031  ted  color  rives: cals ter 1  col:	313 3Bilottom Fresh to ma from w	hole press water intair aterfl einjec	sure BI-2 from water ood op ted as	2120p shall qua- perat become	si;G-243 low wate lity, al ions wil
14) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserve 19) Estimated re 190 MAXIMUM 191 DETAILED SUPPLY 1922) PILTERS (H23) SPECIFICA 194) CASING AN CASING OR TUBING TYPE 1970 Conductor 1970 Presh water 1950 Conductor 1970 Presh water 1950 Conductor 1970 Coal 1950 C	epth of co e water str e coal seam g mined in yoir pressu servoir fra (PROPOS IDENTIF Well FANY): TIONS FO	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- eCTION OF N OF MATI ed with ridges HODIC PRO GRAM affications Weight per ft.	tsbur/No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima  psig (BHFI BI-10BB1 LUDING ADDI Cher chemi Oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313 3Belottom Fresh to ma from w	hole press Water intair aterfl einjec	sure BI-2 from water ood op ted as Kinds	2120p shal qua perat become	si;G-243 low wate lity, al ions wil omes nec
14) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserve 19) Estimated re 19) Estimated re 19) Estimated re 19) Estimated re 19) DETAILED SUPPLY 19) PILTERS (H. 13) SPECIFICA 14) CASING AN CASING OR TUBING TYPE 19) Conductor 19) Presh water 19) Coal 19) Intermediate 19)	epth of co e water str e coal sean g mined in roir pressu servoir fra (PROPOS IDENTIF Well FANY):_ TIONS FO	mpleted variate depth in depths: the area in targetecture presentation treater Cartron Cartr	MATION, well, (or act is; Fresh, Pit: Yes et formation sure BI- cTION OF N OF MATI ed With ridges HODIC PRO GRAM IFICATIONS Welght Welght	tsbur/No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma from w /r  CEMENT OR SA (Cable)	hole press Water intair aterfl einjec FILL-UP CKS feet)	sure BI=2 from Water Ood or Sted as	2120p shal qua perat become	si;G-243 low wate lity, al ions wil omes nec
14) Estimated de 15) Approximate de 15) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 19) Estimated re 19) Estimated re 19) Estimated re 19) DETAILED SUPPLY 19) PILTERS (H23) SPECIFICA 19) CASING OR TUBING TYPE 19) Conductor 19 Presh water 19 Coal 19 Intermediate 19 Production 19	epth of co e water street coal search g mined in coir pressureservoir fra (PROPOS (IDENTIF Well FANY):_ TIONS FO	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM IFICATIONS Weight per ft. 20.0	tsbur / No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima  psig (BHFI BI-10BB1 LUDING ADDI Cher chemi Oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313 3Belottom Fresh to ma from w	hole press Water intair aterfl einjec FILL-UP CKS feet)	sure BI-2 from water ood op ted as Kinds	2120p shal qua erat beca	si;G-243 low wate lity, al ions wil omes nec
14) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 19)	epth of co e water street coal search g mined in coir pressureservoir fra (PROPOS (IDENTIF Well FANY):_ TIONS FO	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM IFICATIONS Weight per ft. 20.0	tsbur / No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma from w /r  CEMENT OR SA (Cable)	hole press Water intair aterfl einjec FILL-UP CKS feet)	sure BI=2 from water lood or ted as Kinds Sizes	2120p shall qua perat become	si;G-243 low wate lity, al ions wil omes nec
14) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 19)	epth of co e water street coal search g mined in coir pressureservoir fra (PROPOS (IDENTIF Well FANY):_ TIONS FO	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM IFICATIONS Weight per ft. 20.0	tsbur / No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma from w /r  CEMENT OR SA (Cable)	hole press Water intair aterfl einjec FILL-UP CKS feet)	sure BI=2 from water ood op ted as  Kinds  Sizes Urface Depths set	2120p shall qua perat become	si;G=243 low wate lity, al ions wil omes nec
4) Estimated de 15) Approximate de 15) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 19) E	epth of co e water street coal search g mined in coir pressureservoir fra (PROPOS (IDENTIF Well FANY):_ TIONS FO	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM IFICATIONS Weight per ft. 20.0	tsbur / No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma from w /r  CEMENT OR SA (Cable)	hole press Water intair aterfl einjec FILL-UP CKS feet)	sure BI=2 from water ood op ted as  Kinds Sizes If face Depths set	2120p shall qua perat become	si;G-243 low wate lity, al ions wil omes nec
4) Estimated de 15) Approximate de 15) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 19) E	epth of co e water street coal search g mined in coir pressureservoir fra (PROPOS (IDENTIF Well FANY):_ TIONS FO	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM IFICATIONS Weight per ft. 20.0	tsbur / No.X 3120 PERATI ERIALS bact	th of exist Cgh Coa Car Cons: V Cons: V Cons: V Cons: V Cons: V	feet; salt, al 0 sig. Source 3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1	313  Belottom Fresh to ma from w /r  CEMENT OR SA (Cable)	hole press water intair aterfl einjec  FILL-UP CKS feet)  to SU sks.	sure BI=2 from water ood op ted as  Kinds Sizes If face Depths set	2120p shall qua perat become	si;G-243 low wate lity, al ions wil omes nec
4) Estimated de 15) Approximate de 15) Approximate 16) Approximate 17) Is coal being 18) Virgin reserve 19) Estimated re 190 MAXIMUM 191 DETAILED SUPPLY 191 SPECIFICA 191 SPECIFICA 191 CASING OR TUBING TYPE 191 Conductor 191 Production 191 Conduction 191 Conduc	epth of co e water street coal search g mined in coir pressureservoir fra PROPOS IDENTIF Well FANY):_ TIONS FO ND TUBIT	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM  IFICATIONS Welght per ft.  20.0 9.5	tsbur/No.X 83120 PERATI ERIALS bact OTECT	th of exist  Cgh Coa  Gons: V  TO BE II  Cericia  ION AND	feet; salt, al 0 sig. Source3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling  1084 3214	Estima psig (BHFI BI-10BB1 LUDING ADDI ther chemi oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1 OL:  34 (	313  Belottom Fresh to ma from W /r  CEMENT OR SA (Cubic	hole press water intair aterfl einjec  FILL-UP CKS feet)  to SU sks.	sure BI=2 from water ood op ted as  Kinds Sizes If face Depths set	2120p shall qua perat become	si;G-243 low wate lity, al ions wil omes nec
14) Estimated de 15) Approximate de 16) Approximate 16) Approximate 17) Is coal being 18) Virgin reserv 19) Estimated re 190 MAXIMUM 21) DETAILED SUPPLY 22) FILTERS (H. 13) SPECIFICA 24) CASING AN CASING OR	epth of content water street in the coal search in	mpleted variate depth in depths: the area in target in t	MATION, well, (or act as; Fresh, Pit. Yes et formation ssure BI- ECTION OF N OF MATI ed with ridges HODIC PRO GRAM  IFICATIONS Welght per ft.  20.0 9.5	tsbur No.X 3120 PERATI ERIALS bact OTECT	th of exist  gh Coa  Go,  ONS: W  Gricia  ION AND	feet; salt, al 0 sig. Source3435 olume per hour: NJECTED, INC des and of pr OTHER CORR  FOOTAGE For drilling  1084 3214	Estima  psig (BHFI BI-10BB1 LUDING ADDI Cher chemi Oduced wa OSION CONTR	rdon feet. 031  ted P) G=10F TIVES: cals ter 1 OL:  34 (	313  Belottom Fresh to ma from W /r  CEMENT OR SA (Cubic	hole press Water intair aterf] einjec	sure BI=2 from water ood op ted as  Kinds Sizes If face Depths set	2120p shall qua erat beca beta	si;G-243 low wate lity, al ions wil omes nec

October 10

5

(Billion) (Section 1)

(Neverse)	្តាំ មក្សាតិស្តាល មក្សាតិ	r ~			forte 1)
	Ce 35W				
		OFFICE USE ONLY			
post of the second	tu	DRILLING PERMIT			
	A PARTIE NO. LLAN.				
· · · · · · · · · · · · · · · · · · ·					40
	3-1320-LI	TERM OF TERM VERY	·	November 7	19 84
		shown below is evidence of perm			entiment level
		i on the reverse hereof. Notification			
		oits for any permitted work. In add	lition, the well operator	or his contractor shall n	otify the proper
	ing the field of the section of the contract o	the state of the second of the		• • • • • • • • • • • • • • • • • • • •	
The permitted work is as desc conditions specified below.	cribed in the Notice and App	lication, plat, and (if required) con	struction and reclamatio	n plan, subject to any me	odifications and
Permit expires Nov	ember 7, 1986	unless well work is	commenced prior to the	t date and procesured mit	h due diligence
retinit expires			· · · · · · · · · · · · · · · · · · ·	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
	Plat: Casing		and the second s		SHIF KIS F
Bond: Agent:	Plat: Casing			LLLL SCIV.SE	er 11:00 v
	1 HA VILLE	1.18096	118	1	
The second of th		)	Islandore	teer to	VW
NOTE: V	bis names nasted at the deil	line location		office of Oil and Gas	
NOTE: Keep one copy of t	ins permit posted at the tim	ing location.	and the second of the second o	·	<b>5</b>
And the second of the second o	e de la companya de l	. \$	and the same control of the same and the sam	The second secon	(31년)(1
P1	ERMIT MODIFICATIONS	AND CONDITIONS (IF ANY) T	O THE PROPOSED W	ELL WORK	
**************************************	938a. 196		West to the second	i argunun terapak ya	i Livin air in cilion
Note: in waters warden (in)		and the transfer of the second			A set But to the Swit
CONTRACTOR OF THE PROPERTY OF			-	•	
		eres and the second of the sec		-MESTITE BY LIAN	
		Same and the second			
		. The second of			
AND CONTRACTOR OF STREET AND ADDRESS OF STRE	Market Wall Color and Colo	والمحاربين أراعي والماعية والمعتار والأعكار والمستع	المراج المستحددة المستحدد المستحد المستحدد المستحدد المستحدد المستحدد المس	il – kom saskimi 😘	induction in the
				a mine da tac demici se	
NATION OF THE PROPERTY AND ADMINISTRATION OF	The second secon	green green	and the second s		
		OFFICE USE ONLY		mars of strong to the market	
	<del></del>				
This part of Form IV-3(b) is	to record the dates of certa	in occurrences and any follow-up	inspections.		- 1.22
	Date	<u> 343 (143 (13 14 14 17 17 17 17 17 17 17 17 17 17 17 17 17 </u>	22	HANN NO BEN APPOR	te(s)
Application received	34 Julia Ja	OUTHER CORROSION TONTR	Follow up thenedion(s)	ATIONS FOR CATHC	
Application received	enterior i was et i	a construction and the second of the second and the	ronow-up mspection(s)	e de l'antière de la company d	Mile type change where the con-
Well work started			66 *** *******************************	NOOSE OF EUR SECOR	SWIZE SE
Total depth reached	The state of the	<b>८.३</b> ० रेजन्डे स्मृत्यः स्मृत्यः ।	i se sections	dati Gue	TOP I CARE
Well Record received	A STATE OF THE STA	For drifting	ben west of the	size. said	39T) 0633 0
· · · · · · · · · · · · · · · · · · ·	\$ +	The state of the s			<u> </u>
Reclamation completed			# 46 <b>!</b> !		7818 17 TH
OTHER INSPECTIONS	A CONTRACTOR OF THE CONTRACTOR		ļ <u> </u>		
ی در این میگری از این		A CONTRACTOR OF THE PROPERTY O		494414aa	Steri worker
Reason:	• • • • • • • • • • • • • • • • • • •		<u> </u>		116) (13) (13) (13) (13)
Reason:	· · · · · · · · · · · · · · · · · · ·	The state of the s	the same of the sa	4	<u> </u>
		CONTRACTOR OF THE PROPERTY OF			1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The second section is a second section of the second section of the second section is a second section of the second section of the second section section is a second section of the second section s	į.	The second secon		-	man - o o o o o o o o o o o o o o o o o o
The second of the configuration of the configuratio		The second secon			The second section of the second section is
A control of the control of the property of the control of the con	The second secon		CHTSweet Guyer TO	SEDE TARREDATE	250 (00) OF

O Sector Constant of the sector of the secto

and the second of the second o