


WR-35



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY



## State of Mest Nirginia

DEPARTMENT OF ENERGY
Oil und Gas Bivision

Pate_	Apri1	30,	1987	7	
<b>Opera</b>	tor's				
Well	NoI	). S	chupl	ach	# 3
	David		1		
API N	Ю. 47	- 10	03	- 14	100

WELL OPERATOR'S REPORT

OF

	DRILLING, FRACTURING AND/OR STIMU	LATING, O	R PHYSICAL	L CHANGE	TOTAL CONTRACTOR OF THE CONTRA
WELL TYPE	: Oil X / Gas X / Liquid Injection (If "Gas," Production X / Undergrou	/ Wast nd Storag	e Disposa: e/ Deep	l/ p/ Sha	llow/)
LOCATION:	Elevation: 1200' Q Watershed				
	District: Magnolia County Wetze	1	Quadrangle	e New Mar	tinsville 7.
	·				
COMPANY	Clay Resources, Inc.				
ADDRESS	286 Front Street, Marietta, Ohio 45750	Caşing	Used in	Ieft.	Cement
DESIGNATE	D AGENT Andy Brown, Jr.	Tubing			fill up Cu. ft.
ADDRESS_	Box 32, Reader, W. Va. 26167	Size			
SURFACE C	DWNER David Schupbach et al	20-16		•	
ADDRESS_	Rt 1. Box 23. New Martinsville, WV 26155	Cond.			
\$	RIGHTS OWNER Same	13-10"			
ADDRESS		9 5/8			
OIL AND	GAS INSPECTOR FOR THIS WORK Mike	8 5/8 7	1525	1525	CTS
Underwood	Rt. 2, Box 135 ADDRESS Salem. W. Va. 26426	5 1/2			
	SSUED 6-5-86	h		2000	200
1	COMMENCED 12_4_86	4 1/2		3080	200
ë	COMPLETED 12-7-86	2			
DOUNTINO	CABLE: PLUGGING OF DRY HOLE ON US PROGRESSION FROM DRILLING OR G. VERBAL PERMISSION OBTAINED	Liners used			
		<u> </u>		•	£
ļ			Dept		
	th of completed well 3150 feet R			2 1001S	
1	er strata depth: Fresh 164 feet;				N-
wal	l seam depths:	is coai	pernd mrue	ed in the	area? No
OPEN FLOW	V DATA				
Prod	ducing formation Gordon	Pay	zone dept	th 2976-2	<sub>985</sub> feet
Gas:	: Initial open flow 40 Mcf/d		_	***************************************	
	Final open flow 17 Mcf/d				
	Time of open flow between initi		_		
9	tic rock pressure N/A psig(surface		ent) after	r <sub>_24</sub> _hou	rs shut in
1	applicable due to multiple completion-				
	ond producing formation				
Gas	: Initial open flow Mcf/d				Bb1/d
AND THE RESERVED	Final open flow Mcf/d				
MIE. II. MA 8/	Time of open flow between initi		_		•
Sta	tic rock pressurepsig(surface	measurene	nt) after		rs shut in 1987
	•		(Contir		verse side)

40,000 16 Sand Foam Frac

20 perfs

2976-2986

.49 diameter



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

## WELL LOG

	'n			
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indicati and salt water, co	on of all fre
Sand & Shale Injun Sand & Shale Weir Sand & Shale Berea Sand & Shale Gordon Sand & Shale TD	0 2206 2264 2550 2604 2744 2762 2972 2986 3150	2206 2264 2550 2604 2744 2762 2972 2986 3150		

(Attach separate sheets as necessary)

hade

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including in all, encountered in the drilling of a well."

	(T) Pluceum	STAT	E OF WEST	VIRGINIA	•	
		MENT OF E	NERGY, DIV	VISION OF OI APPLICATION	L AND GAS	eed 02/16
ਾਜ਼ਾ ) Well op	(1)   L=11 ==		_ 7		, INC. 10195	5 (1,) 5°
) Operato:	r's Well	Number:	D. Schul	BACH #3	3) Ele	vation: /20
				<u>×</u> /		res 02/16
	(b)	If Gas:		u <mark>X</mark> / Undergr	ound Storage	/
Propose	d Target	Formation	(s): BER	395 EA, WEIR, B	IG INJUN, KE	ENER
			3150			
Approxi	mate fres	h water s	trata dept	hs: 16	4	
Approxi	mate salt	water de	pths:	156	5	
) Approxi	mate coal	seam dep	ths:	1080		
)) Does la	nd contai	n coal se	ams tribut	ary to acti	ive mine? Ye	s / No×
A hund	HOOVE TH	CASIN	G AND TUBI	H FLUG CON NG PROGRAM FOOTAGE IN	ERAGE ACROS	S AND Solden Fredu CEMENT
					Left in	Fill-up
	Size	Grade		drilling		(cu. ft.)
nductor					- G	Suy Her
esh Water	25/2			_	7	on Well her
oal	/ 85/8			1525	15254	TO SURFACE
				/	) 1	
termediate			<del></del>	<u> </u>		
	41/2			3080	3080	200 sks
oduction				3080	3080	200 sks
oduction_				3080	3080	200 sks
oduction bing ners ckers : Kir	41/2 nd_			3080	3080	200 sks
oduction  bing  ners  CKERS : Kin	41/2			3080	3080	200 sks
coduction  bing  ners  CKERS : Kin	nd_zes_pths_set	or Diviso	n of Oil a	3080		200 sks
Dep	nd_zes_pths_set	-6	n of Oil a	nd Cas Use		-
noduction  nbing  ners  ACKERS : Kin Sin Dep	nd_zes_pths_set	-6	ork Permit	nd Cas Use	Only	-

Page	1 of	RECEIVED	1)	Date:	JANUARY 10, 1994
Form	WW2-A	T WV C . Environ	2)	Operator	's well number 43
	37) Copy	<b>4</b> 1 4 7	2.1	D.	SCHUPBACH 73 No: 47 - 103 - 1400-1
	00PJ	Permittion			State - County - Permit
	•	DEPARTMENT OF EN	OF WEST	VIRGINIA VISION OF	OIL AND GAS
		NOTICE AND APPLI	CATION F	or a well	WORK PERMIT
4)		Owner(s) to be ser		5) (a) C	oal Operator:
	Address	DAVID SCHUPBA	23	Name Address	N/A
	HEM I	1 ARTIHSVILLE, WV2	6155		Owner(s), with Declaration
	Address			Name	NIA
•	(c) Name			Address	
<b>\$</b> .	Address			Name	
<i>c</i> .					
6)		E RANDAL MICK	<del> </del>	(c) Coal Name	Lessee with Declaration
	MANN	INGTON, WV, 2658 e (304)- <u>986-332</u>	32	Address	
	-	TO THE PERSON(S)		OVE TAKE	NOTICE THAT:
	Included				
conti	racts by	which I hold the r	right to	extract o	ntinuing contract or il and gas OR
X	Included	is the information	on requir	ed by Cha	nter 228 Article 1
Sect	10n 8(a)	of the Code of Wes	st Virgin	ia (see p	age 2)
T has	l certif	y that as required	l under C	hapter 22	B of the West Virginia Code
I nav	ve served	copies of this no	tice and	applicat	ion, a location plat, and
accor	mpanying	documents pages I sonal Service (Aff	through	on th	e above named parties, by:
	Cer	tified Mail (Docto	lidavit a	ttached)	:
	Pub	tified Mail (Postm lication (Notice o	narked po: of Dublic	stal rece	ipt attached)
				acion acc	ached;
	I have r	ead and understand	d Chapter	22B and	38 CSR 11-18, and I agree
to th	ne terms	and conditions of	any perm	it issued	under this application.
	l certif	y under penalty of	law tha	t I have	personally examined and am
famil	llar with	the information s	submitted	on this	application form and all
attac	enments, .	and that based on	my inqui	ry of tho	se individuals immediately
is tr	cue, accu	rate, and complete	.nformatı	on, I bel	ieve that the information
	I am awa	re that there are	:. sianific	ant nenal	ties for submitting false
infor	mation,	including the poss	ibility	of fine a	nd imprisonment.
		Well C	pezator .	SOBHAM	GAS INDUSTRIES INC.
		By: _	CO.D.	Ud	ALAN D. ANDERSON
- }	al Tille	OFFICIAL SEAL Its: NOTARY PUBLIC		AGENT	22
3 🔝	S. S. S.	TATE OF WEST VIRGINIA		. BOX 12	
	3 43/E	RT. 2, BCX 651D	lone	304-842-	/ 26330
<i>រំ</i> ឃាន់		shinnston, vw 26431 releptions of the me	this 10	th day of	JANUARY , 1994
				Dancy D	Notary Public
му с	ommission	expires <u>Septe</u>	mber 21	2003	


RECEIVERS Environ



1) Date:	May	20,	*	, 1	ý. <u></u>	86	
2) Operate Well No	or's D.	Sch	upbach				
1) ADI W			103	-1400			•

## STATE OF WEST VIRGINIA

## DEPARTMENT OF ENERGY, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT



4) WELL TYI	PE: A Oi	1 <u>X</u>	/ Ga	s X	/					SION OF OIL	
	R (11	"Gas", r				_/ Undergrour	77			PAR WENEWENTS	NERGY/)
5) LOCATIO	N: Elev	vation:	1290			Watershed:		ynes Run 1		Now Martin	sville 7.5'
	Dis	trict: M	agnoli	La T	8	County:	wetze	<u> </u>	Quadrangle	Rrown	13 11110 7.5
6) WELL OP	ERATOR_	CIAY K	esour	es i	ie Codi	: <u>10023</u>	7) D		AGENT Andy Box 32	y DLOWII	
Address		6 Fron			<u> </u>			Address	Reader, W	V 26167	
		rietta			<u> </u>		<b>.</b> 0) F	DILLING CO	NITRACTOR.	20107	
8) OIL & GA Name	S INSPECT	1167	_/_//	KE KE	UN.	DERWOO	D a, '		ONTRACTOR: nown	<del></del>	
Address	Fa	604 CA	AVV	65	anye 54	<del></del>		Address			
0) PROPOSE	D WELL V	WORK:	Drill	Χ	/ Drill	deeper		Redrill	/ Stimulate		
•			Plug of	f old fo	ormation_	/ Per	forate ne	w formation_	/		
			Other p	hysical o		well (specify)_					
1) GEOLOGI	CAL TAR	GET FOR	MATION	,		don			·	<del></del>	
12) Estima	ated depth o	of complete	ed well,	3100	7		eet				
I2) Appro	vimate trat	a denths:	Fresh.	- 1	100_	feet;	salt, 18	340	feet.		v
14) Appro	ximate coa	l seam dep	ths:	2080	105			g mined in the	area? Yes	/ No_	/
5) CASING	AND TUBI	NG PRO	GRAM	Per	mit	<b>开</b> 1120	<b>6</b>				
CASING OR	1	SPEC	IFICATION		1		GE INTERV	ALS	CEMENT FILLU OR SACKS	P PAC	KERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling		Left in well	(Cubic feet)		
Conductor										Kinds	
Fresh water	8 5/8					1050 /08	81	1050108	CTS	per rule	e 15.05
Coal										Sizes	
Intermediate											
Production -	4 ½					3100		3100	500+SKS	Depths setPe	r rule 15.01
Tubing				<u> </u>					<b>1</b>		
Linc.s										Perforations:	
									1	Тор	Bottom
			<u> </u>	<u> </u>					<b>.</b>		
	<u></u>			<u>                                     </u>			L		Ш		
				20 N							
						OFFICE US					
						DRILLING	PERM	11			
ermit number_	4	7-103	-1400	)				· · · · · · · · · · · · · · · · · · ·		June 5	19 86
										Date	
This permit cov	ering the w	ell operate	or and we	Il locatio	on shown	below is evider	nce of pe	mission grant	ed to drill in acco	rdance with the p	ertinent legal re-
juirements subj	ect to the c	onditions	contained	herein a	ind on the	reverse hereoi	Notificat	ion must be gi addition, the w	iven to the District vell operator or his	Oil and Gas Inspector shall r	ector, (Refer to notify the proper
listrict oil and	gas inspecto	or 24 hour	s before a	ctual pe	rmitted w	ork has comme	enced.)		•		
The permitted v	vork is as d	escribed in	the Noti	ce and A	pplicatio	n, plat, and rec	lamation	plan, subject	to any modification	ns and conditions	specified on the
everse hereof.											
Permit expires .	J	une 5	, 198	38		unless	well worl	is commence	d prior to that date	and prosecuted wi	ith due diligence.
Bond:	Agent	.   1	lat.	Casi	no	Fee WP	CP	S&E.	Other		
~ l	3	1 /	401	11		H	L	KI			
L	Jul.	1	<u> </u>	10		283 R		- N/			# 17 m / v
					/	14	$\bigcap_{\alpha}$	1. 1	1 John	ate.	
NOTE: Y		C .hia	.i. mo-11	at tha d	rilling lo	eation	71	MN	ynn	ייעוני	
NOTE: Keep	one copy o	i inis pern	iii posted	at the O	THUMB 100	.a.ıvıı.	/Di/re	ctor, Di	vision of O	11 and Gas	File
		See	the rever	se side o	f the AP	PLICANT'S C	OPY for	instructions to	the well operator	by My hi	garet D.L
						·	~			11.	7