

JUL 2 8 1997

State of West Virginia Division of Environmental Protection Section of Oil and Gas

Permitting Office of Oil & Gas

Well Operator's Report of Well Work

Farm name: WOODS, ROBERT W. Operator Well No.: WOODS #3

LOCATION:

Elevation: 638.00 Quadrangle: NEW MARTINSVILLE

District: PROCTOR

County: WETZEL

Latitude: 3080 Feet South of 39 Deg. 42Min. 30 Sec. Longitude 7100 Feet West of 80 Deg. 47 Min. 30 Sec.

Company: COBHAM GAS INDUSTRIES, IN

231 DAVIS ST. P O BOX 1293

BRIDGEPORT, WV 00002-6330

Agent: ALAN D. ANDERSON

Inspector: RANDAL MICK

Permit Issued: 10/10/95 10/12/95 Well work Commenced: Well work Completed: 10/12/95

Verbal Plugging

Permission granted on:____

Rotary Cable Total Depth (feet) Fresh water depths (ft)

Salt water depths (ft)

Is coal being mined in area (Y/N)? Coal Depths (ft):

Casing & Tubing	Used in Drilling		Cement Fill Up Cu. Ft.
Size	'		
		 - 	! -
8 5/8	 	911	240 sks
4 1/2		2325	cementto 1220
		 !	
	 	 	

OPEN FLOW DATA

Producing formation frac		i (ft) 1414-1426
Gas: Initial open flow	0 MCF/d Oil: Initial open flow	v = 0 Bbl/d
Final open flow she	MCF/d Final open flow	0 Bbl/d
	etween initial and final tests	24 Hours
Static rock Pressure 10	00 psig (surface pressure) afte	er 48 Hours

Second producing formation Pay zone depth (ft) Gas: Initial open flow MCF/d Oil: Initial open flow Bbl/d
Final open flow MCF/d Final open flow Bbl/d
Time of open flow between initial and final tests Hours Static rock Pressure psig (surface pressure) after Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

For: COBHAM GAS INDUSTRIES, INC.

AIII 1

Frac Big Injun; 1414 - 26 (12 shots); 20,000 lb. 20/40 Sand; 1250 gal. HCL; 40,000 scf $\rm N_2$



WR-35



DIVISION OF OIL & GAS DEPARTMENT OF ENERSY

State of Mest Nirginia

DEPARTMENT OF ENERGY
Wil und Was Zivision

Pate	Apri	1 30,	198	37		
bpera	itor's	5				
Well	No	Wood	s/Lo	ou #	3	
			ĺ		1	
					15	

WELL OPERATOR'S REPORT

OF DRILLING, FRACTURING AND/OR STIME	JATING, O	OR PHYSICA	L CHANGE		
WEIL TYPE: Oil x / Gas x / Liquid Injection (If "Gas," Production x / Undergrow	n_/Wast und Storag	te Disposa ge/ Deeg	l/ p/ Sha	ullow	_/)
IOCATION: Elevation: 638' Watershed	Pr	octor Cree	k		
District: Proctor County Wetz				insvil	<u>le</u> 7.
COMPANY Clay Resources, Inc.					
ADDRESS 286 Front Street, Marietta, Ohio45750	Casing	Used in	Left	Cemen	
DESIGNATED AGENT Andy Brown, Jr.	Tubing	Drilling		fill Cu.	
ADDRESS P.O. Box 32, Reader, W. Va. 26167	Size	1			
SURFACE OWNER Robert Woods et al	20-16				
ADDRESS Box 52. Rt 2. New Martinsville. WV 2615	Cond.				
MINERAL RIGHTS OWNER Same		-			
ADDRESS	9 5/8				
OIL AND GAS INSPECTOR FOR THIS WORK Mike	8 5/8	911	911	i i	CTS
Underwood ADDRESS Salem, W. Va. 26426	7			<u> </u>	
	5 1/2				
PERMIT ISSUED 1-6-87	4 1/2		2325	200	
DRILLING COMMENCED 1-21-87	3	<u> </u>			
DRILLING COMPLETED 1-25-87	2				
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CN	Liners used			27 (27 to 1.0 to	
GEOLOGICAL TARGET FORMATION Gordon		Dept	h 2500	described a function to	feet
Depth of completed well 2360 feet I				ž.	-000
Water strata depth: Fresh 50 feet;					
Coal seam depths: 418	· · · · · · · · · · · · · · · · · · ·	being mine	ed in the	area?	No
- 410	15 0001	being mark	a mi uic	ara.	NO
OPEN FLOW DATA					
Producing formation Gordon	Pay	zone dept	h 2224-	2244	feet
Gas: Initial open flow 15 Mcf/d			***************************************		
Final open flow 3 Mcf/d	Fir	nal open fl	.ow_0	Bl	ol/d
Time of open flow between initi	ial and fi	nal tests_	ho	urs	
Static rock pressure 450 psig(surface	e measurem	ent) after	24 hou	rs shut	t in
(If applicable due to multiple completion-	- -)				
Second producing formation N/A	Pay	zone dept	h	t	feet
Gas: Initial open flow Mcf/d				į.	o1/d
Final open flow Mcf/d					
Time of open flow between initi				i	•
Static rock pressurepsig(surface		_			in:
		· · · · · · · · · · · · · · · · · · ·			

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

40,000 Lbs. Sand Foam Frac

20 perfs 2224-2244 .49 diameter



DIVISION OF OIL & GAS DEPARTMENT OF EMBREY

WELL LOG

	-						
				REMA	KKS		
FORMAI	TION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	incinging indic	ation of all fresh coal, oil and gas		
		·		and sait water,	Coar, orr ain gas		
Sand &	Shalo	0	1554				
Janu w Injun	Share	1554	1630				
Sand &	Shala	1630	1782				
Weir	Duate	1782	1845				
Sand &	Shale	1845	1980		N 100		
Berea	Diate	1980	1994				
Sand &	Shale	1994	2220		. v		
&6rdon		2220	2244		le l		
Sand &	Sha1e	2244	2360				
TD	- mincrept	2360	2300				
					1. 700.0		
					- 2		
	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				V.Alleson		
	for ell-						
	75. 13 Med 17						
	- 120 cm						
	Alleren Car						
•	and the second s				1.0		
	EC. N 4						
*							
			İ				
		1					
•				4			
		'					
			i i	•			
			1				
	.*	.					
		1	1				

(Attach separate sheets as necessary)


Clay Resources, Inc.	10 miles
Well Operator	
By: Sandra L Schadu	
Date: April 30, 1987	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and eval, encountered in the drilling of a well."

HECEIVE Waivision of Environmental Engine	ation			103-141	5 Frac Page	e of
OCT 1 0 19	ne.		OF WEST			
Permitting	7	WELL WOL	RK PERMIT	APPLICATION	1.	6
Tottice of dif & 6	asrator:	Calis 3	bant ax,	aties, In	10195	509
)				<u> </u>		vation: <u>638</u> 10/10/95
Well t	ype: (a)	0il/	or Gas	<u></u>		a 10110145 10/10/92
			Deep	/ 355	cound Stórage Shallow	_/
Propos	sed Target	Formation	(s): <u>hee</u>	ver (Reuse)		
, Propos	ed Total D	epth:	1410	feet	i	
7) Approx	cimate fres	h water s	trata dept	hs:	<u> </u>	
8) Approx	kimate salt	water de	pths:	913		
9) Approx	kimate coal	seam dep	ths:	418		· · · · · · · · · · · · · · · · · · ·
10) Does	land contai	n coal se	ams tribut	ary to act	ive mine? Ye	s/ No/
11) Propos	sed Well Wo	rk: Squeey	- Carent ac	ress Keener;	Reforted Treat	r kaener
12)		CASIN	G AND TUBI	NG PROGRAM	•	
TYPE	·	PECIFICAT		FOOTAGE I		CEMENT
	Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)
Conductor						<u> </u>
Fresh Wate		ERM	30	911	111	SHOCK
Coal	85/8	EEW	30	911	1 911	240sts
Intermedia	te					
Production	W/2	7-55	9.5	3300	335	30556
Tubing					A:M	ita oo
Liners					GALL	
	Kind				<i>O</i>	A TO
	Sizes Depths s e t					
002043]	For Diviso	on of Oil a	and Gas Use	Only	
Fee(s) paid:	Well N	Vork Permi	t Rec	lamation Fund	d WPCP
				Bond		_ _ Agent

_		RECEIVED	1.	Data.	Ot. 6 1995
Page Form	1 of	WV Division of Environmental Protection	1) 2)	Date:	
					's well number 13
urfa	ce Owner	Copy OCT 1 0 1995	3)	API Well	No: 47 - 63 - 1415
		Permitting			State - County - Permit
		Office of Oil & GA	TE OF WEST	VIRCINIA	
	•	DEPARTMENT OF	ENERGY. DI	VISION OF	OIL AND GAS
		NOTICE AND APP			
4)	Surface (Owner(s) to be s	erved:		oal Operator:
	(a) Name Address	- Robert W. C.	2000	Address	
	IL M	actinolle, w	26125		
	(b) Name			(b) Coal	Owner(s) with Declaration
	Address				<u> </u>
				Address	
				Name	
	Address				
			1		
6)	Inspecto		ck	(c) Coal	Lessee with Declaration
•	Address	d 1 1 7/502		Name Address	W/A
	Telephon	e (304) - 986-33	1311	Address	
	rerephon	(304) <u>(CAD 31</u>			
		TO THE PERSON(S) NAMED AB	OVE TAKE	NOTICE THAT:
					ntinuing contract or
conti	racts by	which I hold the	right to	extract o	oll and gas <u>Ok</u> opter 22B, Article 1,
Sect		of the Code of V			
Jecc.	I certif	v that as requir	ed under C	hapter 22	B of the <u>West Virginia Code</u>
I ha	ve served	copies of this	notice and	applicat	ion, a location plat, and
acco	mpanying	documents pages	1 through	on th	e above named parties, by:
		sonal Service (A			
		tified Mail (Postication (Notice			
	Pub	ilcation (Notice	e of Public	acion acc	.acheu)
		INSTRUCTIONS	TO SURFACE	OWNERS N	IAMED ABOVE
		(Co	ontinued on	Reverse)	
	The well	operator named	below is a	pplying f	for a permit from the State
to d	o oil or	gas well work.	(<u>Note</u> : It	the surfa	ace tract is owned by more erved on you because your
name	anneared	conthe Sheriff	se materiar 's tay tick	et on the	e land or because you
					ase, you may be the only
) See Chapter 22B of the
West	Virginia	Code. Well wor	rk permits	are valid	for 24 months.
A. 2444		······································	1 0	c_{1}	(C. +) + · · +
	NO.	TARY PUBLIC BY:	l Operator	Hom	Hode & Car
منزور	STATE	CF WEST MAGINIA CAU. WHARTON	:	, Ac.	
		NELANE ADT - Add:	ress	, PO Ros	1963
	c. y smeg	EPORT, WV 293 11		Beidgelon	t 42 1630
- طوران	Marketin	Tel	ephone	1 (3×1), 184	10/1/
5 u D S	cribed an	nd sworn before	me this <u>U</u>	day of	//LT184: 1993
		Rhom	10 WL	nt	Notary Public
Му с	ommissior	expires Jun	va: 4 15, 2	00#	



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY



1)	Date: De c	cember	4,	<u>86 . et , </u>
2)	Operator's Well No	Woods-	-Lou #3	
3)	API Well No.	47	103	-1415
•		State	County	Permit

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY, OIL AND GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT

4)	WELL TY	PE: A O	il	/ Ga	s	X				
		В (1	f "Gas",	Production		X	/ Underground s		/ Deep	/ Shallow/)
5)	LOCATIO	N: Ele	vation: _	638'	- 15	7	Watershed:	Proctor cr		Nov. Martinavilla 71
			trict:	Procto Resour		Tpa	_ County:			New Martinsville, 7½
6)	WELL OP					005	E: _10025	7) DESIGNATED		y Brown
	Address			ront S tta, O		4575	<u> </u>	Address		32 Jan 197 26167
						4010	<u> </u>	a. 		der, WV 26167
8)	OIL & GAS	Mike U	nderwo	od				9) DRILLING CO		
	Address		oute 2 alem,	Box WV 26	135 426			Address		
10)	PROPOSE	DWFII	WORK.	Drill	X	/ Drill	deeper	/ Redrill	/ Stimulate	X
.,	I KOI OBE	J 222				_	/ Perfor			
				•			well (specify)			4
11)	GEOLOGI	CAL TAR	GET FOR							
,	12) Estima					100'	feet			:
	13) Approx						feet; salt	1617	feet.	
	14) Approx	ximate coa	l seam dep	ths:	438	<u>3'</u>	Is co	al being mined in the	area? Yes	/ No/
15)	CASING A	ND TUBI	NG PRO	GRAM						i
	SING OR	1	SPEC	IFICATIONS			FOOTAGE I	NTERVALS	CEMENT FILL-UP	PACKERS
TU	BING TYPE	Šize	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Con	ductor								4	'X'nds
Fres	h water	8 5/8					468	468	CTS KE	Kule 15.05
Coal										Sizes
Inter	mediate									22
Prod	luction	4 1/2					3100 approx	. 3100 appr	0x. 310 5KS	Repths set per rule 15.01
Tubi										
Line										Perforations:
										Top Bottom
		H -,								
			- w v				OFFICE USE (NI V		
					-		DRILLING PE			1948 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944
			7-103-	1415					Ionua	ry 6 19 87
Perr	nit number_		7-103-	1413					Janua	
mı.!.		-! Al	-11		14	b	halam is suidense :	of manufacion anoms		ate
auir	ements subie	ring the w	en operaco	or and well contained l	iocatii nerein a	and on the	e reverse hereof	ification must be air	van to the District O	nce with the pertinent legal re-
io. 8) Prior to the	e construct	ion of ros	ds, locatio	ns and	pits for a	ny permitted work.	In addition, the w	ell operator or his co	l and Gas Inspector, (Refer to ntractor shall notify the proper
distr	ict oil and g	as inspecto	r 24 hour	s before ac	tual pe	rmitted w	ork has commence	d.)		
		ork is as de	escribed in	the Notice	and A	Applicatio	n, plat, and reclams	ation plan, subject t	o any modifications	and conditions specified on the
	rse hereof.	J.	anuarv	6, 19	89		1			1 1 . 24 . 1 492
Pern	nit expires _		undur y				unless well	work is commenced	prior to that date an	d prosecuted with due diligence.
_			I	/-				./- /-	· /	
I	Bond:	Agent	: F	انظat	Casi	ag :	Fee WPCP	S&AZX	Other //	
i			- 1	9	/ { *	5 9	200	1/(0)	1.//	
L				7/1/			61		1911	11
						,	-•	///		
NO	ΓE: Keep on	ne conv of	this perm	it posted a	t the d	rilling loc	ation.		AT OR	
			perm	posica a			נע	rector, Div	ision of Oil	and Gas File
			_			e 41 A 191	DE LO ANTIC CODE	/f !	the mell amounted	