

State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

Farm name:	WVA. PUBLI	C LANDS	Operator	Well No.: E	LEMASTE	RS P12
LOCATION:	Elevation:	1,040.00 Quadr	angle: CE	ENTER POINT		
	District: Latitude: Longitude	GREEN 10600 Feet Sout 11100 Feet West	h of 39	ounty: WETZE Deg. 30Min. Deg. 37 Mir	Sec.	
P.	NNZOIL PRODU O. BOX 5519 ENNA, WV 26		Casing &	Used in		Cement Fill Up
Agent: JA	MES A. CREWS		Size			
Permit Issu Well work	Commenced:	05/12/94 07/27/94	8-5/8	308		surface 50 sks.
Verbal Plug						
Rotary X Total Dept	granted on:Cable h (feet) r depths (ft	Rig 3059	4-1/2	3019.45	3019.45	 300 sks.
Salt water	depths (ft)	N/A		 		
Is coal be Coal Depth	ing mined ir s (ft):	n area (Y/N)? <u>N</u> N/A				
OPEN FLOW		* Water Injection		Day sana (3b / <i>5</i>	\.
Gas:	Time of oper	on Gordon i flow * MCF, flow * MCF, i flow between in sure psic	/d F: nitial and	d final tes	low* ts	Bbl/d Hours
Secon Gas:	d producing Initial oper Final open f Time of oper	formation MCF,	/d Oil: I: /d F nitial and	Pay zone on the control of the contr	depth (ft flow low ts	 i
INTERVALS, LOG WHICH	FRACTURING IS A SYSTE	FORM PUT THE OR STIMULATING EMATIC DETAILED FERED BY THE WEL	, PHYSIC. GEOLOGIC.	AL CHANGE,	ETC. 2).	THE WELL
		For: PENNZOI By: Date:	L PRODUCT	s company PQQQ 95		

TREATMENT

Perforated with 24 holes 2946'-2958'. Treated with 300 gallons 15% HCL acid, 270 barrels gelled water and 7000 # 20/40 sand.

WELL LOG

Sand & Shale	0'-1372'
Sand	1372'-1384'
Sand & Shale	1384'-1783'
Sand	1783'-1816'
Shale	1816'-2090'
Big Lime	2090'-2102'
Shale	2102'-2213'
Big Injun	2213'-2350'
Shale	2350'-2922'
Stray	2922'-2924'
Gordon	2938'-2968'
T.D. /	3059'.

년약 2 6 **94**



1)	Date:	pril	21			94
2)	Operator Well No	s E.	В.	Lema	sters	#P-12
3)	SIC Code	:				
•	API Wel		47		103	· 1625-L1
			- 61	210	County	Permit

4	API Wel NO.	47 .	10.
		State	Cou
5.	UIC Permit No.		
•			

9
S
0
Ç

STATE OF WEST VIRGINIA

NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION US OS 12 DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS Expuse OS/12/96 for the

				_							
6) WE	ELL TYPE	: Liquid	injection	$\frac{X}{X}$	Gas inj	ection (not storage)	/ Waste disposal			
7) LO	CATION	Elevati	·	040	15	}_	745 Waters!	ned: Piney	FOIK	Cambanasi	<u> </u>
		Distric	1	reen			County	Wetzel	Quadrangle	Centerpoin	nt
8; WE	ELL OPER	CATOR E	ennzo	LI Prod	ucts	Com	pany 4670	9) DESIGNAT	TED AGENT James	s A. Crews	
	Add	C33		30x 551				Ad		Box 5519	3.5
				, WV 2					Vien	na, WV 2610	J5
-	L & GAS			E NOTIFI			-	II) DRILLING	CONTRACTOR:		
	Address			2. Box				Name			
•				WV 26				Address			
				•				•			
12) PR	OPOSED	WELL W	ORK:				deeper		Stimulate	<u>x</u>	
				-			on/ Perforale ne	w formation/	Corver_/		
							n well (specify)		2000	2025	
				MATION,					Depti 2920 fee	i(top) to <u>2935</u> fe	et(bottom)
14) Es	timated de	pub of cor	apleted w	ell, (or act			tisting well) 3020	<u>)</u>			
15) Ap	pproximate	e wader str	ata depth:	; Fresh,_		220	_feet; salt,	124/feet.			
		e com seam						·			
17) Is	coal being	mined in	the area?	Yes	No.	<u>X</u> /					
18) Vi	rgit reserv	oir pressur	e in targe	formation	140	00	_psig. Source	<u>Estimated</u>	.,		
19) Es	timated re	servoir fra	cture pres	sure350	00			psig (BHFP)			
20) M.	AXIMUM	PROPOS	ED INJE	CTION OP	ERAT	IONS:	Volume per hour: _	25	Bottom hole press	iure <u>2332</u>	
21) DI	ETAILED	IDENTIF	CATION	OF MAT	ERIAL	S TO B	E INJECTED, INCL	UDING ADDITIV	ES: <u>Freshwater</u>	, produced v	water,
								<u>naintain wa</u>	ter quality a		
22) FI	LTERS (I	FANY):	Cartri	dge and	l/or	Coa1	bed filters			reco	very.
23) SF	PECIFICA	TIONS FO	OR CATH	ODIC PRO	OTEC	TION A	ND OTHER CORRO	SION CONTROL	:		
_				• .						.· 1	
24) C	ASING A	ND TUBI!	NG PROC	GRAM							
CASIN	G OR G TYPE	۱ ۱	SPEC	EFICATIONS Weight		ı	POOTAGE II	1	CEMENT FILLAUP OR SACKS	PACKERS	
		Sine	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	+	
Concucto		8-5/8	LS	20	X		290'	290'	Cement to	Kinds	
Frest wa	ver	0-16-0	F2	20	├ ^	 	290	290	_	H	
Coal					 -	 			surface	Sizes	
lote ned		4 1/2	7 55	10 5	₩	 	30 20'	3020'	Cement over		
Production	-	4-1/2	3-33	10.5	├	 	3020	3020		Depths set	
Tubung				 		 			salt sand	 	
Lees		<u> </u>	}				-			Perforations:	
	-			ļ ———	 	 		 	<u> </u>	Тор	Bottom
		}		-	 	 -		-		1	
		B	l	L	l	<u> </u>	Vannant .	S P P T	L	1	
25) A	PPLICA	T'S OPE	RATING	RIGHTS w	ere acc	uired fr	om Margaret	or C	Marela	1905	
	by deed_						dated Decemb			126	ecord in the
		ñei	tzel		ounty	Clerk's	office in Deed		Bock 48	at page 136	

See the reverse side of the APPLICANT'S COPY for instructions to the well operator.

FORM	WW-	3	(A)
Obver	se		

APR 2 6 94

1)	Lite	701	<u>-</u>	1994
	Ctet	atot's		

I) Well No. E. B. Lemsters #7-12

3) SIC C:de_ -) API Well

٠٠.	· -		76-2
K -	; -	- 0:5:	-11.50

STATE OF WEST VIRGINIA

NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT AFPLICATION for the

DIVISION OF OIL AND GAS, DEFARTMENT OF ENERGY

SURFACE OWNER(S) OF RECORD TO BE SERVED	7 i) COAL OPERATOR NA
	<u> </u>
(i) Name WV Public Land Corporation	
Address_Bldg. #3, Room 643	7 (ii) COAL OWNER(S) WITE DECLARATION ON RECORD
1900 Kanawha Blvd. E.	Name
(ii) Name Charleston, WV 25305	Address
Address	
Dep't. of Natural Resources	7 (iii) COAL LESSIE WITH DECLARATION ON RECORD:
(iii) Name 130- Goose Run Road	Name .
Address Fairmont, WV 26554	Address
Attn: Com Footon	

TO THE PERSON(S) NAMED ABOVE: You should have received this Form and the following cocuments:

- The Application for a Liquid Injection or Waste Disposal Well Work Permit or Form WW-3(B), which sets out the parties involved in the drilling or other work, and
- The plat (surveyor's map) showing the well location on Form www-i; and
- The Construction and Reclamation Plan on Form WW-9 (unless the well work is only to plug a well), which sets out the plan for erosion and sediment control and for reclamation for the site and access road.

The date proposed for the first injection or waste disposal is

THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION (FORM WW-3(B)) DESIGNATED FOR YOU. HOWEVER, YOU ARE NOT REQUIRED TO TAKE AND ACTION AT ALL

Take notice that under Chapter 22B of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying ficuments for a Well Work Permit with the Director of the Division of Oil and Gas. West Tirrinia Department of Energy, with respect to a well at the location described on the attached implication and depicted on attached Form WW-6. Copies of this Notice, the Application, the plat, and the Construction and Reclamation Plan have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain diromstances) on or before the day of mailing or delivery to the Director.

The person signing this document shall make the following certification:

> "I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. am aware that there are significant penalties for Telephone 304 -1 submitting false information, including the possibility of fine and imprisonment.

<i>:</i> =	<u> </u>	::	<u></u> _	= :	::a:		:=	-21111	श्चाप	
		٠,	We '	1.	Om	<u> </u>	a # -	::-		
	- /			7,-	1 - 5					