

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WEST VIRGINIA LAND RESOURCES, INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WEST VIRGINIA LAND RESOURCES, INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
MARY R. KOCHER
Lease or Property Owner
185 MCDUGAL HOLLOW RD. SMITHFIELD, WV 26437
Address

WEST VIRGINIA LAND RESOURCES, INC.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
WALLACE, WV 7.5'
Well Location
GRANT
District
WETZEL
County
6353
Well No.
MARY R. KOCHER
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bryan Harris 3/25/21

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MATTHEW A. YEARSLEY and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by West Virginia Land Resources, Inc. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 22nd day of February, 2021 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
	Cleaned the hole with a 12 1/4" bit from the surface to 340'. Reduced the hole to 9 7/8" at 340'. Cleaned the hole with a 9 7/8" bit from 340' to the top of existing 8 5/8" casing at 896'. Reduced the hole to 7 7/8" at 896'. Cleaned out 8 5/8" casing with a 7 7/8" bit from 896' to 1320'. Attempted to remove 8 5/8" casing by pulling 150% of the string weight. All attempts to remove the 8 5/8" casing were unsuccessful. Left an unknown amount of 8 5/8" casing in the hole from 896' to unknown depth. The 8 5/8" casing had a pre-existing rip in it from 1022' to 1009' and a parting from 1067' to 1054'. The remaining 8 5/8" casing was cut at 1284', 1238', 1188', 1133', 1083', 1078', 1073', 1010', and 958'. Left 8 5/8" casing through the Pittsburgh Coal Seam (1066.1'- 1073.1'). Left 17' of 16" conductor pipe in the hole from the surface to 17'.	16" Conductor 8 5/8" Casing	0' 0'	17' Unknown
Cemented the hole from 1320' to surface as follows: From 1320' to surface with 630 sacks of Expandable Cement with a gas blocker additive. Cement did circulate at surface.				
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	1066.1' – 1073.1'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 9th day of March, 2021


And further deponents saith not.

Matthew A. Yearsley

Matthew A. Yearsley

Kevin S. Wright

Kevin S. Wright



Sworn to and subscribed before me this 25th day of Mar, 2021

[Signature] 12/15/2023
Notary Public

My commission expires: 09/15/22

Permit No. 47-103-01849
Well No. 6353
Latitude: 39° 29' 22.71"N
Longitude: -80° 29' 13.01"W