

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 04, 2013

WELL WORK PERMIT Secondary Recovery Well

This permit, API Well Number: 47-10302648, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: T. J. HIGGINBOTHAM 305

Farm Name: HG ENERGY, LLC

API Well Number: 47-10302648

Permit Type: Secondary Recovery Well

Date Issued: 12/04/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. If well work related activities require the use of water obtained by withdrawals from waters of this state in amounts that exceed two hundred ten thousand gallons during any thirty day period, the operator is required to consult, and adhere to, the guidance provided by DEP's Water Withdrawal Guidance Tool prior to any water withdrawals.

WW-3B 10/07



1) Date	October 21, 2013						
2) Operator's Well	No.	am No. 305					
3) API Well No.	47	-	103		2648		
_	State		County		Permit		
4) UIC Permit No		τ	ЛС2R1030	4AP			

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

5)	WELL TYPE:		Liquid	d Injection	X	201	Gas Injecti	on (not sto	rage)	Wast	e Disposa		
3)	LOCATION:		Elevation	977	N. I		W	atershed	Little	Fishing Creel	c		
	Di	istrict		Center	01	Cou	inty We	tzel 103		Quadrangle		Big Run 7.5'	254
7)	WELL OPERATO	OR:	HG Ener	rgy, LLC		4944979	948 8) I	DESIGNAT	ED AGENT	T: 1	Mike Kirs	h	
				pont Road							5260 Dupo		
			Parkersh	ourg, WV	26101]	Parkersbu	rg, WV 26101	
)	OIL & GAS INSP	ECT	OR TO BE	NOTIFIE	ED:		10)	DRILLING	G CONTRA	CTOR:			
			Derek H						Nam	e To Be Determ	ined Upon	Permit Approva	ıl
	Ad	ldress	PO Box 8	85 le, WV 26	170		_		Addres	s			
1)	PROPOSED WEL	LL W	ORK:	Drill	_	NII D	Drill Deep		Redri		Stimulate		
						old Format	in Well (specif		te New Fori	nation _		Convert	X
2)	Geological target	forms	ation	Other	Gordo		De _l		2,908	Ft. (Top) to		0.000 Ti	m u v
)	Estimated depth			all (or actu	-	-) til	3110'	- 10011172	Ft.	2,926 Ft.	(Bottom)
1)	Approximate water				Fresh		125	Ft.	5110	Salt		20 77	
5)	Approximate coal			3,	Tresh		780	_		Sait_	1,7	00 Ft.	DA
					_			— ^{Ft.}	. 12.				16-35
)	Is coal being mine					Y	es	X	No No				10 00
)	Virgin reservoir pressure in target formation:				60		psig.	Source_		Estimated			
3)	Estimated reserve	oir fra	acture pre	ssure:			1200		psig.				
9)	MAXIMUM PROI	POSE	D INJEC	TION OPI	ERATIO	ONS:	Volume per ho	ar 25 bbl	/hr	Bottom Hole	Pressure	2400	psi
0)	DETAILED IDEN	TIFI	CATION	OF MATE	RIALS	TO BE IN	JECTED, INC	LUDING A	ADDITIVES	Fresh wa	ter, produ	ced witer, ba	ctericides
	and other chemica	als as	needed to	maintain	water	quality an	nd improve oil r	ecovery.			ni1	160	
1)	FILTERS (IF ANY	Y)		Cartridge	filters	and/or co	al bed filters			00	cei		
2)	SPECIFICATION	FOR	CATHOI	DIC PROT	ECTIC	N AND O	THER CORRO	SION CON	NTROL	Ho		2013	
21	CACING AND MY	IDIM	a ppoap	in a							1 10	3 4010	
()	CASING AND TU	DRIM	i PROGR	AM	_					1	101 1	009	otection
AS	ING OR		SPECI	FICATION	NS		FOOTAGE	INTERVA	LS	CEMENT	FILLUP	on and Gas	CRS
UB	ING TYPE S	ize	Grade	Weight	New	Used	For Drilling	Left	in Well	OR SACKS	(Company)	ironmerit	
_	uctor			d at						Use Existing	ept. of	Kinds	
_	h Water 9 t	5/8"	LS	32#	X		275'	2	75'	Use Existing	Casing	Tension	
al	mediate	7	LS	177.0	V		15001		F001	** ** **		Sizes	
_		1/2"	J-55	17# 10.5#	X		1500'		500'	Use Existing		2.375" X 4.5	"
ıbi		3/8"	J-55	4.6#	X	-	3050' 2810'		050' 810'	Use Existing	Casing	Depths Set 2710'	
ne		0,0	0.00	3.00	21		2010	L	010			Perforations	
	7							P				Top Bot	
					100			-				-F 200	1,000
1)	APPLICANTS OP	PERA'	TING RIG	HTS were	acqui	red from	Joe B. Jo	liffe et al					
	by Deed		Lease	X	O	ther Contr	act	Dated	Janua	ry 17, 2010		of record in	the
			Wetzel		Count	y Clerk's (Office in	Lease	Book	92A a	t Page	392	

05/05/2011 47-103-02648

State of West Virginia **Division of Environmental Protection** Section of Oil and Gas Well Operator's Report of Well Work

Farm name:

HG ENERGY LLC

Operator Well No.: T.J. HIGGINBOTHAM 305

LOCATION:

Elevation:

977'

Quadrangle:

BIG RUN 7.5'

District:

CENTER

County: WETZEL

Latitude:

1,835 Feet south of

39 Deg 37 Min

30

Longitude:

11,060 Feet west of

80 Deg 35 Min

0 Sec.

Company Address:	HG Energ PO Box 5 Vienna, V	519	Casing & Tubing	Used in Drilling	Left in Well	Cement Fill Up Cu. Ft.
Inspector:		Haught_				
Date Permit Is	ssued:	06/28/2011				
Date Well Wo	ork Commenced:	06/02/2011	_			
Date Well Wo	ork Completed:	07/21/2011				
Verbal Pluggin	ng:					
Date Permissi	on Granted On:					
Rotary X	Cable	Rig	9 5/8"	289'	289'	125 sks
Total vertical	Depth (ft):	3110'	<u></u>			
Total Measure	ed Depth (ft):	3110'			-	
Fresh Water D	epth (ft):	150'	7"	1507'	1507'	280 sks
Salt Water De	pth (ft):	None				
Is Coal being	mined in ares (Y/N))? No	4 1/2"	3052.05'	3052.05'	150 sks
Coal Depths (f	ft): x	850'-860'	4 1/2	3032.03	3032.03	130 888
Void(s) encou	ntered (Y/N) depthe NONE	(s):				

OPEN FLOW DATA

* Waterflood Producer

Produc	ing formation		Gord			Pay zone		ft)	291	12'-2926'
Gas:	Initial open flow		*	MCF/d	Oil: Initial	l open flo	w		*	Bbl/d
	Final open flow		*	MCF/d	Final	open flov	V	•	*	Bbl/d
	Time of open flow	between	initial	and fina	1 tests	-	*	Hou	ırs	_
Static r	ock pressure		*	psig (su	rface press	sure)	after	_	*	Hours
Gas:	I producing formation Initial open flow			MCF/d	Oil: Initial	Pay zone of open flo		11)		Bbl/d
Gas:										
	Final open flow			MCF/d		open flov	V			Bbl/d
	Time of open flow	between	initial	and fina	l tests			_Hoı	ırs -	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Static r	ock pressure			_psig (sw	rface press	sure)	after	<u> </u>		Hours
				_					1: 1	V 1820 i 3 -

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

No

Were Y Electrical, N Mechanical, N or Geophysical logs recorded on this well?

NOTE: IN THE AREA BELOW PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF THE TOPS AND BOTTOMS OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE FROM SURFACE TO TOTAL DEPTH.

Treatment:

Treated perfs 2912'-2926' w/ 250 gals. 15% HCL,

340 bbls cross linked gel, and 16,600# 20/40 sand.

Well Log: All depths are measured relative to KB (8' AGL).

Shale w/ sand streaks	0	-	850
Coal	850	-	860
Sand/Shale	860	-	1333
sand	1333	-	1366
shale	1366	-	1376
sand	1376	-	1392
shale	1392	-	1446
sand	1446	-	1470
shale	1470	-	1503
sand	1503	-	1566
shale	1566	-	1606
sand	1606	-	1642
shale	1642	-	1672
sand	1672	-	1699
shale	1699	-	1720
sand	1720	-	1766
shale	1766	-	1804
sand	1804	-	1910
shale	1910	-	1995
sand	1995	-	2008
shale	2008	-	2021
sand	2021	-	2032
Big Lime	2032	-	2098
Big Injun	2098	-	2312
shale	2312	-	2879
Gordon Stray	2879	-	2902
shale	2902	-	2908
Gordon	2908	-	2928
shale	2928	-	2940
sand	2940	-	2946
shale	2946	•	3110
TD	3110	-	
mp 1	2100	Z.D	
T.DLogger	3109	KB	

3110

KB

T.D. -Driller

FRECEIVED

NOV 13 2013

Office of Oil and Gas Protection
Office of Oil and Gas Protection
Office of Oil and Gas Protection

depprivacyofficer@wv.gov

WW-3A 10/07



1) Date:		October 2	1, 2013	
2) Operator's We	ell No.	T. J. Higg	inbotha	m No. 305
3) API Well No.	47	103		2648
	State	County	7	Permit
4) UIC Permit N	o.	UIC2R103	304AP	

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

5) Surface Own	er(s) To Be Served	7 (a)	Coal Operator	
(a) Name	HG Energy, LLC		Name	NA
Address			Address	
	Parkersburg, WV 26101			
(b) Name		7 (b)	Coal Owner(s) With Declaration Of Record
Address			Name	NA
			Address	
(c) Name				
Address	-		Name	NA
			Address	
6) Inspector	Derek Haught	7(c)	Coal Lessee W	ith Declaration Of Record
Address		33.56		NA
	Smithville, WV 26178			- TOT
Telephone			-	
				orm and the following documents:
(3) The Const which sets The date propo THE REASON Y WHICH ARE SU ARE NOT REQU Take notice that un Application and ac Environmental Pro WW-6. Copies of the certified mail or de	surveyor's map) showing the well location on For ruction and Reclamation Plan on Form WW-9 (use out the plan for erosion and sediment control are sed for the first injection or waste disposal is TOU RECEIVED THESE DOCUMENTS IS THAT YOUMMARIZED IN THE "INSTRUCTIONS" ON FORM UNITED TO TAKE ANY ACTION AT ALL. Inder Chapter 22-6 of the West Virginia Code, the undersigned companying documents for a Well Work Permit with the Chief office on the content of the plat, and the Construction and chivered by hand to the person(s) named above (or by publication).	nd for and for any any any and for any any any any any and for any	the well wor reclamation NA E RIGHTS R A) DESIGNA perator propose Office of Oil a red Application nation Plan ha	EGARDING THE APPLICATION TED TO YOU. HOWEVER YOU es to file or has filed this Notice and and Gas, West Virginia Department of and depicted on the attached Form we been mailed by registered or
mailing or delivery	The person signing this document shall make the	fallowi	ng gartificati	one
	The person signing this document shall make the	TOHOWI	ing certificati	OIL.
"I certify under per	nalty of law that I have personally examined and am	Well	Operator	HG Energy, LLC
	nformation submitted in this document and all attachments	Add	ress	5260 Dupont Road
	my inquiry of those individuals immediately responsible			Parkersburg, WV 26101
	nformation, I believe that the information is true, accurate	D		D' O WILL
The state of the s	aware that there are significant penalties for submitting	By: Its:		Diane C. White Accountant
iaise information, i	including the possibility of fine and imprisonment."	ILS.		Accountant
Oil and Gas Privac	v Notice	Sign	ature	Diane CWhite
				NOV. LOCAL DESIGNATION OF THE PERSON OF THE
	nd Gas processes your personal information, such as name, ac rmation may be disclosed to other State agencies or third par			

or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you

have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at:

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing, The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

If no water well or spring is located within 1000 feet, the Chief may require the operator to sample and analyze water from a water well or spring within 2000 feet of the proposed well site.

Be advised, you have the right to sample and analyze any water supply at your own expense.

The laboratory used by the operator to analyze the samples will be approved by the Chief. The operator named below has decided to use the following laboratory to analyze the water samples:

X Contractor Nam	e Sturm Environmental Services
Well operator's	private laboratory
Well Operator	HG Energy, LLC
Address	5260 Dupont Road
_	Parkersburg, WV 26101
Telephone	304-420-1119

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underlining which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site please indicate such.

No known Water Supply Sources are located within 2000' of proposed well.




2648

Form WW-9	••	•	 	 ٠.	•			Pag	gė3 · ·	of	••
Rev. 10/94							API N	ımber 47	- 103	- -	-
				Opera	tor's V	ell N	0.	Ր. <mark>J</mark> . Hig	ginboth	nn No	. 305

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator	HG Energy, LI	C			OP Code	49449794	18
Watershed	Little Fishing	Creek		Quadrang	_	ig Run 7.5'	
Elevation	977'	County	Wetzel	Distri		Center	-
Description o	of anticipated Pit Waste:	A pit will:	not be used	•		<u>.</u>	
Do you antici	pate more than 5,000 bbls of wa	ater to compl	ete the proposed well work	Yes	No	X	
Will a synthe	tic liner be used in pit?	NA	If so, what mil.?				
Proposed Dis	posal Method For Treated Pit V						
	Land Application						
	Underground Inj Reuse (at API N		Permit Number				<u>)</u>
•			n WW-9 for disposal locati	(n)			<u> </u>
•		plain	The state of the s	ully)
Drilling medi	um anticipated for this well? A	ir, fresh wate	r, oil based, etc.	NA	·	· · · · · · · · · · · · · · · · · · ·	—— Dani)
	- If oilbased, what type? Synth						10-78-i
Additives to l							
	disposal method? Leave in pit,						
	 If left in pit and plan to solidif 		um will be used? Cement,	lime, sawdust	NA		
	- Landfill or offsite name/permi	t number?					
that the provi applicable law this application for obtaining	sust 1, 2005, by the Office of Oil sions of the permit are enforced or regulation can lead to enfor I certify under penalty of law the on form and all attachments the the information, I believe that the submitting false information, incommitting false information, incommitted in the information	ble by law. V cement action at I have per reto and that he information	iolations of any term or co n. sonally examined and am i, based on my inquiry of t in is true, accurate and co	ndition of the g familiar with tl hose individual: aplete. I am aw	eneral per ne informat s immediat	nit and/or other ion submitted on ely responsible	1
Company Of	ficial Signature		Diane cwh	ite			
Company Of	ficial (Typed Name)		Diane C. White				
Company Of	ficial Title		Accountant				
Subscribed a	nd sworn before me this	21	day of OC HIL	ben D	Notary I	DATE OF THE PROPERTY OF THE PR	
		11/200 1 0			_ NOTATY I	-groffe	and a first of the second seco
My commissi	on expires ///	IV. 10	2018				10013
Form WW-9)*************************************					• • •	
	al in the second	0	FFICIAL SEAL	? .		4	e servici



Legend	l

				1
Property Boundary	A A A A	Diversion		
Road	and the sea of the second seco	Spring	○>	
Existing Fence	—x——x——	Wet Spot	8	
Planned Fence	—/——/—	Drain Pipe		
Stream	7 7 7	Waterway	\leftrightarrow \leftrightarrow \leftarrow	
Open Ditch	>	Cross Drain	777777777777777777777777777777777777777	
Rock	8398888 83988888	Filter Strip	XXXXXXXXX	
		Pit: Cut Walls		
North	N		Julie,	
Buildings		Pit: Compacted Fill Walls		
Water Wells	(W)	Area of Land		•
Drill Site	$lackbox{}{\oplus}$	Application of Pit Waste		
		J OF Fit Waste		ل
	Area	Ť		
Proposed Revegetation Treatm			evegetation pH	
	Area	П		
	Approx.	0.1 Ac.		
Lime	2 Tons/Acre or Cor	rect to pH 6.5		
	er (10-20-20 or Equivalent) 500	•	lbs. Minimum)	
Mulch	Straw 2 Tons/Acre	е		
	SEED MIX	TURES		
Aron	I (Location)		Area II (Road)	
Seed Type	Lbs/Ac.	Seed Type	Lbs/Ac.	
Tall Fescue	40	Tall Fescue	40	
Ladino Clover	5	Ladino Clover	5	
		•		
Attach:				
Drawing(s) of road, location, p	it and proposed area for land application			
Photocopied section of involve	d 7.5' topographic sheet.			
· · · · · · · · · · · · · · · · · · ·			•	
Plan approved by:				
Comments:				
Title:	1 + 6 - 7 + 6		Date:	Device
71 III.	1 + Ge 1 Inspector (1) Yes		Date: MARA LOSC	er, _
Field Reviewed?	(/) Yes	. ()	No	4413
			VON	13
			11.0	

A D A NO MARKET AND A STATE OF THE STATE OF

Office of Oil and Gas
Office of Oil and Gas
WW Dept. of Environmental Protection


Maintain sediment barriers and drainage structures.


• All road grades <5% except as noted.

Reclamation Plan For: T.J. Higginbotham No. 305 47-103-2648 NOTE: WELL LOCATION WAS BUILT AND RECLAIMED UNDER DRILLING PERMIT NO.47-103-2648. ONLY MINIMAL EARTHWORK WILL BE REQUIRED FOR PROPOSED WELL WORK. ALL DISTURBED AREAS WILL BE RE-VEGETATED AS PER THE SEEDING PLAN ON FORM WW-9. NO WORK-OVER PIT WILL BE REQUIRED FOR PROPOSED WELL WORK. HG Energy, LLC Existing Location 2648 Proposed road follows existing 305 access road to old Co. Rd. 200' of 20-22% Grade Upgrade Existing Road Approach HG Energy, LLC - Surface Stack Brush Below Location for Additional Sediment Barrier W.Va. S.R. 7 Notes: • Requested permit is for conversion of existing well. NOTE • Access from State Route 7 to well location is REFER TO THE WVDEP existing. Structures will be maintained. **EROSION AND SEDIMENT CONTROL** • All disturbed areas will be re-vegetated as outlined FIELD MANUAL VER. MAY 2012 FOR BMPs CONTROLLING EROSION AND on Form WW-9. SEDIMENT FROM SOIL-DISTURBING

OPERATIONS.

Note: Drawing not to Scale





- DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS.

◆ - DENOTES A POSSIBLE WATER SUPPLY SOURCE LOCATED FROM CIRCA 2003 AERIAL PHOTOGRAPHY - NOT BY SURVEY, OTHER SOURCES MAY BE PRESENT.

1047-03 1" N_ SCALE -MINIMUM DEGREE OF ACCURACY Sub-Meter PROVEN SOURCE OF DGPS Survey (Sub-Meter Mapping Grade)

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGU-LATIONS ISSUED AND PRESCRIBED BY THE DEPART MENT OF MINES.

P. ROUSH

TIMOTHY

PS 793

THY P. ROLL No. 793 SSIONAL SUR

WEST VIRGINIA

Division of Environmental Protection Office of Oil and Gas 601 57th Street Charleston, West Virginia 25304



October 21, 2013 DATE_ T.J. Higginbotham No.305 FARM_ API WELL NO.

HORIZONTAL LOCATION: ELEVATION ___ 977' Center Wetzel DISTRICT_ _ COUNTY_ QUADRANGLE Big Run 7.5'

HG Energy, LLC ACREAGE 20 Ac. SURFACE OWNER_

OIL & GAS ROYALTY OWNER Joe Jolliffe et al. _ LEASE ACREAGE __ 54.25 Ac. LEASE NO. 107605-00

CONVERT_X DRILL DEEPER __ REDRILL _ PROPOSED WORK: DRILL _ FRACTURE OR STIMULATE ___ PLUG OFF OLD FORMATION ___ PERFORATE NEW OTHER PHYSICAL CHANGE IN WELL (SPECIFY) Convert to Liquid Injection

PLUG AND ABANDON_ _ CLEAN OUT AND REPLUG_ TARGET FORMATION _ Gordon _ ESTIMATED DEPTH_ WELL OPERATOR HG Energy, LLC DESIGNATED AGENT Mike Kirsch 5260 Dupont Road 5260 Dupont Road **ADDRESS** ADDRESS Parkersburg, WV 26101 Parkersburg, WV 26101