07/10/2012 47-103-02804

## State of West Virginia Division of Environmental Protection Section of Oil and Gas Well Operator's Report of Well Work

Farm name:

DALLISON LUMBER INC.

Operator Well No.: L.S. HOYT 293

LOCATION:

Elevation:

979'

Quadrangle:

PINE GROVE 7.5'

District:

**GRANT** 

County: WETZEL

Latitude:

9,400 Feet south of

ounty. WEIZER

OI

39 Deg 37 Min 30 Sec.

Longitude:

6,525 Feet west of

80 Deg 37 Min 30 Sec.

Company Address:	HG Energy PO Box 55 Vienna, W	19	Casing & Tubing	Used in Drilling	Left in Well	Cement Fill Up Cu. Ft.
Inspector: Derek Haught						
Date Permit Issued: 07/10/2012						
Date Well Work Commenced: 07/30/2012						
Date Well Work Completed: 08/10/2012						
Verbal Plugging:						
Date Permissi	Date Permission Granted On:					
Rotary X	Cable	Rig	7"	966'	966'	250 sks
Total vertical	Depth (ft):	3020'				
Total Measure	ed Depth (ft):	3020'				
Fresh Water D	Fresh Water Depth (ft): 50'		4 ½"	2976.35'	2976.35'	150 sks
Salt Water De	pth (ft):	none		,		
Is Coal being	mined in ares (Y/N)	? No				
Coal Depths (ft): x 700'-710'						
Void(s) encountered (Y/N) depth(s): NONE						

## **OPEN FLOW DATA**

\* Waterflood Producer

			2865'-2	2875'		
Producing formation	Gordon	Pay zone der	Pay zone depth (ft) 2876'-287			
Gas: Initial open flow	* MCF/d	Oil: Initial open flow	*	Bbl/d		
Final open flow	* MCF/d	Final open flow	*	Bbl/d		
Time of open flow between	initial and fina	al tests *	Hours	<del></del>		
Static rock pressure	* psig (su	rface pressure) a	fter *	_Hours		
Second producing formation		Pay zone depth (ft)				
Gas: Initial open flow	MCF/d	Oil: Initial open flow		Bbl/d		
Final open flow	MCF/d Final open f			Bbl/d		
Time of open flow between	initial and fina	ıl tests	Hours	<del></del>		
Static rock pressure	psig (su	rface pressure) a	fter	_Hours		

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

Orga Seed

18/2/12

Were  $\frac{Y}{Y/N}$  Electrical,  $\frac{N}{Y/N}$  Mechanical,  $\frac{N}{Y/N}$  or Geophysical logs recorded on this well?

NOTE: IN THE AREA BELOW PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF THE TOPS AND BOTTOMS OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE FROM SURFACE TO TOTAL DEPTH.

<u>Treatment:</u> Treated perfs 2865'-2875' & 2876'-2879' w/ 500 gals 15% HCL acid,

313 bbls cross linked gel, and 20,000# 20/40 sand.

Well Log: All depths are measured relative to KB (8' AGL).

Shale w/ sand streaks	0	-	700
Coal	700	-	710
Shale w/ sand streaks	710	-	1314
Sand	1314	-	1348
shale	1348	-	1402
sand	1402		1445
shale	1445	-	1470
sand	1470	-	1506
shale	1506	-	1512
sand	1512		1550
shale	1550	-	1578
sand	1578	-	1598
shale	1598	-	1773
sand	1773	-	1790
shale	1790	-	1830
sand	1830	-	1856
shale	1856	-	1874
sand	1874	-	1956
shale	1956	-	1970
sand	1970	-	1978
shale	1978	-	1980
Big Lime	1980	-	2040
Big Injun	2040	-	2266
shale	2266	-	2839
Gordon Stray	2839	-	2854
shale	2854	-	2860
Gordon	2860	-	2880
shale	2880	-	2883
sand	2883	-	2888
shale	2888	-	2891
sand	2891	-	2901
shale	2901	_	3020
TD	3020		
T.DLogger	2988	KB	
T.DDriller	3020	KB	