

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 14, 2013

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-10302899, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 513868

Farm Name: EDGELL, KATHY S.

API Well Number: 47-10302899

Permit Type: Horizontal 6A Well

Date Issued: 06/14/2013



PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% (unless soil test results show a greater range of moisture content is appropriate and 95% compaction can still be achieved) of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95% compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 3. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 4. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 5. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.

WW - 6B (1/12)

4710302899

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS W.VA. CODE §22-6A - WELL WORK PERMIT APPLICATION

	uction Company			103	4	254
			Operator ID	County	District	Quadrangle
2) Operator's Well Number:		513868		110 N = 11.1		- auditangle
1 20 2 1		010000		_Well Pad Name:	-	BIG7
3 Elevation, current ground:	924	Elev	ation, proposed p	post-construction:	924	
4) Well Type: (a) Gas	Oil_				924	
Other						
(b) If Gas:	Shallow		Deep			
	Horizontal _					
5) Existing Pad? Yes or No:	Yes					
6) Proposed Target Formation(s)). Depth(s) Anti	cinated This				
Target formation is Genes	eo at a depth of 6 s	cipaled Inickn	esses and Asso	ciated Pressure(s):		
Target formation is Genes	or an a depart of 0,0	23 With the antici	pated thickness to be	34 feet and anticipate	d target pressure	of 4,301 PSI
) Proposed Total Vertical Depth.						
) Formation at Total Vertical De	oth:			7,087'		
) Proposed Total Measured Dep	oth:			Onondaga		
0) Approximate Fresh Water Str	ata Denthe:			10,800'		
1) Method to Determine Fresh V	Vater Denth:	Dunter		282		
2) Approximate Saltwater Depth:	s.	By offset we	ils			
3) Approximate Coal Seam Dept	the:			n/a		
Approximate Depth to Possible	o Void (see)		169', 529', 6	34', 1144', 1494', &	1517'	
5) Does land contain coal sooms	e void (coai mir	ne, karst, other	1.		n/a	
 Does land contain coal seams Describe proposed well work: 	inbutary or adj	acent to, active	mine?		no	
Tagging the Opendage and	Drill an	d complete a new	horizontal well. The	vertical drill to go dowr	to approximate of	lenth of 7 007
Tagging the Onondaga not more than using a slick water frac.	100' then plug bac	k to approximatel	5,500' and kick off	the horizontal leg into the	ne Genesoo	eptil of 7,087
using a slick water frac.					io delleseo,	
) Describe fracturing/etimulation		200				
Describe fracturing/stimulating	methods in deta	ail:				
draulic fracturing is completed in accorda shwater sources. This water is mixed wi	ance with state regu	ulations using water	er recycled from prev	riously fractured wells a	nd obtained from	
LUUU Udiidiis Of Water per chase O	izes vary from 100	mesh to 20/40 me	esh. Average approx	imately 400,000 pound	s of sand ner at-	
yard gamen of water per stage. Sand s			1.17		o or saild per stag	le.
O,000 gallons of water per stage. Sand so Total area to be disturbed, inclu RECEIVED Area to be disturbed for male and seconds.	iding roads, stor	ckpile area, pit	s, etc, (acres):	No A	Additional Dist	ırbance

JUN 1 4 2013

CASING AND TUBING PROGRAM

20) TYPE	Size	New	Grade	Weight per	FOOTAGE:	INTERVALS:	CEMENT:
		<u>or</u> <u>Used</u>		<u>ft.</u>	for Drilling	<u>Left in Well</u>	Fill- up (Cu.Ft.)
Conductor	26	New	Varies	Varies	80'	80'	98 675
Fresh Water	13 3/8	New	MC-50	54	382'	382'	353 CT5
Coal	-	-	-	4	-		-
ntermediate	9 5/8	New	MC-50	40	2,940'	2,940'	1,168 CTS
Production	5 1/2	New	P-110	20	10,800'	10,800'	See Note
Tubing	2 3/8		J-55	4.6			May not be run, if run will be set 100' less than TD
_iners							

ГҮРЕ	Size	Wellbore Diameter	Wall_ Thickness	<u>Burst</u> Pressure	Cement Type	Cement Yield
Conductor	26	30	0.500		construction	1.18
Fresh Water	13 3/8	17 1/2	0.380	2,480	1	1.21
Coal	-	-			•	•
ntermediate	9 5/8	12 3/8	0.395	3,590	1	1.21
roduction	5 1/2	8 1/2	0.361	12,640	-	1.27/1.86
Γubing						
iners						

Packers

(ind:	N/A		
Sizes:	N/A		
Depths Set:	N/A		

lote 1: EQT plans to bring the TOC on the production casing cement job 1,000′ above kick off point, which is at east 500′ above the shallowest production zone, to avoid communication.

TECEIVED

MAY 0 2 2013

06/14/2013




*Note: Attach additional sheets as needed.

21) Describe centralizer placement for each casing string.						
Surface: Bow spring centralizers – One at the shoe and one spaced every 500'.						
• Intermediate: Bow spring centralizers- One cent at the shoe and one spaced every 500'.						
Production: One spaced every 1000' from KOP to Int csg shoe						
22) Describe all cement additives associated with each cement type. Surface (Type 1 Cement): 0-3% Calcium Chloride						
Used to speed the setting of cement slurries.						
0.4% flake. Loss Circulation Material (LCM) is used to combat the loss of the cement slurry to a thief zone.						
Wintermediate (Type 1 Cement): 0-3% Calcium Chloride. Salt is used in shallow, low temperature formations to speed the setting of cement						
slurries. 0.4% flake. Loss Circulation Material (LCM) is used to combat the loss of whole drilling fluid or cement slurry (not filtrate)						
to a thief zone.						
Production:						
Lead (Type 1 Cement): 0.2-0.7% Lignosulfonate (Retarder). Lengthens thickening time.						
0.3% CFR (dispersant). Makes cement easier to mix.						
Tail (Type H Cement): 0.25-0.40% Lignosulfonate (Retarder). Lengthens thickening time.						
0.2-0.3% CFR (dispersant). This is to make the cement easier to mix.						
60 % Calcuim Carbonate. Acid solubility.						
0.4-0.6% Halad (fluid loss). Reduces amount of water lost to formation.						
23) Proposed borehole conditioning procedures. <u>Surface</u> : Circulate hole clean (Approximately 30-45 minutes) rotating & reciprocating						
one full joint until cuttings diminish at surface. When cuttings returning to surface diminish, continue to circulate an additional 5						
minutes. To ensure that there is no fill, short trip two stands with no circulation. If there is fill, bring compressors back on						
and circulate hole clean. A constant rate of higher than expected cuttings volume likely indicates washouts that will not clean up.						
Intermediate: Circulate hole clean (Approximately 30-45 minutes) rotating & reciprocating one full joint until cuttings diminish at						
surface. When cuttings returning to surface diminish, continue to circulate an additional 5 minutes. If foam drilling, to enhance						
hole cleaning use a soap sweep or increase injection rate & foam concentration.						
<u>Production:</u> Pump marker sweep with nut plug to determine actual hole washout. Calculate a gauge holes bottoms up volume.						
Perform a cleanup cycle by pumping 3-5 bottoms up or until the shakers are clean. Check volume of cuttings coming across						
the shakers every 15 minutes.						




Well Schematic EQT Production



Office of Oil & Gas

APR 2 2013

EQT Production
Big Run
Azimuth 158.7
Wetzel West Virgina Vertical Section 3246



Office of Oil & Gas

710302899 API No. 47 513868 Operator's Well No.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name _		BIG7		OP Code _			_
Watershed	Sheep Run and North I	Fork Fishing Creek	Quad	rangle	Big Rui	n 7.5'	_
Elevation	924	County	Wetzel	District	(Grant	_
Description of anti	cipated Pit Waste:	No a	anticipated pit wa	aste due to cl	osed loop s	ystem	_
Do you anticipate	using more than 5,00	0 bbls of water to	complete the p	roposed well	work?	'es x No _	-
Will a synthetic lin	ner be used in the pit	?N/A	If so, wha	t mil.?	<u> </u>	I/A	
Proposed Dispos		lication und Injection at API Number isposal (Sup	(UIC Permit No			4037	<u>) </u>
If oil bath Additives to be used will closed loop at Drill cuttings disposed in particular to the part	anticipated for this we sed, what type? Syntised? MILBAR, VISCOSIEF, Alkaling system be used? Dosal method? Leave in the post of the pos	hetic, petroleum, nay Control, Lime, Chlonde Salts es n pit, landfill, rem what medium wi	etc Filtration Control, Deflocculant noved offsite, etc Il be used? Cem	. Lubricant, Delergent, De c. ent, lime,	aloaming, Walnut Shell, Landfill r	X-Cide, SOLTEX Terra Rate	- PMH - 4-25-13
on August 1, 2005, by the provisions of the permits or regulation can lead to a certify under permits application form and all the information, I believe	enalty of law that I have pe attachments thereto and to the that the information is treation, including the possible Signature Typed Name)	f the West Virginia Di liolations of any term rsonally examined an that, based on my in- ue, accurate, and co	Department of Enviror or condition of the good am familiar with the quiry of those individually individually and aware to the condition of the	nmental Protect general permit a the information s luals immediatel that there are sign	tion. I understa nd/or other app submitted on the ly responsible f	nd that the plicable law is or obtaining	-
Subscribed and sw	orn before me this	<u>/8</u> d	ay of App	216	Notary F	20 <i>13</i> Public	-
My commission ex	pires	6/27/2018		Nicho	OFFICIAL SEAL bitc, State Of We LAS L. BUMGAF Rt. 1 Box 4 berty, WV 2512 sion Expires Jur	St Virginia RDNER	

RECEIVED - DIENIONE - 18 06/14/2013

MAY 0 2 2013

EQT Production Water plan Offsite disposals for Marcellus wells

CWS TRUCKING INC.

P.O. Box 391 Williamstown, WV 26187 740-516-3586 Noble County/Noble Township Permit # 3390

LAD LIQUID ASSETS DISPOSAL INC.

226 Rankin Road Washington, PA 15301 724-350-2760 724-222-6080 724-229-7034 fax Ohio County/Wheeling Permit # USEPA WV 0014

TRI COUNTY WASTE WATER MANAGEMENT, INC.

1487 Toms Run Road Holbrook, PA 15341 724-627-7178 Plant 724-499-5647 Office Greene County/Waynesburg Permit # TC-1009

Waste Management - Meadowfill Landfill

Rt. 2, Box 68 Dawson Drive Bridgeport, WV 26330 304-326-6027 Permit #SWF-1032-98 Approval #100785WV

Waste Management - Northwestern Landfill

512 E. Dry Road Parkersburg, WV 26104 304-428-0602 Permit #SWF-1025 WV-0109400 Approval #100833WV

BROAD STREET ENERGY LLC

37 West Broad Street Suite 1100 Columbus, Ohio 43215 740-516-5381 Washington County/Belpre Twp. Permit # 8462

TRIAD ENERGY

P.O. Box 430
Reno, OH 45773
740-516-6021 Well
740-374-2940 Reno Office Jennifer
Nobel County/Jackson Township
Permit # 4037

KING EXCAVATING CO.

Advanced Waste Services 101 River Park Drive New Castle, Pa. 16101 Facility Permit# PAR000029132



WW-9 Rev. 1/12 API No. 47 103 0 Operator's Well No. 513868

Property Bodila	ally and a second	Liversion		the same of the sa
Road		Spring	-	
Existing Fence	——×——×——×—	- Wet Spot	many	
Planned Fence	/// /	Drain Pipe w/ size in inches	150	_
Stream	->->	Waterway		
Open Ditch				_
Rock	್ಕೆ ಕ್ರಾಂತ್ರಿಕ್	Cross Drain 7277		1777T
North	N		ent The	XXXX
Buildings	Total Control	Pit Cut Walls	Curling Street	
Water Wells	(W)	Pit Compacted Fill Walls	Murining.	
Dnil Sites	$\widecheck{\oplus}$	Area for Land Application of Pit Waste	(4.5.5)	
Proposed Revegetation	Treatment: Acres Disturbed	No Additional	Prevegetation	pH6.2
Lime	3 Tons/acre or t	to correct to pH	6.5	
Fertilizer (10-20	-20 or equivalent)	1/3 lbs/acre (500) lbs minimum)	
Mulch	2	Tons/acre		
		Seed Mixtures		
Are	a I		Area II	
Seed Type	lbs/acre	Seed Type		lbs/acre
(Y-31	40	Orchard Grass		15
Alsike Clover	5	Alsike Clover		5
Annual Rye	15	-		
Attach: Drawing(s) of road, locati	on,pit and proposed area for	land application.		
	volved 7.5' topographic sheet	- The state of the		
	Total Tio Topograpino office	•		
Anna di Anna Normani				
Plan Approved by:	1/2/			
Comments:				
Title: Dil + Ges	Tospector	Date: 4-25-1	3	
	. /			
ield Reviewed? (_) Ye	es () No	

06/14/2013

MAY 0 2 2013

ECEIVED and The



west virginia department of environmental protection



Water Management Plan: Primary Water Sources



WMP 01225

API/ID Number:

047-103-02899

Operator:

EQT Production Company

513686 (BIG7H15)

Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- Identification of sensitive aquatic life (endangered species, mussels, etc.);
- •Quantification of known existing demands on the water supply (Large Quantity Users);
- Minimum flows required by the Army Corps of Engineers; and
- · Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED JUN 1 2 2013

Source Summary

WMP-01225 API Number: 047-103-02899 Operator: **EQT Production Company** 513686 (BIG7H15) Stream/River Richard Potts/Rich Ohio River at Hannibal, OH Source Owner: Merryman Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 7/1/2013 39.655883 7/1/2014 5,100,000 -80.86678 ✓ Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam Max. Pump rate (gpm): 1,500 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs) **DEP Comments:** Refer to the specified station on the National Weather Service's Ohio River forecast website: http://www.erh.noaa.gov/ohrfc//flows.shtml S. Fork of Fishing Creek @ Hastings Truck Pad **Dominion Transmission** Source Owner: Intake Latitude: Intake Longitude: Total Volume (gal) Max. daily purchase (gal) Start Date End Date 7/1/2013 7/1/2014 5,100,000 39.553 -80.669 Regulated Stream? MIDDLE ISLAND CREEK AT LITTLE, WV Ref. Gauge ID: 3114500 Max. Pump rate (gpm): Min. Gauge Reading (cfs): Min. Passby (cfs) 1,260 78.05 10.32 DEP Comments: **Ronald Anderson** S. Fork of Fishing Creek @ Jacksonburg Truck Pad Owner: Source Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: Start Date End Date 7/1/2013 7/1/2014 5,100,000 39.52609 -80.6338 Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV

Min. Gauge Reading (cfs):

73.12

8.86

DEP Comments:

1,260

Max. Pump rate (gpm):

Min. Passby (cfs)

Source	N. Fork of Fish	ing Creek (@ Pine Grove Truck Pa	d		Owner: T	own of Pine Grove
Start Date 7/1/2013			Total Volume (gal) 5,100,000	Max. daily p	ourchase (gal)	Intake Latitude: 39.571562	Intake Longitude -80.677848
☐ Regulate	ed Stream?		Ref. Gauge I	ID: 31145 0	00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump	rate (gpm):	2,520	Min. Gauge Read	ding (cfs):	85.35	Min. Passby (c	fs) 6.22
	DEP Comme	nts:					
Source	N. Fork of Fish	ing Creek (@ Edgell Property			Owner:	Cathy Edgell
Start Date 7/1/2013			Total Volume (gal) 5,100,000	Max. daily p	ourchase (gal)	Intake Latitude: 39.58191	Intake Longitude: -80.622839
☐ Regulate	d Stream?		Ref. Gauge I	D: 31145 (00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump	rate (gpm):	1,260	Min. Gauge Read	ding (cfs):	78.74	Min. Passby (c	fs) 5.76
	DEP Comme	nts:					
Source	N. Fork of Fish	ing Creek (@ Lydick Property			Owner:	Les Lydick
Start Date 7/1/2013			Total Volume (gal) 5,100,000	Max. daily p	ourchase (gal)	Intake Latitude: 39.57795	Intake Longitude: -80.59221
☐ Regulate	d Stream?		Ref. Gauge I	D: 31145 (00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump	rate (gpm):	1,260	Min. Gauge Reac	ding (cfs):	75.93	Min. Passby (c	fs) 3.28

DEP Comments:

Source N. Fork of Fishing Creek @ BIG176 Pad Owner: John W. Kilcoyne Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 7/1/2013 7/1/2014 5,100,000 39.560283 -80.560763 Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV Max. Pump rate (gpm): 1,260 Min. Gauge Reading (cfs): 73.12 Min. Passby (cfs) 2.19 **DEP Comments:** Source N. Fork of Fishing Creek @ Big 57 Pad Owner: **EQT Corporation** Total Volume (gal) Max. daily purchase (gal) Intake Longitude: Start Date **End Date** Intake Latitude: 7/1/2013 5,100,000 -80.53064 7/1/2014 39.55316 Regulated Stream? MIDDLE ISLAND CREEK AT LITTLE, WV Ref. Gauge ID: 3114500 Min. Gauge Reading (cfs): Max. Pump rate (gpm): Min. Passby (cfs) 1,260 70.31 1.71

DEP Comments:


WMP-01225 API/ID Number: 047-103-02899 Operator: **EQT Production Company** 513686 (BIG7H15) Source ID: 17900 Ohio River at Hannibal, OH Source Name Source Latitude: 39.655883 Richard Potts/Rich Merryman Source Longitude: -80.86678 5030201 HUC-8 Code: 7/1/2013 Anticipated withdrawal start date: 25000 County: Wetzel Drainage Area (sq. mi.): Anticipated withdrawal end date: 7/1/2014 **Endangered Species?** Mussel Stream? 5,100,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? Max. Pump rate (gpm): 1,500 Regulated Stream? Ohio River Min. Flow Proximate PSD? New Martinsville Max. Simultaneous Trucks: 0 ✓ Gauged Stream? Max. Truck pump rate (gpm) Reference Gaug 9999999 Ohio River Station: Willow Island Lock & Dam

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	45,700.00	144	-
2	49,200.00		
3	65,700.00	1.5	
4	56,100.00	7.0	4
5	38,700.00		1.4
6	24,300.00	3-3	
7	16,000.00	18	*
8	13,400.00	4	
9	12,800.00		+
10	15,500.00	-	
11	26,300.00	-	
12	41,300.00	-	- 1



25,000.00

Drainage Area (sq. mi.)



Water Availability Assessment of Location

Gauge Threshold (cfs):

Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	3.34
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	-


"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

6468

WMP-01225	API/ID Number: 047-103-0289 513686 (BIG7H15)	Operator: EQT Production	n Company
Source ID: 17901 Source Name	S. Fork of Fishing Creek @ Hastings Truck Pa Dominion Transmission	d Source Latitude: 39.55 Source Longitude: -80.66	
Drainage Area (sq. mi.): ☐ Endangered Species? ✓ M	70.02 County: Wetzel ussel Stream? er 3?	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm): Max. Simultaneous T Max. Truck pump rate	
Reference Gaug 3114. Drainage Area (sq. mi.)	MIDDLE ISLAND CREEK AT LITTLE, W	V Gauge Threshold (cfs):	45

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	75.09	20.87	54.35
2	94.45	20.87	73.72
3	105.69	20.87	84.95
4	78.48	20.87	57.75
5	41.40	20.87	20.66
6	14.46	20.87	-6.28
7	8.18	20.87	-12.56
8	6.74	20.87	-14.00
9	3.45	20.87	-17.29
10	4.33	20.87	-16.40
11	21.17	20.87	0.43
12	51.72	20.87	30.99

Water Availability Profile




Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	78.05 10.32
Ungauged Stream Safety (cfs):	1.72
Headwater Safety (cfs):	1.72
Pump rate (cfs):	2.81
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	7.74
Base Threshold (cfs):	6.88

WM	P-01225	A	PI/ID Numbe 513	047-103- 686 (BIG7H15)	02899	Operator:	EQT Product	ion Comp	any
Source ID: 17902	Source Name	Ronald An		@ Jacksonburg	Truck Pad		oc Latitude.	52609 6338	
Drainage Art Endangered Spec Trout Stream?	ea (sq. mi.): ies?	45.72 ussel Stream r 3?	County:	Wetzel	Anticip	ated withdraw pated withdraw I Volume from	wal end date: Source (gal):	7/1/20 7/1/20 5,100,	014 000
☐ Regulated Stream☐ Proximate PSD?☐ Gauged Stream?	1?						p rate (gpm): Max. Simultaneous Max. Truck pump ra	s Trucks:	0
Reference Gau Drainage Area		600 MI 458.00	DDLE ISLAND	CREEK AT LITTL	E, WV	Gauge T	hreshold (cfs):	45	5

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	49.03	12.36	37.12
2	61.67	12.36	49.76
3	69.01	12.36	57.10
4	51.25	12.36	39.33
5	27.03	12.36	15.12
6	9.44	12.36	-2.47
7	5.34	12.36	-6.57
8	4.40	12.36	-7.51
9	2.25	12.36	-9.66
10	2.83	12.36	-9.08
11	13.82	12.36	1.91
12	33.77	12.36	21.86






Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	73.12 8.86
Ungauged Stream Safety (cfs):	1.12
Headwater Safety (cfs):	1.12
Pump rate (cfs):	2.81
Downstream Demand (cfs):	2.12
Upstream Demand (cfs):	2.81
Base Threshold (cfs):	4.49

WMP-01225	API/ID Number: 513686	047-103-02899 (BIG7H15)	Operator:	EQT Product	ion Comp	any
	N. Fork of Fishing Creek @ F Town of Pine Grove	Pine Grove Truck Pad		e Latitude: 39.5 Longitude: -80.	571562 677848	
	42.17 County:	Wetzel Ar	ticipated withdrawa nticipated withdraw Fotal Volume from S Max. Pump	al end date:	7/1/20 7/1/20 5,100,0	014
✓ Proximate PSD? Pine Gr ☐ Gauged Stream?	ove			Max. Simultaneous		0
Reference Gaug 311450 Drainage Area (sq. mi.)	0 MIDDLE ISLAND CRE 458.00	EEK AT LITTLE, WV	Gauge Th	nreshold (cfs):	45	

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	45.22	24.07	21.25
2	56.89	24.07	32.91
3	63.65	24.07	39.68
4	47.27	24.07	23.29
5	24.93	24.07	0.96
6	8.71	24.07	-15.27
7	4.93	24.07	-19.05
8	4.06	24.07	-19.92
9	2.08	24.07	-21.90
10	2.61	24.07	-21.37
11	12.75	24.07	-11.23
12	31.15	24.07	7.17

Water Availability Profile




Mator	Availability	Assessment	oflocation

Min. Gauge Reading (cfs): Passby at Location (cfs):	85.35 6.22
Ungauged Stream Safety (cfs):	1.04
Headwater Safety (cfs):	1.04
Pump rate (cfs):	5.61
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	12.24
Base Threshold (cfs):	4.14

Source ID: 17904 Source Name N. Fork of Fishing Creek @ Edgell Property Cathy Edgell Source Latitude: 39.58191 HUC-8 Code: 5030201 Drainage Area (sq. mi.): 32.23 County: Wetzel Anticipated withdrawal start date: 7/1/2014 Endangered Species? Mussel Stream? Total Volume from Source (gal): 5,100,000 Regulated Stream? Max. Pump rate (gpm): 1,260 Max. Simultaneous Trucks: 0	WMP-01225 API/	D Number: 047-103-0289	Operator: EQT Product	tion Company
Gauged Stream? Max. Truck pump rate (gpm) 0	Cathy Edgell HUC-8 Code: 5030201 Drainage Area (sq. mi.): 32.23 Color Endangered Species? Mussel Stream? Trout Stream? Regulated Stream? Proximate PSD?		Source Longitude: -80 Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm): Max. Simultaneou	7/1/2013 7/1/2014 5,100,000 1,260

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	34.56	15.99	18.59
2	43.48	15.99	27.51
3	48.65	15.99	32.68
4	36.13	15.99	20.16
5	19.06	15.99	3.09
6	6.65	15.99	-9.32
7	3.77	15.99	-12.20
8	3.10	15.99	-12.87
9	1.59	15.99	-14.38
10	2.00	15.99	-13.98
11	9.74	15.99	-6.23
12	23.81	15.99	7.84




Min. Gauge Reading (cfs): Passby at Location (cfs):	78.74 5.75
Ungauged Stream Safety (cfs):	0.79
Headwater Safety (cfs):	0.79
Pump rate (cfs):	2.81
Downstream Demand (cfs):	1.00
Upstream Demand (cfs):	8.43
Base Threshold (cfs):	3.17

WMP-012	25	API/ID Number:	047-103-0289	9 Operator:	EQT Producti	on Company
		513686	(BIG7H15)			
Source ID: 17905 Source	e Name N. Fo	k of Fishing Creek @	Lydick Property	Sourc	e Latitude: 39.5	57795
	Les Ly	dick		Source	Longitude: -80.	59221
HUC-8 Code: Drainage Area (sq	5030201 . mi.): 15.4	6 County:	Wetzel	Anticipated withdraw Anticipated withdray		7/1/2013 7/1/2014
☐ Endangered Species? ☐ Trout Stream?	✓ Mussel St ☐ Tier 3?	ream?		Total Volume from		5,100,000
☐ Regulated Stream?				Max. Pum	p rate (gpm):	1,260
☐ Proximate PSD?					Max. Simultaneous	Trucks: 0
☐ Gauged Stream?					Max. Truck pump rat	te (gpm) 0
Reference Gaug	3114500	MIDDLE ISLAND CR	EEK AT LITTLE, WY	V		
Drainage Area (sq. n	ni.) 458	.00		Gauge Tl	hreshold (cfs):	45

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	16.58	10.71	6.04
2	20.86	10.71	10.32
3	23.34	10.71	12.80
4	17.33	10.71	6.79
5	9.14	10.71	-1.40
6	3.19	10.71	-7.34
7	1.81	10.71	-8.73
8	1.49	10.71	-9.05
9	0.76	10.71	-9.78
10	0.96	10.71	-9.58
11	4.67	10.71	-5.86
12	11.42	10.71	0.88






Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	75.93 3.28
Ungauged Stream Safety (cfs):	0.38
Headwater Safety (cfs):	0.38
Pump rate (cfs):	2.81
Downstream Demand (cfs):	1.00
Upstream Demand (cfs):	5.62
Base Threshold (cfs):	1.52

WMP-012	225	API/ID Number:	047-103-028	99 Operator: EQT Produc	ction Company
		51368	6 (BIG7H15)		
ource ID: 17906 Source	e Name N. For	k of Fishing Creek @	BIG176 Pad	Source Latitude: 39	.560283
	John V	V. Kilcoyne		Source Longitude: -8	0.560763
HUC-8 Code: Drainage Area (sq Endangered Species? Trout Stream? Regulated Stream?	5030201 . mi.): 8.09 ✓ Mussel Str ☐ Tier 3?		Wetzel	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm):	7/1/2013 7/1/2014 5,100,000 1,260
Proximate PSD? Gauged Stream?				Max. Simultaneo	

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	8.68	6.81	2.21
2	10.91	6.81	4.45
3	12.21	6.81	5.75
4	9.07	6.81	2.60
5	4.78	6.81	-1.68
6	1.67	6.81	-4.79
7	0.95	6.81	-5.52
8	0.78	6.81	-5.69
9	0.40	6.81	-6.07
10	0.50	6.81	-5.96
11	2.45	6.81	-4.02
12	5.98	6.81	-0.49






Water	Availability	Assessment	of	Location

Min. Gauge Reading (cfs):	73.12
Ungauged Stream Safety (cfs):	0.20
Headwater Safety (cfs):	0.20
Pump rate (cfs):	2.81
Downstream Demand (cfs):	1.00
Upstream Demand (cfs):	2.81
Base Threshold (cfs):	0.79

Passby at Location (cfs): 2.19

API/ID Number: 047-103-0	O2899 Operator: EQT Product	tion Company
513686 (BIG7H15)		
of Fishing Creek @ Big 57 Pad	Source Latitude: 39.	55316
poration	Source Longitude: -80	.53064
County: Wetzel	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm):	7/1/2013 7/1/2014 5,100,000 1,260
	of Fishing Creek @ Big 57 Pad poration County: Wetzel	513686 (BIG7H15) of Fishing Creek @ Big 57 Pad poration Source Latitude: 39. Source Longitude: -80 Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal):

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)	
1	5.12	3.51	1.62	
2	6.43	3.51	2.94	
3	7.20	3.51	3.71	
4	5.35	3.51	1.85	
5	2.82	3.51	-0.67	
6	0.98	3.51	-2.51	
7	0.56	3.51	-2.93	
8	0.46	3.51	-3.03	
9	0.24	3.51	-3.26	
10	0.30	3.51	-3.20	
11	1.44	3.51	-2.05	
12	3.52	3.51	0.03	



458.00

Base Threshold (cfs):	0.47
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	1.00
Pump rate (cfs):	2.81
Headwater Safety (cfs):	0.12
Ungauged Stream Safety (cfs):	0.12

Water Availability Assessment of Location

Gauge Threshold (cfs):

Min. Gauge Reading (cfs): 70.31

Passby at Location (cfs): 1.70

Drainage Area (sq. mi.)

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

west virginia department of environmental protection



Water Management Plan: Secondary Water Sources



WMP-01225

API/ID Number

047-103-02899

Operator:

EQT Production Company

513686 (BIG7H15)

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Ground Water

Source ID: 17908 Source Name Groundwater Well TW#1

Source start date:

7/1/2013

Source end date:

7/1/2014

Source Lat:

39.56059

Source Long:

-80.56027

County

Wetzel

Max. Daily Purchase (gal)

Total Volume from Source (gal):

5,100,000

DEP Comments:

513686 (BIG7H15)

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Groundwater Well TW#5 Source ID: 17909 Source Name 7/1/2013 Source start date:

Source end date: 7/1/2014

39.553434 Source Long: -80.528871 Wetzel Source Lat: County

5,100,000 Max. Daily Purchase (gal) Total Volume from Source (gal):

DEP Comments:

Multi-site impoundment

Source ID: 18086 Source Name YOHO Centralized Freshwater Impoundment Source start date: 7/1/2013 7/1/2014 Source end date:

Source Long:

County Wetzel

4,800,000 Max. Daily Purchase (gal) Total Volume from Source (gal):

-80.61432

103-FWC-00001 DEP Comments:

Source Lat:

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

39.56092

Reference: WMP-1068

WMP-**01225** API/ID Number **047-103-02899** Operator: **EQT Production Company**

513686 (BIG7H15)

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Recycled Frac Water

Source ID: 17910 Source Name Various

Source start date:

7/1/2013

Source end date:

7/1/2014

Source Lat:

Source Long:


County

5,100,000

Max. Daily Purchase (gal)

Total Volume from Source (gal):

DEP Comments:



Received Office of Oil & Gas

APR 2 2013

06/14/2013

