

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL COMPANY Coal Operator or Owner** 

1 BRIDGE STREET MONONGAH, WV 26554 Address

**CONSOLIDATION COAL COMPANY** 

**Coal Operator or Owner** 1 BRIDGE STREET MONONGAH, WV 26554

Address

**CONSOLIDATION COAL COMPANY** 

Lease or Property Owner

1 BRIDGE STREET MONONGAH, WV 26554

Address

**CONSOLIDATION COAL CO.** Name of Well Operator

**1 BRIDGE STREET MONONGAH, WV 26554** 

Complete Address WALLACE 7.5'

**Well Location** 

GRANT

District

WETZEL

County 7113

Well No.

**CONSOLIDATION COAL COMPA** 

Farm

STATE INSPECTOR SUPERVISING PLUGGING

**AFFIDAVIT** 

STATE OF WEST VIRGINIA. County of MONONGALIA ss:

MICHAEL CAMPBELL and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 ½" hole from Surface to 524'. Tagged top of 10 ¾" casing at 524'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from		16" Conductor	0,	20'
524' to 1288'. Tagged top of 8 5/8" casing at 1288'. Removed 202' of 8 5/8" casing from 1288' to 1490'. Continued to clean		10 ¾* Casing	0,	39'
9 7/8" hole from 1288' 7 7/8" hole from 1490' 1903'. Left 39' of 10 %	to 1490'. Reduced hole to 7 7/8". Cleaned to 1903'. Tagged bottom hole plug at "casing in the hole from 524' to 563'. Left the hole from 1490' to 1752'. Cleaned 9	8 5/8" Casing	202'	262'
7/8" hole through the Pittsburgh Coal seam from 1273' to 1280'.  Cemented hole from 1903' back to surface as follows:  From 1903' to 1480' with 100 sacks of Expandable Cement. From 1480' to 1173' with 155 sacks of Thixotropic Cement with dye.  From 1173' back to the Surface with 515 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.		Received Office of Oil & G		
		Cool Sooms		
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	(1273' – 1280')	77" of 7" casing w/ company name, well number,		
		permit number and date cemented stated on 7"		
· · · · · · · · · · · · · · · · · · ·		casing. Well marker will be attached to cement		
		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 16th day of August, 2014

And further deponents saith not.

Michael Campbell

Stephan Moats

Sworn to and subscribed before me this \

day of October 2014

seth rotal

My commission expires: \\/4/23

Official Scal
Notary Public, State Of West Versinial Vell No. 7113
Kara Besh Foss:
Moth American Devens LLC
70 Gam Spring Re
Morganizons WY 76505

**∼~Pey**rnit No. <u>47-103-03013-P</u>