WR-38 Rev. 5/08

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:_	Larry Hood		_Operator We	ell No.: <u>6</u>	3733				
	Elevation: 1554.38	3'	_ Quadrangle	e: Fols	som, \	W 7.5'			
	District: Grant		_ County:	We	tzel			•	
•	Latitude:	Feet South of	39 Deg.	29	_Min.	06.62			
	Longitude:	Feet West of	_80Deg	30	Min.	15.46	Sec.		
Well Type: 0	OIL GAS	<u> </u>							
Company	Consolidation C	oal Co Coal O	perator 1 Br	idge St					
		or Owr	ier Mon	ongah, \	NV 265	54			
									CEIVED
	David Dadda							Office of	Oil and Gas
Agent	David Roddy	or Ow	ner						0 0 00.0
Permit Issue	ed Date <u>06/01/2</u>	018	. —				<u> </u>	OCT	26 2018
			AFFIDAVIT						
STATE OF W	EST VIRGINIA,	•	AL LIDATII						partment of
County of Me	onongalia ss:					•		Environme	ntal Protection
Mark A. Wi	loon	. Matthew A	. Yearsley	hali	an dinat		rn according	n to low done	NCO.
	an ney are experienced in	the work of plugging	and filling oil a	pen	ng mai vells an	d were em	nioved by the	e above nam	ed
well operator.	and participated in the	e work of plugging	and filling the	above w	eli say	that said	work was	commenced	on
the 14th	day ofSepte	mber , 2018, and the	well was plug	ged an	d filled	in the follo	wing manne	er:	
			· · · · · · · · · · · · · · · · · · ·						-
TYPE	FROM	то	PIPE	REMOV	ED		LEFT	<u> </u>	-
Expandable	1999	40.401							-
Thixotropic	1886'	1346' Surface							-
Expandable 10 3/4"	1346" 984'	456"		0			528'		7
16" Conductor				0			6'		1
10 Conductor	00/1800	5'							_
	-								
Description	of monument: 77° of 7" ca	sing with company name, well a	, API B, and date com	ienteo.	a	nd that the	work of plu	ıgging and filli	ng
said well was	completed on the 2nd					1:-C			
And further	deponents saith not.	manh	wilso	7 😅		C. S.	NOTAR	Y PUBLIC OFFICE	AL SEAL
And future	deponenta sami non	$A \parallel$	1 -	1	_	A China	反答 Sta	CAROL A MAYLE	nia l'
		Marken A	· Sens	<u> </u>			プ// My 会/ Se	Commission Excepteraber 15, 20	ires (
Sworn and	subscribe before me t			/ , 20	18	A Company	495 Buc	keye IId Core, WV	26541
			_		4.1.	,			
My commission	on expires: 9 - 15 -)	2.	_ در در	<i>∫ Ĥ</i> Notarv	Price	24.4			
Affidavit revie	wed by the Office of O	l and Gas:	ekM. o	laugi	ht_	Title: .	Oil & Ga	as Inspector	<u>.</u>
				-					

Plugging Report for MSHA

Well Number:	6733		Mine:	<u>Harriso</u>	n County M	ine	_	Surface		
Permit Nmber:	47-103-0	3237							Top of 16" Conductor Casing at Surface	
Date Clean Out	-	9/14/2018							Bottom of 16" Conductor Casing at 5'	
Data Wall Dass I	Diversed	10/2/2018								
Date Well Bore I										
Pittsburgh Coal	Seam:	1446 ft.	_ To	1453 ft.	-			Ę		
Plugs:	_		_					and		
From	To			e of Ceme		40		a D		
1686	1346		inix	green	ement with dye	-		Expandable Cement	Top of 10 3/4" casing at 456'	1
1346	Surfac	e	Ex	cpandable	Cement			ent		
4	1 (A)					5				
			9			-6			Bottom of 10 3/4" casing at 984'	
	n 19 <u>-</u>					_				
0		* No express					40.401			
Casing Rema	aining in Well I	<u>sore</u>				Thix Top:	1346			
T	op Botton	Left	Pul	lled				Thixotrapic Cement w/ Green Dye		
Sucker Rods			-					63	V	
2 3/8" tubing 5 1/2" casing								pic		
7" casing			+	$\overline{}$				000		
7" fiberglass				$\overline{}$				me /e		
8 5/8" casing								AL AL		
	56 984'	528'		0						
16" Conductor Sur	rface 5'	5')'			1446' to			
					Dittal		1453'			
					Pittsb	urgh Coal				
Cement:										
Expandable	51	5	sacks					=		
Thixotropic	13:	5	sacks					ii.		
Econofill			sacks					otro		
Mud Flush	100	0	_gal					ide		
Other Est. Top Thix	134	6	ft					0		
Did Cement Circ. Yes			-"					em		
Dia comoni ono.			_					Thixotropic Cement w/ Green Dye		
Comments:								2/10		
Caving: Extreme	Moderate	Normal						Gre		
Lost Circulation:		oderate	Norma					en		
Difficulty in Removin			lerate	<u>Normal</u>	Does Not A	pply		Dy		
Debris in Well Bore:	Wood	<u>Steel</u>	(Other:	Clay	•				
					Thix	Bottom:	1686'			

Surface Elevation (Surveyed) Bottom of Coal Structure (Map) Difference 1557.12 115 1442.12

RECEIVED
Office of Oil and Gas

OCT 26 2018

FORM WR-38 (Affidavit of Plugging)

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. **Coal Operator or Owner** 1 BRIDGE STREET MONONGAH, WV 26554 Address CONSOLIDATION COAL CO. Coal Operator or Owner

1 BRIDGE STREET MONONGAH, WV 26554 Address **LARRY HOOD**

Lease or Property Owner 1007 Sams Run Rd, Folsom, WV 26348 Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH. WV 26554

Complete Address FOLSOM, WV 7.6' **Well Location GRANT** District WETZEL County 6733 Well No.

LARRY HOOD Farm

STATE INSPECTOR SUPERVISING PLUGGING

Dersk M. Haught

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

MARK A. WILSON and MATTHEW A. YEARSLEY being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of September, 2018 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left in			
Formation			1	1	1		
9 7/8" bit. Clean a 9 7 7/8". Clean a 7 7/8	ole from surface to 456'. Reduced hole to 7/8" hole from 456' to 984'. Reduced hole to "hole from 984' to 1621'. Clean hole with		0,	528'			
from 456' to 984'. Le	6'. Tagged plug at 1686'. Left 10 3/4" casing ift 526 feet of 10 3/4" casing. Cleaned a 7 7/8 rgh Coal Seam 1146" to 1453'. Left 5' of 16 to 5'.	;-	0'	5'			
From 1686' to 1346'	m 1686' back to the surface as follows: with 135 sacks of Thixotropic cement with 16' to 468' with 225 sacks of expandable				RECEIVED Office of Oil and Gas		
cement. From 468' t	o surface with 290 sacks of expandable circulate to surface. A total of 695 sacks of				OCT 26 2018		
				Env	VV Department of ronmental Protection		
Coal Seams		Description of Monume	<u> </u>	<u></u>			
Pittsburgh	1446' 1453'		77" of 7" casing w/ company name, well number,				
		permit number and date	1				
		casing. Well marker will b	1				
		plug at ground level.	1				

And further deponents saith not.

Matthew A. Yearsley

Sworn to and subscribed before me this $i e^{i\hbar}$ day of Cc^{4}

A Mayl Notary Public

My commission expire

NOTARY PUBLIC OFFICIAL SEAL CAROL A MAYLE State of West Virginia My Commission Expires September 15, 2022 495 Buckeye Rd Care, WV 26541

Permit No. <u>47-103-03237</u>

Well No. 6733 Latitude: 39° 29' 08,62"N Longitude: 80° 30' 15,46"W