

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, May 29, 2024 WELL WORK PERMIT Horizontal 6A / New Drill

EQT PRODUCTION COMPANY 400 WOODCLIFF DR.

CANONSBURG, PA 15317

Re:

Permit approval for Tesla 11H 47-103-03665-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: Tesla 11H

Farm Name: Harrison County Coal Resource

U.S. WELL NUMBER: 47-103-03665-00-00

Horizontal 6A New Drill

Date Issued: 5/29/2024

API Number: 4710303665

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47							
OPERATOR W	ELL	NO.	11H	1	/		
Well Pad Nan	ne: _	Гesla					
471	0	3	0	3	6	6	5

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operat	or: EQT Prod	luction Cor	mpany	306686	Wetzel /	Grant	Glover Gap
			/	Operator ID	County	District	Quadrangle
2) Operator's V	Vell Number: 1	1H		Well Pad	Name: Tesla		
3) Farm Name/	Surface Owner	Harrison Cou	unty Coal Ruction Comp	esources pany Public Roac	d Access: CR-2	21	
4) Elevation, cu	irrent ground:	1,320' (bui	ilt) Ele	evation, proposed p	oost-construction	n: 1,320' (built)
5) Well Type	(a) Gas X			Under			
	Other				See See	-41	
	170 (200	-	X	Deep			Office of Oil and Gas
0.5.1.		-	<				
6) Existing Pad							APR 25 2024
7) Proposed Tai Marcellus, 7	rget Formation(7,644', 79', 2,6	(s), Depth(s)	, Antici	pated Thickness an	nd Expected Pro	essure(s): E	WV Department of nvironmental Protection
8) Proposed Tot	tal Vertical Dep	oth: 7,644'	/				
9) Formation at			rcellus	/			
10) Proposed To	otal Measured I	Depth: 8,0	76'				
11) Proposed H	orizontal Leg L	ength: 0'					
12) Approximat	e Fresh Water	Strata Deptl	ıs:	171', 278'			
13) Method to I	Determine Fresh	ı Water Dep	oths: O	ffset Wells - 049-001	113, 049-00094,	049-00505	
14) Approximat	e Saltwater Dej	oths: 2,033	', 2,108', 2	2,568', 3,276'			
15) Approximat	e Coal Seam D	epths: 1,18	7'-1,193'				
16) Approximat	e Depth to Poss	sible Void (coal min	e, karst, other): N	/A		
17) Does Propos directly overlyin	sed well location	n contain co an active r	oal seam nine?	s Yes X	No No		
(a) If Yes, prov	vide Mine Info:	Name:	Harriso	n County Mine	/		
		Depth:	1,187'-	1,193'			
		Seam:	Pittsbur	gh		1	
		Owner:	Harriso	n County Coal Reso	ources, Inc.		

WW-6B	
(04/15)	

API NO. 47		
OPERATOR WELL	NO.	11H
Well Pad Name:	Tesla	

18)

CASING AND TUBING PROGRAM

471030366!	G.	7	7 1	0	3	0	3	6	6	5	
------------	----	---	-----	---	---	---	---	---	---	---	--

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	26	New	A252	85.6	53	53 /	45 ft^3 / CTS <
Fresh Water	13 3/8	New	J-55	54.5	1243	1243	1135 ft^3 / CTS
Coal							
Intermediate	9 5/8	New	J-55	36	2605	2605 /	1000 ft^3 / CTS
Production	6	New	P-110	24	8076	8076 /	500' above intermediate casing
Tubing						***************************************	
Liners							

Office of Oil and Gas

APR 25 2024

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated End Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	26	30	0.312	1000	18	Class A/L	1.04 - 1.20
Fresh Water	13 3/8	17 1/2	0.380	2730	2184	Class A/L	1.04 - 1.20
Coal							
Intermediate	9 5/8	12 3/8 - 12 1/4	0.352	3520	2816	Class A/H/L	1.04 - 1.20
Production	6	8 3/4 - 8 1/2	0.400	14580	11664	Class A/H/L	1.04 - 2.10
Tubing							2
Liners							

PACKERS

Kind:		
Sizes:		
Depths Set:		
Dopuis Set.		



WW-6B	
(10/14)	

AΡ	I NO. 4	7		-							
	OPERA	ATOR	WE	LL	NO.	111					
	Well	Pad N	am	e:	Tesla						
		4	7	1	0	3	0	3	6	6	5

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and complete a new horizontal well in the Marcellus Formation. Drill the vertical, kick off and drill curve. Drill the lateral in the Marcellus. Cement casing.

Office of Oil and Gas

APR 25 2024

WV Department of Environmental Protesting

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Hydraulic fracturing is completed in accordance with state regulations using water recycled from previously fractured wells and obtained from freshwater sources. This water is mixed with sand and a small percentage (less than 0.1%) of chemicals (including 15% Hydrochloric acid, friction reducer, biocide, and scale inhibitor), referred to in the industry as a "slickwater" completion. Maximum anticipated internal casing pressure is expected to be approximately 10,000 psi, maximum anticipated treating rates are expected to average approximately 100 bpm. Stage lengths vary from 150 to 300 feet. Average approximately 350,000 gallons of water per stage. Sand sizes vary from 100 mesh to 20/40 mesh. Average approximately 200,000-600,000 pounds of proppant per stage.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 42.88 acres (built)
- 22) Area to be disturbed for well pad only, less access road (acres): 6.55 acres (built)
- 23) Describe centralizer placement for each casing string:
- Surface: Bow spring centralizers One centralizer at the shoe and one spaced every 500'.
- Intermediate: Bow spring centralizers— One centralizer at the shoe and one spaced every 500'.
- Production: One solid body centralizer spaced every other joint from production casing shoe to landing point. One solid body centralizer spaced every joint from landing point to planned top of cement.

24) Describe all cement additives associated with each cement type:

Conductor: Class A no additives

Surface: Calcium Chloride. Used to speed the setting of cement slurries

Intermediate: Calcium Chloride. Used to speed the setting of cement slurries. If applicable: Gas Migration Control Additive, Cement Retarder Production: Calcium Carbonate, Fluid Loss, Extender, Dispersent, Viscosifier, Defoamer, POZ, Bonding Agent, Retarder,

Anti-Settling/Suspension Agent

25) Proposed borehole conditioning procedures:

Surface: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Intermediate: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Production: Perform a cleanup cycle by pumping 3-8 bottoms up or until the shakers are clean. Check volume of cuttings coming across the shakers every 15 minutes.

*Note: Attach additional sheets as needed.



EQT Production Wellbore Diagram Well: Tesla 11H County: Wetzel Pad: Tesla State: West Virginia Elevation: 1320' GL 1333' KB Office Of Oil and Gas APR 25 2024 Conductor @ 53' WV Departmen 26", 85.6#, A252, cement to surface w/ Class Attion Surface @ 1,243' / 13-3/8", 54.5#, J-55, cement to surface w/ Class A/L 2.605' Intermediate @ 9-5/8", 36#, J-55, cement to surface w/ Class A/H/L 8,076' MD / 7,644' TVD Production @ 6", 24#, P-110, cement to 500' inside 9-5/8" w/ Class A/H/L Formation: Marcellus Stephen Digitally signed by Stephen Mccoy Date: 2024.04.17 Мссоу 09:02:49 -04'00' 05/31/2024ALE

Operator's Well No. Tesia 11H STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Office Of Oil and Gas

APR 25 2024

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name EQT Production Company OP Code 306686 WV Department of Environmental Protection
Watershed (HUC 10) Fishing Creek Quadrangle Glover Gap
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No
If so, please describe anticipated pit waste: N/A
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:
Land Application Underground Injection (UIC Permit Number 0014, 8462, 4037 Reuse (at API Number various) Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain
Will closed loop system be used? If so, describe: Yes, The closed loop system will remove drill cuttings from the drilling fluid. The drill cuttings are then prepared for transportation to an off-site disposal facility.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. See Attached
-If oil based, what type? Synthetic, petroleum, etc. Synthetic Mud
Additives to be used in drilling medium? See Attached
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? See Attached List
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for behavior of the information, including the possibility of fine or imprisonment. Company Official Signature Company Official (Typed Name) John Zayatchan Company Official Title Project Specialist - Permitting day of April , 2024
Notary Publishmonwealth of Pennsylvania - Notary Sea
Olivia Wilson, Notary Public Allegheny County My commission expires Olivia Wilson, Notary Public Allegheny County My commission 5/15 4/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1

n	ompany		4710303	6 6
Proposed Revegetation Trea	atment: Acres Disturbed	Prevege		
	Tons/acre or to correct to pH			-
Fertilizer type Gra	anular 10-20-20		RECEIVED	
Fertilizer amount	500Ib	s/acre	Office Of Oil and Gas	
Mulch 2	Tons/a	acre	APR 25 2024 WV Department of	
		E	nvironmental Protection	
	Seed	<u>I Mixtures</u>		
	emporary		Permanent	
Seed Type KY-31	lbs/acre	Seed Type		
	40	Orchard Grass		
Alsike Clover	5	Alsike Clover	5	
Annual Rye	15			
creage, of the land application	on area	ation (unless engineered planensions (L x W x D) of the	ns including this info have been pit, and dimensions (L \times W), and a	rea in
creage, of the land application	on area ved 7.5' topographic sheet.	nensions (L x W x D) of the	ns including this info have been pit, and dimensions (L x W), and a	rea in
creage, of the land application of involved section of involved land Approved by:	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy /	pit, and dimensions (L x W), and a	rea in
hotocopied section of involving Approved by: Stephomments: Pre-seed/r	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
breage, of the land application of involving an Approved by: Stephomments: Pre-seed/r	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephe	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephe	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephe	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephe	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephem	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephem	on area ved 7.5' topographic sheet. en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in
hotocopied section of involved lan Approved by: Stephology	en Mccoy Digitally signed by Stephen Date: 2024.04.17 09:03:41-0 mulch all disturbed are ograde E&S as necess	Mccoy 4'00' eas as soon as rea	pit, and dimensions (L x W), and a	rea in



SITE SAFETY AND ENVIRONMENTAL PLAN

Tesla Well Pad

Grant Wetzel County, WV

Prepared By: Donny Prater, CSP, Health and Safety Sciences, LLC Approved By: Scott M. Held, Senior Safety Coordinator

Created Date: 14-Apr-21

-DocuSigned by:

John Zavatchan Ir

-0D4C96A60D4649E...


John Zavatchan Permitting Specialist **EQT Production Company**

Digitally signed by Stephen Stephen Mccoy Mccoy Date: 2024.04.17 09:31:29 -04'00'

Steve McCoy Oil and Gas Inspector WVDEP Office of Oil and Gas


Change/s
al revision and reformat.
H Control of the Cont
_


RECEIVED Office Of Oil and Gas Topo Quad: Glover Gap Scale: 1"=1000' APR 25 2024 County: _ Wetzel March 28, 2024 Date: WV Department of Environmental Protection Grant District: _____ Project N0: _ TESLA WELL PAD 0 Vyater 6 5 Potential Water Sources Within 2500' 1139 PSite 4 SSite 3 Site 2 Road 1004 Glade **LEGEND TESLA WATER** Creek or Drain NAD 27 N: 370,550,626 E: 1,722,338.968 County Line WGS 84 Lat: 39.513288 WV County Route Long: -80.483980 - WV State Route Elevation: 1,333' Prepared For: Keystone Consultants, LLC **EQT Production Company** 32 East Main Street 400 Woodcliff Drive Carnegie, PA 15106 Canonsburg, PA 15317 412 278-2100 EQT PRODUCTION COMPANY 400 WOODCLIFF DRIVE CANONSBURG, PA 15317



Tesla 11H Tesla EQT Production Company

Tract ID.	Tax Map No.	Parcel No.	County District Surface Tract Ov		County District		Surface Tract Owner	Acres
1	31	1.0	Wetzel	Grant	Harrison County Coal Resources & EQT Production Company	47.30		
Leas	Lease		Owner		Acre	es		
129822	22001 William M. Peterson, Jr			Jr., et al. 4,564	ac			





Notes:

TESLA 11H coordinates are

NAD 27 N: 370,548,936 E: 1,722,285,828

NAD 27 Lat: 39,513197 Long: -80,484356

NAD 83 UTM N: 4,373,865,526 E: 544,342,382

TESLA 11H Bottom Hole coordinates are

NAD 27 N: 371,195.901 E: 1,722,817,259 NAD 27 Lat: 39,514989 Long: -80,482497 NAD 83 UTM N: 4,374,065.334 E: 544,501.009

West Virginia Coordinates system of 1927 (North Zone) based upon Differential GPS Measurements
Plat orientation, Corner and well ties are based upon the grid north meridian
Well location references are based upon the grid north

meridian.

UTM coordinates are NAD83, Zone 17, Meters.



TESLA 1H O

TESLA 17H O
TESLA 15H O
TESLA 13H O
TESLA 11H O
TESLA 9H O
TESLA 5H O
TESLA 5H O

TESLA PAD

I, the undersigned, hereby certify that this plat is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Department of Environmental Protection.

L. L. S. 2394

A LEE ROLLING CENSES	A VALE
No. 2394 STATE OF	YOR *
ON VIRGINITION OF STATE OF STA	SEAL

FILE NO: DRAWING NO: SCALE: 1" = 1000' MINIMUM DEGREE OF ACCURACY: 1:2500 PROVEN SOURCE OF ELEVATION: NGS CORS Station	DEPARTMENT OF	OF WEST VIRGINIA NYIRONIMENTAL PROT OF GAS DIVISION	0		24 Tesla 11H 03665 PERMIT
DISTRICT: Grant SURFACE OWNER: Harrison County ROYALTY OWNER: William M. Peters	NVERT DRILL DEE	COUNTY: We Production Company LEASE NO: EPER FRACTURE OR	etzel 12982200°	ACREAGE: 4,564	±
PLUG AND ABANDON CLEAN WELL OPERATOR: EQT Production ADDRESS: 400 Woodcliff D Canonsburg, P.	Company	TARGET FORMATION: DESIGNATED AGENT:_ ADDRESS:	Joseph C 427 Midsta Clarksburg		7,644'

Operator's	Well	No	Tesla	11H
Operator 5	W CII	INO.		

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attachment

Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: EQT Production Company

By:

John Zavatchan

Its:

Project Specialist - Permitting

Page 1 of 2

Grantee, Lessee, etc. Grantee, Lessee, etc. Grantee, Lessee, etc. South Penn Oil Company South Penn Oil Company South Penn Oil Company South Penn Oil Company Pennzoil Company Cobham Gas Industries, Inc. Pennzoil Products Company Cobham Gas Industries, Inc. Republic Partners VI, LP Republic Partners VI, LP Republic Energy Ventures, LLC Cof 138A/777 Trans Energy, Inc. Cof 138A/777 American Shale Development, Inc. Cof 138A/777 Cof 130A/196 Cof 178A/383 Cof 178A/383 Cof 178A/383	Royalty "at least 1/8th per WV Code 22-6-8" Owned subsidiary of Owned subsidiary of
owned subsidiary of owned subsidiary of the subs	Grantee, Lessee, etc. South Penn Oil Company South Penn Natural Gas Company South Penn Natural Gas Company South Penn Natural Gas Company Pennzoil Company Pennzoil Company Pennzoil Company Pennzoil Products Company Pennzoil Products Company Pennzoil Products Company Pennzoil Droducts Company Pennzoil Products Company Pennzoil Company, Inc., a wholly owned subsidiary of Trans Energy, Inc. Prima Oil Company, Inc., a wholly owned subsidiary of Trans Energy, Inc. Republic Partners VI, LP Republic Partners VI, LP Republic Energy Ventures, LLC Republic Company American Shale Development, Inc. EQT Production Company American Shale Development, Inc. EQT Production Company
South Penn Oil Company South Penn Oil Company South Penn Natural Gas Company South Penn Oil Company Pennzoil Company, Inc. Prima Oil Company, Inc., a wholly owned subsidiary of Trans Energy, Inc. Prima Oil Company, Inc., a wholly owned subsidiary of Trans Energy, Inc. Republic Partners VI, LP Republic Partners VI, LP Republic Energy Ventures, LLC Republic Energy Ventures, LLC Republic Energy Ventures, LLC Republic Company American Shale Development, Inc. EQT Production Company American Shale Development, Inc. EQT Production Company American Shale Development, Inc.	64 ac
	Acres 4,564 ac

Lease No.



EQT PRODUCTION COMPANY 400 Woodcliff Drive | Canonsburg, PA 15317

March 28, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Office Of Oil and Gas

APR 25 2024

.

WV Department or Environmental Protection

Re:

Tesla 11H Gas Well

Grant District, Wetzel County, WV

Dear Mr. Brewer,

EQT Production Company is applying for a new well work permit for the well referenced above. Upon information and belief, the Operator's lease and/ or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including under any public roads that the well lateral crosses.

Sincerely,

John Zavatchan

Project Specialist - Permitting

WW-PN (11-18-2015)

Horizontal Natural Gas Well Work Permit **Application Notice By Publication**

Office Of Oil and Gas

APR 25 2024

Notice is hereby given:

WV Department of Environmental Protection Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Wetzel Chronicle			
Public Notice Date: 3/13/2024 and 3/20/2024	/		
The following applicant intends to apply for a surface excluding pipelines, gathering lines are any thirty day period.	a horizontal nad roads or ut	atural well wor ilizes more than	k permit which disturbs three acres or more of n two hundred ten thousand gallons of water in
Applicant: EQT Production Company /		Well Nun	nber: Tesla 11H
Address: 400 Woodcliff Drive			
Canonsburg, PA 15317			
Business Conducted: Natural gas production	n.		8
Location –			
State: West Virginia		County:	Wetzel 1
District: Grant /		Quadrangle:	Glover Gap
UTM Coordinate NAD83 Northing:	4373865.526	/	
UTM coordinate NAD83 Easting: Watershed: Fishing Creek	544342.382	/	

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to <u>DEP.comments@wv.gov</u>.

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

WW-6AC (1/12)

47 1030 3665

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION WV Department of Environmental Protection

Date of Notice Certification: 4123/24 API No. 47-Operator's Well No. 11H Well Pad Name: Tesla Notice has been given: Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows: State: West Virginia Easting: UTM NAD 83 County: Wetzel Northing: 4373865.526 District: Grant Public Road Access: CR21 Quadrangle: Glover Gap Generally used farm name: Tesla Watershed: Fishing Creek

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:	
*PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
1. NOTICE OF SEISMIC ACTIVITY or NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
☐ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ☐ NO PLAT SURVEY WAS CONDUCTED	☐ RECEIVED
■ 3. NOTICE OF INTENT TO DRILL or NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
☐ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
■ 4. NOTICE OF PLANNED OPERATION	☐ RECEIVED
■ 5. PUBLIC NOTICE	☐ RECEIVED
■ 6. NOTICE OF APPLICATION	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I John Zavatchan , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:

EQT Production Company

By:

John Zavatchan

Its:

Project Specialist - Permitting

Telephone:

724-746-9073

Address:

400 Woodcliff Drive

Canonsburg, PA 15317

Facsimile:

412-395-2974

Email:

jzavatchan@eqt.com

NOTARY SEAL

Commonwealth of Pennsylvania • Notary Seal Olivia Wilson, Notary Public Allegheny County

My commission expires October 25, 2027 Commission number 1359968

Member, Pennsylvania Association of Notaries

Subscribed and sworn before me this

Notary Public

My Commission Expires

2027

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection WW-6A (9-13)

API NO. 47-7 4 0 3 0 3 6 6 5
OPERATOR WELL NO. 11H 3 6 6
Well Pad Name: Tesla

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Noti	ce Time Requirement:	notice shall be provide	ed no later tha	an the filing date of permit applicati	on.
	e of Notice: <u>4123/24</u> D ce of:	ate Permit Applicati	on Filed: 41	24124	RECEIVED Office Of Oil and Gas
\checkmark	PERMIT FOR ANY			PROVAL FOR THE	APR 25 2024
WELL WORK CONSTRUCTION OF A Delivery method pursuant to West Virginia Code § 22-6A-10				AN IMPOUNDMENT OR PIT	WV Department of Environmental Protection
		to west virginia Cou	ie g 22-0A-10	(b)	
	PERSONAL SERVICE	REGISTERED MAIL		OD OF DELIVERY THAT REQUIR PT OR SIGNATURE CONFIRMAT	
oil and description of the control o	and gas leasehold being devibed in the erosion and se tor or lessee, in the event coal seams; (4) The owner work, if the surface tract is undment or pit as described water well, spring or was de water well, spring or was de water for consumption used well work activity is section (b) of this section had so of the sheriff required the sion of this article to the cross. § 35-8-5.7.a requires,	veloped by the proposed diment control plan sub- the tract of land on wh- ers of record of the surf- is to be used for the place ed in section nine of thi- ater supply source located by humans or domestic to take place. (c)(1) If no old interests in the land to be maintained pursual contrary, notice to a lien in part, that the operator	d well work, if britted pursua ich the well prace tract or tracement, construs article; (5) A ed within one canimals; and more than three is, the applicant to section en holder is not or shall also proposed with the canimals.	the well plat to each of the following pented; (2) The owners of record of the surface tract is to be used for roads and to subsection (c), section seven of the oposed to be drilled is located [sic] is kentered to be drilled in the drilled is located [sic] is kentered to be drilled in the drilled in the case of the centered to be drilled in the drilled in section 15 of this rule.	rface tract or tracts overlying the sor other land disturbance as his article; (3) The coal owner, known to be underlain by one or being developed by the proposed removal or abandonment of any no is known to the applicant to r of the well pad which is used to rage field within which the sof interests described in on the person described in the is code. (2) Notwithstanding any older is the londowner W. Vo.
		SSP Notice IE&S	Plan Notice	☑ Well Plat Notice is hereby prov	vided to:
	RFACE OWNER(s)			☑ COAL OWNER OR LESSEE	
Name Addre	See Attached List			Name: See Attached List	
	· · · · · · · · · · · · · · · · · · ·			Address:	
Vame	:			☑ COAL OPERATOR	
Addre	ess:			Name: See Attached List	
SU	RFACE OWNER(s) (Ro		rbance)	Address:	
	ess:			☐ SURFACE OWNER OF WATER AND/OR WATER PURVEYOR(s)	
	:			Name: N/A Address:	
Addre	ess:			Additess.	
SUI	RFACE OWNER(s) (Imp	poundments or Pits)		OPERATOR OF ANY NATURAL	GAS STORAGE FIELD
Vame	:			Address:	
.uui t	ess:			*Please attach additional forms if nec	

W	W-	6A
(8-	-13)

Office Of Oil and Gas

APR 25 2024

API NO. 47OPERATOR WELL NO. 11H
Well Pad Name: Tesla

4710303665

Notice is hereby given:

WV Department of

Pursuant to West Virginia Code § 22-6A-10(5), notice is here in that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items 05/31/2024

API NO. 47-OPERATOR WELT NO. 34 6 5 Well Pad Name: Tesla

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED
Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

API NO. 47-OPERATOR WELLOWS 110 3 6 6 5 Well Pad Name: Tesla

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection WW-6A (8-13)

API NO. 47-OPERATOR WELL NO. 11H Well Pad Name: Tesla

day of April,

0303665

Notice is hereby given by:

Well Operator: EQT Production Company

Telephone: 724-746-9073 Email: jzavatchan@eqt.com Address: 400 Woodcliff Drive

Canonsburg, PA 15317

Facsimile: 412-395-2974

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Commonwealth of Pennsylvania - Notary Seal Olivia Wilson, Notary Public Allegheny County My commission expires October 25, 2027

Commission number 1359968
Member, Pennsylvania Association of Notaries

Subscribed and sworn before me this

Notary Public

My Commission Expires

Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection Office Of Oil and Gas

WW-6A4 (1/12)

APR 25 2024

Operator Well No. Tesla 11H

4710303665

WV Department of STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time I Date of Notice	Requirement: No e: 03/15/2024	tice shall be provided at least Date Permit A	TEN (10) days prior to filing pplication Filed: 412い	a permit application.		
Delivery meth	nod pursuant to V	West Virginia Code § 22-6A-	16(b)			
☐ HAND	■ CF	ERTIFIED MAIL				
DELIVE		ETURN RECEIPT REQUEST	ren.			
drilling a horiz of this subsecti subsection may and if available	. Va. Code § 22-6 ed or hand deliver contal well: <i>Provion</i> as of the date by be waived in write, facsimile number	A-16(b), at least ten days priory, give the surface owner noticed. That notice given pursuathe notice was provided to the liting by the surface owner. The and electronic mail address	r to filing a permit application ice of its intent to enter upon ant to subsection (a), section to surface owner: <i>Provided, ho</i> ne notice, if required, shall inco of the operator and the operat	n, an operator shall, by certified mail return the surface owner's land for the purpose of ten of this article satisfies the requirements twever, That the notice requirements of this clude the name, address, telephone number, for's authorized representative.		
Notice is here	eby provided to	the SURFACE OWNER	(s):			
Name: See Attach			Name:			
Address:			Address:	7935		
State: County: District: Quadrangle:	ner's land for the particle west Virginia / Wetzel / Grant / Glover Gap / Fishing Creek /		UTM NAD 83 Public Road Access: Generally used farm name:	well operator has an intent to enter upon ollows: 544342.382 / 4373865.526 / CR21 Tesla		
This Notice Shall Include: Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57 th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx .						
Notice is here	by given by:					
	EQT Production Comp	pany	Authorized Representative:	John Zavatchan		
Address:	400 Woodcliff Drive		Address:	400 Woodcliff Drive		
Section 1995	Canonsburg, PA 153	17		Canonsburg, PA 15317		
Telephone:	724-746-9073		Telephone:	724-746-9073		
Email:	JZavatchan@eqt.com	1	Email:	200 COMMON COMMO		
Facsimile:	412-395-2974		Facsimile:	JZavatchan@eqt.com 412-395-2974		
	2 200			T12-000-23/4		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A5 (1/12)

Operator Well No. Tesla 11H 471030565

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Date of Notice	Date of Notice: 4/23/24 Date Permit Application Filed: 4/24/24						
Delivery meth	nod pursuant to West Virginia Code §	22-6A-16(c)		RECEIVED Office Of Oil and Gas			
	TIED MAIL N RECEIPT REQUESTED	HAND DELIVERY		APR 25 2024			
the planned or required to be drilling of a ho damages to the	peration. The notice required by this supervised by subsection (b), section ten of orizontal well; and (3) A proposed surface surface affected by oil and gas operation	ace owner whose la ubsection shall incl of this article to a su ace use and compe	nd will be used fude: (1) A copy rface owner who insation agreement amages are completed.	wv Department of ication, an operator shall, by certified mail for the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the nt containing an offer of compensation for appensable under article six-b of this chapter. sted in the records of the sheriff at the time			
(at the address Name: See Attached	by provided to the SURFACE OWNEI listed in the records of the sheriff at the t	time of notice): Name	ss:				
State: County: District: Quadrangle:	by given: est Virginia Code § 22-6A-16(c), notice is ne surface owner's land for the purpose o West Virginia Wetzel Grant Glover Gap Fishing Creek	UTM NAD Public Road	al well on the tra Easting: Northing:	well operator has developed a planned act of land as follows: 544342.382 4373865.526 CR21 Tesia			
horizontal well; surface affected information rela	st Virginia Code § 22-6A-16(c), this not by W. Va. Code § 22-6A-10(b) to a signand (3) A proposed surface use and cond by oil and gas operations to the extent atted to horizontal drilling may be obtain ocated at 601 57 th Street, SE. Charle	mpensation agreement the damages are contact from the Second	e land will be usent containing an ompensable und	code section; (2) The information required used in conjunction with the drilling of a coffer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting			

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

Office of the District Engineer/Manager
District Four

Post Office Box 4220 · Clarksburg, West Virginia 26302 · (304) 842-1500

Alanna J. Keller, P.E. Deputy Secretary of Transportation Deputy Commissioner of Highways

April 4, 2024

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304 Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection

Subject: DOH Permit for the Tesla Well Pad, Wetzel County
Tesla 11H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2021-0389 which has been transferred to EQT Production Company for access to the State Road for a well site located off Wetzel County Route 21 SLS MP 5.22.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Lacy D. Pratt

Central Office O&G Coordinator

Slacy D. Pratt

Cc: John Zavatchan

EQT Production Company

OM, D-6

File

Anticipated Frac Additives Chemical Names and CAS Numbers

<u>Material</u>	Ingredient	CAS Number
Sand (Proppant) Water Hydrochloric Acid (HCI) Friction Reducer	Silica Substrate Water Hydrogen Chloride Copolymer of 2-propenamide Petroleum Distillate Oleic Acid Diethanolamide Alcohols, C12-16, ethoxylated Ammonium chloride ((NH4)Cl)	CAS Number 14808-60-7 7732-18-5 7647-01-0 Proprietary 64742-47-8 93-83-4 68551-12-2 12125-02-9
Biocide	Glutaraldehyde Alkyl dimethyl benzyl ammonium chloride Didecyl dimethyl ammonium chloride Non-hazardous substances	111-30-8 68391-01-5 7173-51-5
Scale Control	Bis(HexaMethylene Triamine Penta(Methylene Phosphonic Acid)(BHMT) Non-hazardous substances	Proprietary 34690-00-1
Acid Chelating Agent	Ferriplex 66 Citric Acid	Proprietary
Corrosion Inhibitor	Acetic Acid PLEXHIB 166	77-92-9 64-19-7
	Methanol Alcohols, C14-15, ethoxylated	67-56-1 68951-67-7

RECEIVED
Office Of Oil and Gas

APR 25 2024

WV Department of Environmental Protection

OPERATOR: EQT Production Company WELL NO: 11H			
PAD NAME: Tesla			
REVIEWED BY: John Zavatchan	_ SIGNATURE:		
WELL RESTRICTIONS CHECKLIST			
HORIZONTA	RECEIVED Office Of Oil and Gas L 6A WELL		
	APR 25 2024		
Well Restrictions	WV Department of Environmental Protection		
At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR			
DEP Waiver and Permit Conditions			
At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR			
DEP Waiver and Permit Conditions			
At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR			
DEP Waiver and Permit Conditions			
At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR			
Surface Owner Waiver and Recorded with County Clerk, OR			
DEP Variance and Permit Conditions			
At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR			
Surface Owner Waiver and Recorded with County Clerk, OR			
DEP Variance and Permit Condit	tions		
At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR			
Surface Owner Waiver and Recor	rded with County Clerk, OR		
DEP Variance and Permit Conditi	tions		