



1. The Unconformed Higher Center That Two Map of Section and Section All The Information To The Best Of My Knowledge And Belief, Reliance On The Oil And Gas Section Of The State Of New Mexico.

PITTSBURGH, W. VA.

CLARKSBURG, W. VA.

Well No. 0008, Church Dis.

COMPLETION DATA SHEET
NO. 2
FORMATION RECORD

Name	Character	Oil Cap or Water	Top	Bottom	Thickness	Total Depth	Remarks
Un-recorded			0	1110	1110	1110	
M.T. Coal			1110	1115	5	1115	
Un-recorded			1115	1193	78	1193	
Pgh. Coal			1193	1201	8	1201	
Lime			1201	1230	29	1230	
Slate			1230	1290	60	1290	
Red Rock			1290	1360	70	1360	
Lime			1360	1426	66	1426	
Red Rock			1426	1510	84	1510	
Lime			1510	1530	20	1530	
Sand			1530	1565	35	1565	
Slate			1565	1600	35	1600	
Lime			1600	1610	10	1610	
Sand			1610	1628	18	1628	
Slate			1628	1650	22	1650	
Lime			1650	1660	10	1660	
Slate			1660	1670	10	1670	
Big Dunkard			1670	1770	100	1770	
Slate			1770	1800	30	1800	
Gas Sand			1800	1960	160	1960	
Slate			1960	2020	60	2020	
1st. Salt Sand		W-2096'	2020	2112	92	2112	
Slate			2112	2185	73	2185	
2nd. Salt Sand			2185	2256	71	2256	
Red Rock			2256	2350	94	2350	
Slate			2350	2370	20	2370	
Little Lime			2370	2395	25	2395	
Slate			2395	2410	15	2410	
Big Lime			2410	2480	70	2480	
Big Injun			2480	2693	213	2693	
Slate&Shells			2693	2800	107	2800	
Squaw Sand		St. O. 2800'	2800	2820	20	2820	
Slate			2820	3140	32	3140	
50 Ft. Sand			3140	3180	40	3180	
Slate			3180	3210	30	3210	
Thirty Foot			3210	3230	20	3230	
Slate			3230	3234	4	3234	
Campbells Run		G-3241'	3234	3258	24	3258	
Slate&Shell			3258	3275	17	3275	
Gordon Stray			3275	3310	35	3310	
Slate&Shell			3310	3328	18	3328	
Sand			3328	3338	10	3338	
Red Rock			3338	3340	2	3340	
Gordon Sand		3340-3343'	3340	3380	40	3380	
Slate			3380	3405	25	3405	

Continued to sheet No. 3

Well No. 0008, Church Dis.

CLARKSBURG, W. VA.

AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL

REQUIREMENT BY SECTION 2, ARTICLE 2, CHAPTER 22 OF THE CODE

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

Natural Coal & Coke Company,
COAL OPERATOR OR OWNER

C/O Harrison Conroy
Box 452, Fairmont, West Va.
ADDRESS

O. J. Bartrug,
COAL OPERATOR OR OWNER

Barton, West Va.
ADDRESS

O. J. Bartrug,
COAL OPERATOR OR OWNER

Barton, West Va.
ADDRESS

PITTSBURGH & WEST VA GAS COMPANY,
NAME OF WELL OPERATOR

CLARKSBURG, West Va.
COMPLETE ADDRESS

JANUARY 25th, 19 35

WELL AND LOCATION

Church District

Weizel County

Well No. 5008

Moses Bartrug Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA.

COUNTY OF Weizel

Raymond Shields and Walter Cunningham
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Pittsburgh & West Va. Gas Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 29 day of October, 19 34, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged: Total Depth of well 3604 feet.
Previously filled to 3255 feet.
Cement 3255 to 3265 feet., Clay 3265 to 3120 feet, Cement from 3120 to 3110 feet. (30 feet above Kittickum Fifty Foot Sand.)
Hole bridged at 2850 feet, (30 feet below Squaw Sand.) Clay from 2850 to 2450 feet, Wood plug 2450 to 2447 feet, Lead Plug 2447 to 2445 feet, cement from 2445 to 2436 feet.
Hole bridged at 2142 feet, Clay from 2142 to 2115 feet. Cement 2115 to 2105 feet, Clay from 2105 to 2078 feet, Cement 2078 to 2066 feet, Clay 2066 to
Manner in which coal was plugged: 1650 feet, Cement 1650 to 1640 feet.
Hole bridged at 1231 feet, (30 feet below Pgh.Coal.) Cement from 1231 feet to 1090 feet, (20 feet above Mapletown Coal.) Clay from 1090 to surface.

Description of monument:

Cement and Iron Pipe post, Pittsburgh & West Virginia Gas Company #5008.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 2, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed by the 25 day of JANUARY

1935