



30187  
GRANT

5105  
\*



Grant District, Petzel County, W. Va.

By Leroy Cassidy, Reno, Ohio.

Abandoned under permit Wet-187, issued 12-27-35.

Elevation, 1195' L. (Dec. report).

Pittsburgh & W. Va. Gas Co. well.

Completed July 6, 1915.

10" casing, 590'; 8" 1450'; 6" 2214'; 5" 3038'; 2" tubing, 3124'.

Record filed with Dept. of Mines Dec. 23, 1935. (DM form not used).

Record to RCT from Mrs. Griffith Sept. 16, 1938.

	Top.	Bottom.
Clay	0	12
lime	12	22
Red rock	22	40
Slate	40	60
lime	60	75
Red rock	75	80
Slate	80	110
Red rock	110	117
lime	117	140
Red rock	140	145
Slate	145	185
lime	185	195
Sand	195	210
Slate	210	250
Red rock	250	260
Slate	260	290
lime	290	315
Red rock	315	325
lime	325	375
Sand	375	380
Slate	380	485
Sand	485	500
lime	500	575
Slate	575	610
Sand	610	680
Slate	680	710
Sand	710	750
lime	750	953
Pittsburgh Coal	953	961
lime	961	1001
Red rock	1001	1060
Slate	1060	1080
lime	1080	1160
Red rock	1160	1180
lime #	1180	1250
Slate	1250	1286
Little Dunkard Sand	1286	1300
Slate and shells	1300	1395
Slate	1395	1435
Big Dunkard Sand	1435	1455
Red rock	1455	1470
lime	1470	1500
Slate	1500	1535
lime	1535	1575
Sand	1575	1605
Slate	1605	1625

	Top.	Bottom.
1st Salt Sand	1625	- 1800
Slate	1800	- 1850
2nd Salt Sand	1850	- 1985
Slate	1985	- 2000
Sand	2000	- 2060
Slate	2060	- 2080
Sand	2080	- 2090
Red rock	2090	- 2165
Lime	2165	- 2175
Slate	2175	- 2190
Little Lime	2190	- 2210
Pencil Gave	2210	- 2214
Big Lime	2214	- 2294
Big Injan Sand	2294	- 2480
Slate	2480	- 2500
Squaw Sand	2500	- 2530
Slate and shells	2530	- 2790
30-Ft. Sand	2790	- 2800
Slate	2800	- 2900
Minover 30-Ft. Sand	2900	- 2920
Slate	2920	- 3010
Gordon Stray Sand	3010	- 3050
?????	3050	- 3092
Gordon Sand (oil at 3100-3106')	3092	- ....
Total depth		3108 1/2