



Latitude 39° 30'

Longitude 80° 30'

Coal: State of West Virginia  
 Surface: Geo. Brown  
 Lumberport, W. Va.

#4	2.50 S
	0.13 W
#8	2.08 S
	4.43 W of 80° 25'

Centerpoint Quad.  
 Clarksburg Quad.

New Location   
 Drill Deeper   
 Abandonment

N1-2 E7 Map N49

Company South Penn Natural Gas Co.  
 Address Parkersburg, W. Va.  
 Farm Rachel Talkington  
 Tract \_\_\_\_\_ Acres 150 Lease No. 32880  
 Well (Farm) No. 4 & 8 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 4=1066.27 8=1360.81  
 Quadrangle Centerpoint & Clarksburg  
 County Wetzel District Grant  
 Engineer E.C. Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date July 17, 1941 Scale 1"=800'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. WET-392A & 394A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

879

WELL RECORD

Permit No. **394-A**

Oil or Gas Well (374)

Company **South Penn Natural Gas Company**  
 Address **Union Trust Building, Parkersburg, W. Va.**  
 Farm **Rachel Talkington** Acres **150**  
 Location (waters) **Ten Mile Fishing Creek**  
 Well No. **8** Elev. **1360.61**  
 District **Grant** County **Wetzel**  
 The surface of tract is owned in fee by **Geo. Brown**  
 Address **Lumberport, W. Va.**  
 Mineral rights are owned by **J. R. Talkington, et al**  
**West Milford, W. Va.**  
 Drilling commenced **November 6, 1902**  
 Drilling completed **February 4, 1903**  
 Date shot **see below** Depth of shot **--**  
 Open Flow /10ths Water in **---** Inch  
 /10ths Merc. in **---** Inch  
 Volume **---** Cu. Ft.  
 Rock Pressure **---** lbs. **---** hrs.  
 Oil **No record** bbls., 1st 24 hrs.  
 Fresh water **---** feet **---** feet  
 Salt water **---** feet **---** feet

Casing and tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<b>243</b>	<b>Pulled</b>	Size of
8 1/4	<b>1640</b>		
6 3/8	<b>2623</b>		Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
<b>Cond</b>	<b>12</b>		Perf. bottom

CASING CEMENTED **---** SIZE **---** No. Ft. **---** Date **---**  
 COAL WAS ENCOUNTERED AT **---** FEET **---** INCHES  
**---** FEET **---** INCHES **---** FEET **---** INCHES  
**---** FEET **---** INCHES **---** FEET **---** INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			1230	1236			
Salt Sand			2130	2280			
Stray			3252	3315	<b>Oil</b>	<b>3295</b>	
Slate			3312	3326	<b>Oil</b>	<b>3303</b>	
Gordon			3326				
<b>Total Depth</b>				<b>3345</b>			
<b>Shot Record:</b>							
			<b>Feb. 6, 1903</b>	<b>30 qts</b>			
			<b>Mar. 13, 1906</b>	<b>30 qts</b>			
			<b>Nov. 30, 1909</b>	<b>70 qts</b>			



