



Surface: Roy Hayes R.F.D #1, Smithfield, Wetzel Co., W.Va.  
 Pittsburgh Coal: Pittsburgh Consolidation Coal Co. Fairmont, W.Va.

New Location   
 Drill Deeper   
 Abandonment

APR 11 1948  
 431  
 316  
 On 400' map # 2753  
 N 6-7 E 7

Company The Interstate Pipe & Supply Co.  
 Address Marietta Ohio  
 Farm Elias Batson  
 Tract \_\_\_\_\_ Acres 50 Lease No. \_\_\_\_\_  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) Floor - 1274.97 Concrete Floor - 1274.97  
 Quadrangle MANNINGTON  
 County Wetzel District Grant  
 Engineer EC. Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Feb. 24<sup>th</sup> 1948 Scale 1" = 400 feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. WEE-649-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



1193

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 649-4

Oil or Gas Well Oil  
(KIND)

Company The Interstate Pipe & Supply Company  
 Address P. O. Box 611, Marietta, Ohio  
 Farm Elias Batson Acres 50  
 Location (waters) Pickenbaugh Run  
 Well No. 2 Elev. 1274.97  
 District Grant County Netzel  
 The surface of tract is owned in fee by Roy Hayes  
 Address Smithfield, W. Va.  
 Mineral rights are owned by Pittsburgh Consolidation  
Coal Company Address Fairmont, W. Va.  
 Drilling commenced June 24, 1898  
 Drilling completed August 6, 1898  
 Date Shot 1899 From 2425 To 2431  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Wall Packer</u>
10	<u>765</u>	<u>none</u>	Size of _____
8 1/4	<u>1581</u>	<u>none</u>	
6 3/8	<u>2338</u>	<u>2338</u>	Depth set _____
5 3/16	<u>2331</u>	<u>2331</u>	
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 1045 FEET 96 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
<u>Conductor</u>				<u>16</u>			
<u>Pittsburgh Coal</u>			<u>1045</u>	<u>1053</u>			
<u>Dunkard Sand</u>			<u>1560</u>	<u>1600</u>			
<u>Salt Sand</u>			<u>1945</u>	<u>2050</u>			
<u>Pencil Cave</u>			<u>2275</u>	<u>2280</u>			
<u>Big Lime</u>			<u>2280</u>	<u>2343</u>			
<u>Big Injun</u>			<u>2343</u>				
<u>1st Pay Oil</u>			<u>2427</u>				
<u>Total Depth</u>			<u>2445</u>				

MAR 19 1940  
 WEST VIRGINIA  
 DEPARTMENT OF MINES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date March 25, 19 48

APPROVED THE INTERSTATE PIPE & SUPPLY COMPANY, Owner

By Adolph Beren  
(Title) 9.