



New Location
 Drill Deeper
 Abandonment

Coal - State of West Virginia
 On 800' Map # N 78

2.84
 N 13 W 1

Company Randall-Zogg Supply Co.
 Address Owensboro, Ky.
 Farm Sidell-Moore
 Tract _____ Acres 127 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) Floor - 1123.00
Ground - 1123.00
 Quadrangle LITTLETON
 County Wetzel District Center
 Engineer E.C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 April 20th 1948 Scale 1" = 400 Feet.

JUL 5 1948
 STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WET-681-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1118

WELL RECORD

Permit No. 001-A

Oil or Gas Well OIL
(KIND)

Company RANDALL-ZOGG SUPPLY COMPANY
Address BOX 528, CHARLESTON, 22 W. VA.
Farm Sidell-Moore Acres 127
Location (waters) Branch of Honey Run (Dolaney Run)
Well No. Two (2) Elev. 1125
District Center County Mataal
The surface of tract is owned in fee by Mrs. Sarah Moore,
Address Wileyville, W. Va.
Mineral rights are owned by Coal sold to State of
W. Va. for Taxes Address _____
Drilling commenced June 4, 1903
Drilling completed August 6, 1903
Date Shot SEE BELOW From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 45 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<u>480'</u>	<u>480'</u>	Size of
8 1/4	<u>1581'</u>	<u>1581'</u>	
6 3/8	<u>2440'</u>	<u>2440'</u>	Depth set
5 3/16			
3			Perf. top
2	<u>3083'</u>	<u>3083'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 550' FEET _____ INCHES
1025 FEET _____ INCHES FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Native Coal			<u>550'</u>				
Pittsburgh Coal			<u>1025</u>				
Dunkard Sand			<u>1525</u>	<u>1575</u>			
Salt Sand			<u>1800</u>	<u>2100</u>			
Fencil Cave			<u>2180</u>	<u>2190</u>			
Big Lime			<u>2190</u>	<u>2250</u>			
Big Injun Sand			<u>2250</u>	<u>2480</u>			
Fifty Feet Sand			<u>2850</u>	<u>2890</u>			
Stray Sand			<u>3082</u>	<u>3073</u>	<u>Oil</u>	<u>3060</u>	
Gorden Sand			<u>3073</u>	<u>3063</u>	<u>Oil</u>	<u>3074</u>	
Total Depth				<u>3063</u>			

SHOOTING RECORD

August 7, 1903 Shot with 30 Qts.
September 26, 1903 Shot with 30 Qts.
January 23, 1908 Shot with 60 Qts.



