



Surface: Mrs. Viola Dulaney, R.F.D #1, Marianna, Pa.

Coal: { Alford W. Swan, Brownsville, Pa.
Philip Sesler, George Twp. Fayette Co. Pa.

4.48 S
1.72 W

New Location
 Drill Deeper
 Abandonment Map N 68

N 11 E 1

Company Randall-Zogg Supply Co.
 Address Owensboro, Ky.
 Farm Jno Ingraham
 Tract Acres 170 Lease No. C
 Well (Farm) No. 6 Serial No. 966.93
 Elevation (Spirit Level) Casinghead - 966.93
Ground - 964.93
 Quadrangle LITTLETON
 County Wetzel District Grant
 Engineer E.C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date May 12th 1948 Scale 1" = 800 Feet.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Wet-706-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1158

WELL RECORD

Permit No. 705-A

Oil or Gas Well **OIL**
(KIND)

Company **RANDALL-ZOGG SUPPLY COMPANY**
Address **Box 526, CHARLESTON, 22 W. VA.**
Farm **John Ingraham** Acres **170**
Location (waters) **Four Mile Run**
Well No. **Six (6)** Elev. **966.93**
District **Grant** County **Wetzel**
The surface of tract is owned in fee by **Mrs. Viola Dulaney,**
R. D. #1 Address **Marianna, Pa.**
Mineral rights are owned by **Alford W. Swan & Philip**
Sesler, Address **Brownsville, Pa.**
Drilling commenced **No Record**
Drilling completed **No Record**
Date Shot **SEE BELOW** From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil **No Record** bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	1182'	1182'	
6 5/8	1528'	1528'	Depth set
5 3/16	2155'	2155'	
3			Perf. top
2	2828'	2828'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT **755** FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			755'				
Gordon Sand			2810'		OIL	2817'	
Total Depth			2828'				
SHOT RECORD							
WHEN COMPLETED				Shot with 30 Qts.			
September 17th, 1902				" " 60 "			
June 21st, 1906				" " 100 "			
<p>NOTE: Rumor says that 8 1/4" casing is parted down 52'. Casing mudded to shut off water and well cleaned out August 1919.</p> <p>South Penn advise that the three records held in their office does not give any more well record than shown above.</p>							



