



Surface and Coal : C.A. Long & Ingram Myers.  
 Address Ingram Myers, New Martinsville, W.Va.

5,71 S  
 0,12 W

- New Location
- Drill Deeper
- Abandonment

On 800 map # N 68

N 10 W 3

Company Randall - Zogg Supply Co.  
 Address Owensboro, Ky.  
 Farm Ara Long  
 Tract Acres 112 Lease No. 4  
 Well (Farm) No. 4 Serial No. 1080.02  
 Elevation (Spirit Level) Floor - 1080.02  
Ground - 1080.02  
 Quadrangle LITTLETON  
 County Wetzel District Grant  
 Engineer E.C. Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date April 22<sup>nd</sup> 1943 Scale 1" = 800 Feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. Wet-741-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1159

WELL RECORD

Oil or Gas Well OIL  
(KIND)

Permit No. 741-A

Company RANDALL-ZOGG SUPPLY COMPANY  
Address Box 526, CHAR LESTON, 22 W. VA.  
Farm Ara Long Acres 112  
Location (waters) \_\_\_\_\_  
Well No. Four (4) Elev. 1080.02  
District Grant County Wetzel  
The surface of tract is owned in fee by C. A. Long & Ingram Meyers Address New Martinsville, W. Va.  
Mineral rights are owned by C. A. Long & Ingram Meyers e/o Ingram Meyers Address New Martinsville, W. Va.  
Drilling commenced No Record  
Drilling completed No Record  
Date Shot See Below From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil No Record bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	No Record		Size of
8 1/2	No Record		
6%	1831'	1831'	Depth set
5 1/2	2092'	2092'	
3			Perf. top
2	2937'	2937'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 835 FEET 84 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			835'	842'			
Dunkard Sand			1330'	1395'			
Salt Sand			1620'	1685'			
Pencil Cave			1995'	2005'			
Big Lime			2005'	2070'			
Big Injun Sand			2070'	2320'			
Fifty Foot Sand			2670'	2720'			
Stray Sand			2884'	2906'			
Gordon Sand			2910'	2937'	Oil	2915'	
Total Depth				2937'			

SHOT RECORD

May 17th, 1905 Shot with 60 qts.  
May 9th, 1907 " " 80 "

