



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION



Permit No.

WELL RECORD

Oil 25bbls., 1st 24 hrs.	Permit No			AA Proving Special Special S	LOOND		Oil or 0	Gas WellC	(KIND)
Farm D. M. Cumningham Acres 82 1/2 Location (waters) Finingthy Run of Pinsy Perf 15. Destrict Gracen County Netter 15. The surface of tract is owned in fee bethell M. Fluharty, Address Pinsy, W. Ye. Mideral rights are owned by Ethell M. Fluharty, Address Pinsy, W. Ye. Address Pinsy, W. Ye. Mideral rights are owned by Ethell M. Fluharty, Address Pinsy, W. Ye. Address Pinsy, W. Ye. Delling commenced December 9th, 1892 Delling completed December 9th, 1892 Liners Used Perf. bettom. Perf. bottom. Perf. bottom. Perf. bottom. Perf. bottom. CASING CEMENTED SIZE No. Ft. COAL WAS ENCOUNTERED AT 995 FEET INCHES FEET IN	00111Pun-1							Pa	ckers
Location (waters) Flusharty Run of Pinesy Ferk Well No. Pine (6) Elev 255.500 Deltrict Green County Wether 1 The surface of tract is owned in fee b Ethol M. Flusharty, Address Piney, W. Ya. Brilling compensed Drilling completed December 9th, 1839 Date Shot See Below From To Liners Used Open Flow /10ths Water in Inch /19ths Merc. in Inch /19ths Merc. in Inch /19ths Merc. in Inch Cu. Ft. Rock Pressure Ibs holls, 1st 2 her. Fresh water feet feet feet feet From Bettom Ord Water Found Remarks Fresh water feet feet feet From Bettom Ord Water Found Remarks The surface of tract is owned by Ethol M. Fresh water feet feet feet feet feet sold water feet feet feet sold water feet feet feet feet sold water feet feet feet feet feet feet sold water feet feet feet feet feet feet feet f				2					
Well No. Fire (5) Elev 1253.60 District Grace County Water 1 Date surface of tract is owned in fee bEthel M. Flubarty. Address Finey, W. Ye. Address Finey, W. Ye. Address Finey, W. Ye. Address Finey, W. Ye. Dilling commenced December Bth. 1899 Delling completed December Sth. 1899 Delling completed December Sth. 1899 Date Shot. Esc Below From To With Open Flow / Schi Marc. in. Done Flow / Schi Marc. in. Done Flow / Schi Marc. in. Done Flow Marc. in. Done Flow Marc. in. Done Flow Marc. Con Fr. Done					Size				
District Grace County Weskel The surface of tract is owned in fee bigthel Mr. Fluinarty. Address Plancy, W. Ya. Address Plancy, W. Ya. Address Plancy, W. Ya. Drilling commenced Drillin					16			_ Kind of Pa	cker
The surface of tract is owned in fee by the law and the surface of tract is owned in fee by the law and the surface of tract is owned in fee by the law and the surface of tract is owned in fee by the law and the surface of tract is owned in fee by the law and the surface of the surface of tract in the law and the surface of the surfac		Control of the control			13		A, KASA		
Mineral rights are owned by Ethal M. Flunarty, Address Pinery, W. Ya. Address Pinery, W. Ya. Sa/16 24951 24951 Perf. top Perf. top Perf. top Perf. top Perf. bottom Perf. bottom								Size of	
Mineral rights are owned by Ethel 18. Flusty, W. Ya. Address Plany, W. Ya. Drilling commenced Drilling completed December 2th, 1899 Liners Used Drilling completed December 7th, 1899 Liners Used Liners Used Drilling completed December 7th, 1899 Liners Used Liners Used Drilling completed To Inch Saltor Casing commenced Perf. top							04504	Donth got	
Drilling commenced Drilling completed December 9th, 1892 Date Shot. See Below From To Liners Used Date Shot. See Below From To Perf. top Perf.								_ Depth sec_	
Drilling completed Date Shot. See Below From Does Flow With Outer Casing CEMENTED Size No. Ft. Volume Casing CEMENTED Size No. Ft. Coal Was Encountered at Perf. bottom Perf. bottom Perf. bottom Outer Casing CEMENTED Size No. Ft. Ooll Was Encountered at 985 FEET INC Sile water Formation Color Formation Color Hard or Soft Top Bottom Oil, Gas FEET INCHES FEET INC Sile water Found Remarks Tetaburgh Coal Size No. Ft. Ooll Was Encountered at 985 FEET INC FEET INCHES FEET INCHES FEET INCHES FEET INC Sile water Found Remarks Top Oil, Gas Top Oil Soft Top Of Shot 3095' Sile Sile Sile Sile Sile Top Of Shot 3095' Top Of Shot								Perf. top_	
Date Shot See Below From With Open Flow /10ths Water in. Inch /10ths Merc. in. Lines CASING CEMENTED. SIZE No. Ft. CASING CEMENTED. SIZE No. Ft. COAL WAS ENCOUNTERED AT 995 FEET INC COAL WAS ENCOUNTERED AT 995 FEET INC COAL WAS ENCOUNTERED AT 995 FEET INC Fresh water feet feet FEET INCHES FEET INC Formation Color Hard or Soft Top Bottom On Water Found Remarks ittsburgh Coal 995: ig Injun Sand 5069: 3094: Oil 3071: orden Sand orden Sand 5088: 3112: Oil 3107: SHOT RECORD December 12, 1899 Shot with 30 qts. November 20, 1901 Shot with 30 qts. INOTE: May 14, 1907 Run 149: (7 jts.) of 5 % x 5 1/2" F. J. Liner on Cave Packer. June 14, 1919 Run 2495: (113 jts.) of 5 5/16" Casing on Hook Wall Packer.						31071	31071		
Volume					Liners Used			Perf. top_	· .
Open Flow /10ths Water in								Perf. botto	m
Volume Cu. Pt. Rock Pressure lbs. hrs. Coll. 25 bbls., is 24 hrs. Fresh water feet feet feet FEET INCHES FEET INC Formation Color Hard or Soft Top Bottom Oil. Gas Depth Formation Sand Sogs Sogs Sogs Sogs Sogs Sogs Sogs Sogs					pocarate and policies for the security or the security and an action plants and policies.				A
Volume Cu. Ft. Rock Pressure. lbs. hrs. Soil 25 bbis., 1st 24 hrs. Fresh water feet feet feet feet INCHES FEET INC Salt water feet feet feet FEET INCHES FEET INC Formation Color Hard or Soft Top Bottom Oil. Gas or Water Found Remarks ittsburgh Coal 995' ig Injun Sand 2310' 2505' tray Sand 5069' 3094' Oil 3071' orden Sand otal Depth Septh Shet with 30 qts. NOTE: May 14, 1907 Run 149' (7 jts.) of 5" x 5 1/2" F. J. Liner on Cave Packer. June 14, 1918 Run 2495' (115 jts.) of 5 3/16" Casing on Hook Wall Packer.	•				CASING CEME	NTED	_SIZE	_No. Ft	Da
Dis., 1st 24 hrs. Fresh water feet feet feet feet FEET INCHES FEET INC Formation Color Hard or Soft Top Bottom Oil. Gas Depth Found Remarks ittsburgh Coal 995' ig Injun Sand 2310' 2506' ig Injun Sand 3069' 3094' Oil 3071' ordon Sand ordon Sand 5098' 3113' Oil 3107' ordon Sand otal Depth December 12; 1899 Shot with 30 qts. November 20, 1901 " 80 " Top of Shot 3095' NOTE: May 14, 1907 Run 149' (7 jts.) of 5" x 5 1/2" F. J. Limer on Cave Packer. June 14, 1919 Run 2495' (113 jts.) of 5 3/16" Casing on Hook Wall Packer.									
Oil 25 bbls, lat 24 hs. Fresh water feet feet FEET INCHES FEET INC Salt water feet feet FEET INCHES FEET INC Salt water feet feet FEET INCHES FEET INC Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Remarks ittaburgh Coal 995; ig Injun Sand 2510; 2505; tray Sand 3069; 3094; Oil 3071; orden Sand otal Deyth 3098; 3115; Oil 3107; SHOT RECORD December 12; 1899 Shot with 30 qts. November 20, 1901 " 80 " Top of Shot 3095; WOTE: May 14, 1907 Run 149; (7 jts.) of 5" x 5 1/2" F. J. Liner on Cave Packer. June 14, 1919 Run 2495; (113 jts.) of 5 3/16" Casing on Hock Wall Packer.	Rock Pressure		lbs	hrs.	COAL WAS E	JCOUNTERE	DAT 995	FEET	INCH
Salt water								क्सस्य	INCH
Hard or Soft Top Bottom Oil, Gas or Water Found Remarks	Fresh water		feet	feet					
Formation Color Soft Top Bottom or Water Found Remarks ittsburgh Coal ig Injun Sand	Salt water	THE RESERVE SHARE COLOR S. LINES SEE SHARE SHAPE	feet	feet	REBI	CALL CONTRACTOR OF THE PARTY OF	ı	1	
ittsburgh Coal ig Injun Sand 2310' 2505' tray Sand ordon Sand ordon Sand otal Depth December 12; 1899 Shot with 30 qts. November 20, 1901 " " 80 " Top of Shot 3095' NOTE: May 14, 1907 Run 149' (7 jts.) of 5" x 5 1/2" F. J. Liner on Cave Packer. June 14, 1919 Run 2495' (113 jts.) of 5 3/16" Casing on Hook Wall Packer.	Formation	Color		Тор	Bottom	Oil, Gas or Water			Remarks
December 12; 1899 Shot with 30 qts. November 20, 1901 " " 80 " Top of Shot 3095' NOTE: May 14, 1907 Run 149' (7 jts.) of 5" x 5 1/2" F. J. Liner on Cave Packer. June 14, 1919 Run 2495' (113 jts.) of 5 3/16" Casing on Hook Wall Packer.	ordon Sand				31121	and the control			
MOTE: May 14, 1907 Run 149' (7 jts.) of 5" x 5 1/2" F. J. Limer on Cave Packer. June 14, 1919 Run 2495' (113 jts.) of 5 3/16" Casing on Hook Wall Packer.		December		**************************************	qts.				
May 14, 1907 Run 149' (7 jts.) of 5" x 5 1/2" F. J. Liner on Cave Packer. June 14, 1919 Run 2495' (113 jts.) of 5 3/16" Casing on Hook Wall Packer.		November	20, 1901	" " 80	" Top of	Shot 309			
June 14, 1919 Run 2495' (113 jts.) of 5 3/16" Casing on Hook Wall Packer.	1101	E:	1007 Pro 1	401 /7 4to	00 5" T 5 1	/2" F .I.	Timer on	Cave Pack	mr.
		in ag Born							
		June 1	4, 1919 Run	2495' (113 ;	ts.) of 5 3/	16" Casin	on Hock	Wall Pack	ær.
DEC 13									
			A CONTRACTOR OF THE CONTRACTOR						
			TO STATE OF THE ST				Lippowers and the control of the con	COLUMN TO THE CO	
			248	9111/1/22				- 100 - 100	
				EC MAN Q					
			No of the second	A ST. WARREN					
			Ē.		:				
			- E	, G3'					
THE STATE OF THE PROPERTY OF T			l i Redon	" Y Drown					

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
							•
						W. J. A	
	ņāstr		ng na uniya na				
•			perfective to				
	,					•	
	AC CONTRACTOR CONTRACT						
				537 BV			
	et en						
					entre de la companya		
			at in a second of			en de Sagaña Maria en en estada Maria en estada en	el de la versión de la companya de l
	-		2 12 2				
	· · · · · · · · · · · · · · · · · · ·						
			W * *				
			1			786 Sa	
						Anna Cara ann an Aire	
: 							
	1						
en de la la companya de la companya							
				-			

	Date	D@ O@ I	HOSE TAPET	, 13
APPROVED	RANDALL-ZOGG	SUPPLY	COMPANY	, Owner
Bv.	Mar	June	ME	and the second second
,		(Tit	lé) A gont	