B-V

#### STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



# OIL & GAS DIVISION DEPT. OF MINES

#### INSPECTOR'S WELL REPORT

rermit No. DV LIL. W Fr			Oil or (KIN	Gas Well 37	
Company ALVIN G. ROWES	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACI	KERS
Address 11914MIGN AVE, N.Y., N.Y.	Size		No. 101 1	\$ . F - 7 . 4	
Farm P.L. OEPUE	16			Kind of Pac	eker
Well No. 4	13			Size of	and the second
District TPATNA CNEEN County WIRT	81/4 CEM	704	704		
Drilling commenced	65%			Depth set_	
Drilling completed 5-4-73 Total depth 1980  NOWELL-PERE-1742-1822-20 NOVES	5 3/16		1914	Perf. top	
Date shot 5-8-73 Depth of shot Layun	2		5	Perf. botton	n
Initial open flow/10ths Water inInch	Liners Used			Perf. top Perf. botton	
Open flow after tubing/10ths Merc. inInch		92- 875	- 204		
VolumeCu. Ft.	CASING CEME	NTED 4//2	SIZE/	ZNo. FT.	Date
Rock pressurelbshrs.	NAME OF SER	RVICE COMPA	NY DOME	FLC	
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT NORE	FEET	INCHES
Fresh water NONE feet feet		INCE	IES	FEET	INCHES
Salt water 1200 feet feet feet	FEET_	INCH	IES	FEET	INCHES
Drillers' Names <u>L. (1888) E. J. H. M. M. E. M. </u>	V D AL	r o u de		10 m 1 m 2 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1	
		L- HALEHT V	KCAAC P.A.	7-970	
Remarks:		- MUSATY	VEW ITE	-11-17	
WELLERACTURED 5-4-73-1	2001511				

5-8-73 DATE

11 0 74 olling Sparrier 1 Was 6 1/2 10 2 94

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES


OI AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

ermit No	_			We	II No	
OMPANY			ADDRESS	-		
ARM	DISTRICTCOUNTY					
lling Material Used				N - 1 - 1 83 8		
ner Lo	eation	Amount	Packer	Location		
PLUGS USED A	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
			*****			
						18.3 - 2
	Service Service					
32						
y ( v a transition and a second	-4 (8 % 2)					
				and the second		
illers' Names				202		
marks:						
DATE	I hereby certify I v	visited the abov	ve well on this date.			
2012						

DISTRIUM/26/2024

0G-11-A	DATEIS	SUFD 4	197	Z CON	MENCE	5-7-73	COMPI	FTFD	433	
1-13						CARAN EL			W. 201:	
1 3						CKRA				
BI	OPERA"	TOR 2	VING	ROWES		AGENT	TALLASI	9. 13.966		
	ADDRES	5 4241	10010	se ove, a	xaq.	ADDRES:	PHSO	36, W.V.	9.26161	
	TEL.NO	). <u>MOT</u> (	ETHE			TEL. NO.	428-8 2 MARIA	651	P DAX	
	CONTR	ACTOR	PALE	M ARES	Co.	DRILLER	BAL	NOAL		
	EST. DE	PTH_Z	800	FOR	MATION	IN	TYPE	ERIG	7	
	C	ASING		CEM	ENT	WAT	ER	COAL		
	TEN.	ACT.	SIZE	TEN.	ACT.	EXP.	ACT.	EXP.	ACT.	
	200	264	98	100	75	150	0	0	Ø	
	2500	1919	9/2	100	100					
						3247200	1200	= 3.		
		0.75				DEM	ADVC			
	DATE				REMARKS					
	5-7-73			CAHH, MAILL						
	5-8			CEN. 8% - 724-755105 DOW,						
	5-3			1196. AT 365						
		-73		WELLCOMR TO 1958/17.0-108.1981 CETT. 1989'-41/2 - NOWELL						
		-73		FRAL WELL-BOX.						
	7-0	17		PERE MIT-18TI 41 HOLES						
				-						
		(								
			WATER REGOURGES IN SU FOLEY + SANDY					y		
			NOTZFZEO 6-2-73,							
		,								
	7-11	1-73		WE	CL AL	LEASE	0.		1	
						21.0				
				19	arya	2. Hollis	Ex, trees	<i>f</i>		
			-	+						
						-		(4)		



OG-11 3 11

Permit No. WIR-677

#### STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



#### INSPECTOR'S WELL REPORT

DEPT. OF MINES

Oil or Gas Well 6

CASING AND USED IN LEFT IN PACKERS Company ALVING. MOWES SULTE 405, 474 MADESON AVE. Size Address NEW YORK, N.Y. 16\_\_\_ Kind of Packer Farm PL DEPUE, JR-Well No. 4 Size of\_\_\_\_ District SPRING CREEK County WIRT 65/8\_\_\_\_ Depth set\_\_\_\_ Drilling commenced\_\_\_\_\_ 5 3/16\_\_\_\_ Drilling completed\_\_\_\_\_Total depth\_ Perf. top\_\_\_\_ Date shot\_\_\_\_\_Depth of shot\_\_ Perf. bottom\_\_\_\_ Perf. top\_\_\_\_\_ Liners Used\_ Initial open flow\_\_\_\_\_/10ths Water in\_\_\_Inch Perf. bottom\_\_\_\_ Open flow after tubing\_\_\_\_\_/10ths Merc. in\_\_\_\_Inch Volume\_\_\_ \_\_\_\_\_Cu. Ft. CASING CEMENTED\_\_\_\_\_SIZE\_\_\_\_No. FT.\_\_\_\_Date NAME OF SERVICE COMPANY Rock pressure\_\_\_\_lbs.\_\_\_ \_\_\_\_bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT FEET INCHES Fresh water\_\_\_\_ \_feet\_\_ \_feet FEET INCHES FEET INCHES Salt water\_\_ \_feet\_ feet FEET\_\_\_ INCHES\_\_ \_\_FEET\_\_\_\_INCHES Drillers' Names\_\_\_

Remarks:

ON INSPECTION, THIS WELL MAY BE PRELEASED

7-11-73

Harry a Halling 1 1/26/2024

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

#### INSPECTOR'S PLUGGING REPORT

ermit No				Wel	II No	
OMPANY	*		ADDRESS			
ARM		DISTRICT	C	OUNTY		
illing Material Used						
iner Loc	cation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
			and the second second			
	100					
illers' Names		AND THE REAL PROPERTY OF THE P		The American State of		
mers Names				Agent Stranger and a	9 9 9	2.82.
marks:						
	T1 1					
DATE	I hereby certify I v	isited the abov	ve well on this date.			

B.12



#### State of West Virginia

Pepartment of Mines Oil and Gas Division Charleston 25305

July 17, 1973

Alvin Rowes Suite 405 &25 Madison Avenue N. Y. N. Y. 10017

In Re: Permit No. WIRT-627
Farm P. L. DePue
Well No. 4
District Apring Creek
County Wirt

Gentlemen:

The final inspection report for the well which is described above has been received in this office. Only the column checked below applies.

The bond covering the well designated by the above permit number has been released under your Blanket Bond.

**XXXXX** Please return the enclosed cancelled bond which covered the well designated by the above permit number to the Surety Company who executed said bond in your behalf, in order that they may give you credit on their records.

Very truly yours,

Deputy Director Oil and Gas Division

RLD/cc

Enclosure:

1 Bond

01

1.0 API well number: (If not available, leave blank. 14 digits.)	47-105-0627	115050061
2.0 Type of determination being sought: (Use the codes found on the front of this form.)	108 Section of NGPA	N/A/UG1 4 1979 Category Code
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	N/A	OIL & GAS DIVISION  DEPT. OF MINES
4.0 Name, address and code number of applicant: (35 letters per line	Seminole Oil & Gas Corp.,	
maximum. If code number not available, leave blank.)	P.O. Box 590	Seller Code
	Spencer City	WV 25276 State Zip Code
5.0 Location of this well: [Complete (a) or (b).]	N/A	
(a) For onshore wells (35 letters maximum for field name.)	Field Name Wirt	1.2 WV
(b) For OCS wells:	County	State
	N/A Area Name	Block Number
	Date of Lease:	
	Mo. Day Yr.	OCS Lease Number
(c) Name and identification number of this well: (35 letters and digits maximum.)	P.L. DePue #4	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	N/A	
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Consolidated Gas Supply	Corporation Buyer Code
(b) Date of the contract:	1 2 1 Mo. Day	
(c) Estimated annual production:	12	MMcf.
	(a) Base Price (b) Tax (\$/MMBTU)	(c) All Other Prices [Indicate (+) or (-).]  (d) Total of (a), (b) and (c)
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)	2.400	2.4.0.0
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	2.400	<u>2.400</u>
9.0 Person responsible for this application:	Hays and Company	Agent
Agency Use Only Date Received by Juris. Agency	Name Q Q	Title
AUG 1 1979 Date Received by FERC	Signature	(204) 027 2650
	8-10-79 Date Application is Completed	(304) 927-2650 Phone Number
		ET7900806/2-1

FT7900806/2-

PARTICIP/	DATE:	FEB 04 1980	BUYER-SELLER CO
weil o	OPERATOR: Seminale Oil & Gas a	CORP.	NA
- FIRST	PURCHASER: Consolidated Gas Su	ipply Coep.	004228
OTHER:		./	
	Qualifinas	Section 108, stagen	well
	partment of Minos, Oil & Gas Division  DETERMINATION FILE NUMBER	Joseph	rall
7908	314-108-105-0627		
1	ng to Defermination of this Well		
	CPECK EACH ITEM AS COMPLETE OR NO	TE WHAT IS MISSING	
ITEM NO.			
1 FEF	C-121 Items not completed - Line No.		
2 10-	1 - Agent George Gainer		
3 10-	2 - Well Permit		
4 - 17-	6 - Well Plat		-
5 17-	35- Well Record Drilling	Deepening .	
6 IV-	-36- Gas-Oil Test: Gas Only Was Oil P	roduced?Ra	tio
7 10-	39- Annual Production 2 years - 4 v	NO3.	
	03	off Line:	
9 17-	48- Application for Certification. Comple	te?	
10 - 17	IV Form #51 - 52 - 53 - 54 - 55 - 56 57	- 58. Complete	Affidavit Signed
18 - 28	Other: Survey Logs Geologica	1 Charts Stru	cture Map
	1:4000 Map Well Tabulatio	nsCas Analy	s <b>es</b>
(5)	Date Completed: 5-9-73  Date Completed: 5-4-73  De	epene <b>d</b>	
(5)	Production Depth: 1800-1827		
(5)	Production Formation: Big Injun		
(5)	Initial Potential: 1,870 MC	<u> </u>	
(5)	AFter R.P. FRACE 600-60,	hes.	•
(6)	Other Gas Test:	(122.7	71/2
(7)	Avg. Daily Gas from Amnual Prodcion:		NF , 365 . 05
(8)	Avg. Daily Gas from 90-day endir. =/1-120	days 237590= 25	MCF; NO OI
(8)	Line Pressure: M/A	PSI	G from Daily Repo
(5)	Oil Production: NO Prom Completion Rep	port	
(10-17)	Does lease inventory indicate enhanced re	covery being done of	W2612024
(10-17)		ptarized?	
Does off:	icial well record with the Department confi	irm the submitted in	formation /es
Addition	al Information Does comput	ter program confirm?	
	rmination Objected to? By Whom?		
			-

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date_	August	t 10	10 79
Opera Well	tor's	4	
API V		105	, 0627
5	tate	County	Permit

#### WELL CLASSIFICATION FORM

STRIPFER GAS WELL
NGPA Section 108

	DESIGNATED AGENT Hays and Company, Inc.
	ADDRESS P.O. Box 590
	Spencer, WV 25276
WELL OPERATOR Seminole Oil & Gas	LOCATION: Elevation 907
ADDRESS P.O. BXO 590	Watershed Little Kanawha River
Spencer, WV 25276	Spring Creekcounty Wirt Quad Spencer
CAS PURCHASER Consolidated Gas Suply	Gas Purchase Contract No. 3098
ADDRESS 445 West Main Street	Meter Chart Code 7157
Clarksburg, WV 26301	Date of Contract 12-16-65

Provide a complete inventory of the lease and production equipment used for the well for the previous 24 months or, if less than 24 months, the period the well has been in production. Include a complete list of equipment or processes used in connection with recognized enhanced recovery techniques during completion or production. (Attach separate-sheets, if necessary.)

Standard Production Equipment

List all records reasonably available to you which contain information relevant to a determination of eligibility (including production records, B&O Tax Records and royalty payment records) and indicate the location of such records:

All located at Hays and Company, of Spencer, WV 25276:

Production Records Tax Records Royalty Payment Records Describe the search made of any records listed above:

All records reviewed

Are you aware of any other information which would tend to be inconsistent with the information specified above? Yes No Y . If yes, indicate the type and source of the information.

#### AFFIDAVIT

I, George Gainer , having been first sworn according to law, state that I have caused to be made a diligent search of those records hereinbefore indicated in the manner herein described, that the information contained in this document is true and accurate and that on the basis of the records and examinations hereinbefore described, and to the best of my information, knowledge and belief, the well for which this certification is sought qualifies as a stripper well.

STATE OF WEST VIRGINIA, . TO WIT: Roane , a Notary Public in and for the state and county aforesaid, COUNTY OF Norma Cooper do certify that <u>George Gainer</u>, whose name is signed to the writing above, bearing date the 10th day of August , 19 70, has acknowledged the same before me, in my county aforesaid. Given under my hand and official seal this 10th day of August My term of office expires on the 29thday of March , 19 87.

Norma Cooper

[NOTARIAL SEAL]

DIPARTMENT - MINES STATE OF WEST VIRGINIA DIVISION - DIL AND GAS

YEAR 19 78

OIL IN BARRELLS @ 60 DEGREES REPORT OF MONTHLY PRODUCTION GAS VOLUMES IN MCF @ 14.73

REP<mark>2</mark>T DATE Au<mark>2</mark>st 10, 1979

TOTALS

12032

OPERATOR

Seminole Oil & Gas Corporation

GAS GAS MCF DAYS ON LINE OIL BBL YEAR 19 77 API 47-105-0626 FARM DAYS ON LINE OIL BRL API 47-105-0627 FARM MCF J-776 1027 7 P.L. DePue P.L. DePue 21.12 M-1027 472 12.32 1027 1205 A-COUNTY Wirt COUNTY 7-1477 1615 Z Wirt 892 1106 AVG. FLOW PRESSURE AVG: FLOW PRESSURE. 1197 1351 1082 959 A--992 1152 S-1121 1207 SHUT-IN PRESSURE SHIT-IN PRESSURE 0-0-1015 920 NI 1048 897 D--1162 987 TIO GAS JIO GAS

TOTALS

13681

12.32

# Section 271. 804 (b)

In accordance with Section 271.804 (b) please list all other wells which are to be used in determining this well classification under Part 271 Subpart H.

# API NUMBERS

47-105-0625 47-105-0626

-0 1 2	3	LATITUDE	39 ° 00 '
-1			
			1
		11	. 2
	Took		•
-2			. 6
		]/	M O
	58	1/	Ē
	0		+ Songitude
-3			-
07 1 D-DMF 15	305	11	
P.T.L.Depue,JR.	1 3	1/2.	
	113	54. /F	
	578 E 200 2	1/2	
	K 5182 -	10 18 / le w	
	11 dige	STORE TO THE TOTAL STATE OF THE PARTY OF THE	
A second	11 3	min 03 / / 6	
	11	tone \$	
	N24.30'	·-/ *\\*	
	1	i	
			1.5. To Grantsville
	.//	W. W. R.	" soulle
	1/1		
		.3)))	
		West For P	
		West	
	Minimum Error of Cl		
	Source of Elevation_	Elev. Well No. 1 = 671	
Fracture	ledge and helief and	reby certify that this map is correshows all the information required	by paragraph 6 of the rules
New Location	and regulations of t	he oil and gas section of the min	ng laws of West Virginia.
Drill Deeper		Signed: Mustbell	
Abandonment	Map No.	Squares: N 5	) E W
Company ALVIN ROWES		STATE OF WES	
	hum West Va.	DEPARTMENT O	
Address P.O.Box 388, Parkars Farm P.T.L. De Pue, Jr.		CHARLES	
Tract Acres 283 Le		WELL LOCAT	TION MAP
Well (Farm) No. See	rat No.	14/15	-627
Elevation (Spirit Level) 903'		FILE NO. KYIN	<b>-627</b> 01/26/2024
Quadrangle Spancer	· Coming Const	+ Denotes location of w	하는 그 전 환경 나는 그렇게 있는 아이를 모으면 해.
County Wirt Distric	A SPRING CREEK	Topographic Maps, scale	1 to 62,500, latitude
Engineer MAdrost		and longitude lines bei border lines as shown.	ng represented by
Engineer's Registration No.		- Denotes one inch space	se on harder line of
File No. Drawin		original tracing. 47	-// E
Date April 4.1973 Scale	2000	7/	700







OIL & GAS DIVISION DEPT. OF MINES

#### Oil and Gas Division

#### OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,		
Charleston, W. Va.	DATE April 19, 1973	
Surface Owner P. I. DePue	Company Alvin G. Rowes	4
Address Creston, W. Va.	Address Suite 405 424 Madison Aven	Note York N V
Mineral Owner P. L. DePue		Acres 124 1/2 of 183
Address Creston, W. Va.	Location (waters) Little Kan	
Coal Owner		
Address	District Spring Creek	
Coal Operator		neast
Address		m. Hamp
	INSPECTOR TO BE NOTIFIE	n theel land
THIS PERMIT MUST BE POSTED AT THE WELL SITE  All provisions being in accordance with Chapter of the W. Va. Code, the location is hereby appr for Arching. This permit shall expire operations have not commenced by	22, Brantarile	1
Deputy Director - Oil & Gas Division		
GENTLEMEN:  The undersigned well operator is entitled to drill upon the attitle thereto, (or as the case may be) under grant or lease data made to	ted <u>March 15,</u> 19_73	by R. L. Dunbar
19, in County, Book		
X NEW WELL	BEFORE JUNE 5, 1969.	
have been notified as of the above date.	and and our eyer and an eour o	where analog operators
The above named coal owners and/or operator are hereby no to make by Section 3 of the Code, must be received by, or file		
Copies of this notice and the enclosed plat were mailed by reor coal owners at their above shown respective addresssame day with the mailing or delivery of this copy to the Department.	day	before, or on the
	ery truly yours, Jalas Brign Name) Well Operator	elf
Address of Well Operate	Street	01/26/2024 6101

\*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BOND DRILL

Wir-627 PERMIT NUMBER

# THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	O V DRILL	DEEDEN ED	ACTURE STIMULATE			
PROPOSED WORK ORDER TO		DEEPEN FRACTURE-STIMULATE  RESPONSIBLE AGENT:				
DRILLING CONTRACTOR: (IN NAME Haught Drilling)		NAME Dallas R. Ball				
ADDRESS Smithville,			ADDRESS Parkersburg, W. Va. TELEPHONE 428-8551			
TELEPHONE <u>477-2222</u>		37				
ESTIMATED DEPTH OF COM			CABLE TOOLS			
PROPOSED GEOLOGICAL FOR						
TYPE OF WELL: OIL	GAS	COMB. X STORAGE	DISPOSAL			
	RECYC	LING WATER FLO	ODOTHER			
TENTATIVE CASING PROGRA	AM:					
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.			
20 - 16						
13 - 10						
9 - 5/8						
8 - 5/8 200 "	8 5/8"	200'	100 sacks cement			
7						
5 ½						
4 ½ 2000 '	14 1/2"	2000 *	100 sacks cement			
3			Perf. Top			
2			Perf. Bottom			
Liners	bevo:	1 - viton is nereby opported to be a spire	Perf. Top			
	-	menned by	Perf. Bottom			
TO DRILL: SUBMIT FIVE (5) COPIE	ES OF OG - 1, \$100.00 PER	MIT FEE, PERFORMANCE BO	OND AND PERMANENT COPY			
OF PLAT.						
TO DRILL DEEPER OR REDR	RILL:					
SUBMIT FIVE (5) COPIE	S OF OG - 1, SHOWING OR		D PERFORMANCE BOND. ON THE ORIGINAL WELL RECORI			
MUST ALSO BE SUBMIT	TED.					
TO FRACTURE - STIMULATE	:					
	ORIGINALLY DRILLED BE AT AND ORIGINAL WELL F		COPIES OG - 1, PERFORMANCE			
	ORIGINALLY DRILLED ON NUMBER, AND PERFORMAN		9, FIVE COPIES OG - 1, SHOW-			
Required forms must be f four (24) hours in advance		of completion for bond release.	Inspector to be notified twenty-			
Tour (24) hours in advance						
The following waiver must hereof.	st be completed by the coal	operator if the permit is to be	issued within ten days of receip			
			or Operato <b>() 1/2/6</b> /20124 unde			
this lease have exam	nined and place on our mine	e maps this proposed well locat	ion.			
We the	Coal Compa	ny have no objections to said w	vell being drilled at this location			
			7, Chapter 22 of the West Virginia			
		F	or Coal Company			

Official Title

# . STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

A-7

#### DESIGNATION OF AGENT BY WELL OWNER OR OPERATOR

V	
1 Operator X/ Owner/ Seminole Oil & Gas C	
	ompany, Inc. P.O. Box 590;
Spencer, WV 2	5276
Pursuant to the provisions of Code B 22-4-1k, an	d subject to the requirements of Regulation
1, the undersigned hereby designates the following pers	on to be the agent of the undersigned for the
pose of receiving process, notices, orders and other co	mmunications which may be issued under Chapter
of the Code of West Virginia;	
Designated Agent Hays and Company, Inc.	
Address P.O. Box 590	
Spencer, WV 25276	
Telephone (304) 927-2650	
The undersigned represents that said designated	agent is a bona fide resident of the State of
t Virginia, and has agreed to accept the designation.	
X all wells owned or operated by the undersigned	
the wells listed below (Wee space below or reve	
WALLES OF PROPERTY.	
MPLETE AS APPLICABLE]	on existing designation of agent made prior to
	an existing designation of agent made prior to
the initial adoption of Form IV-1,	
The undersigned is proposing to own	pr operate wells in West Virginia for the firs
time, so that this designation should	d also be considered the registration by the
undersigned with the Deputy Director	
	and a well or wells in West Virginia since the
	ed a well or wells in West Virginia since the
year 19, but has not heretofore	appointed a designated agent.
This designation substitutes a new d	esignated agent for the undersigned, who has
owned or operated a well or wells in	West Virginia since the year 19 The
	rsigned, who will continue as such, if he is
able, until this new designation has	
Agent being replaced	
Address	
	Seminole Oil & Gas Company
	. Well Owner or Operator
	By:
CEPTED this March 30 , 1979	Hays and Company 104/26/2024
Hays and Company, Inc.	George Gainer, Treasurer
(Signature of designated agent)	
(Signature of designated agent)  George Garner, Treasurer  sen, subscribed and sworn to before me this. 30 day of	March . 19 79 .

owner or operator must be a responsible officer of the corporation, trustee, individual or legal)

OG-10 Rev. - 9-71



STATE OF WEST VIRGINIA

**DEPARTMENT OF MINES** 

# Oil and Gas Division WELL RECORD

DECEIVED

JUL 5 1973

OIL & GAS DIVISION DEFT. OF MINES

Rotary X Oil Gas X G: NOLE

Recycling Comb.

Water Flood Storage (Kind)

Quadrangle Spencer

Permit No. Wir-627

Company Wade Oil Company Address New York, New York Farm P. L. DePue Acres 1243 Little Kanawha River Location (waters) \_ Well No. Four (4) Elev. 907 KB District Spring Creek County Wirt The surface of tract is owned in fee by\_ P. D. DePue Address Creston, West Virginia Mineral rights are owned by\_\_\_ \_\_ Address\_ Drilling Commenced 5/3/73 5/4/73 Drilling Completed\_\_\_\_ Initial opén flow \_\_\_\_\_ \_cu. ft. \_ Final production 1,870,100 cu. ft. per day 0 Well open 60 hrs. before test 600 RP. Well treatment details:

Casing and Used in Left Cement fill up Drilling Tubing in Well Cu. ft. (Sks.) Size 20-16 Cond. 13-10" 9 5/8 8 5/8 202 202 75 Sx. 5 1/2 4 1/2 1914 1914 Liners Used

Attach copy of cementing record.

Coal was encountered at None Feet Inches

Fresh water Feet Salt Water Maxton Feet 1620

Producing Sand Big Injun Depth 1800 - 1827

Fractured with 830 bb1. water, 3500 gal. acid, 30,000 Lbs. Sand

oducing Sand Big Injun	-	Depth	1800 - 1827
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Soil Sand - Shale - Red Rock Sand Shale Sand Shale Sand Little Lime - Pencil Cave Big Lime Big Injun Shale	0 10 1370 1392 1424 1518 1530 1650 1696 1798 1850	10 1370 1392 1424 1518 1530 1650 1696 1798 1850 1941 1941 TOTAL	Salt Water 1620'
			01/26/2024

(over)

<sup>\*</sup> Indicates Electric Log tops in the remarks section.

	olor Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
		1		1
			TO THE STATE OF	
		ATTOMATION OF		
				() 1
				Toprofe
				1931 900, 5 112 01
			1	Vir-62 <b>6</b>
				Wade Oil Corpany
				New York, sew York
			124 (	es P. L. Lekko Little Kendwha
			iver 907 MB	Four (A)
			rt	
				P. Q. DePue
75 Sx.			, same to a	Creston, west Virginia
				Same
				8/3/73
	9161 9161			5/4/73
			100	No. of the second secon
				980
		1		
	Hexton 1807			
	. Mexton			Zig lojun
			0	Soil
		1370	0	Soil Sand - Shele - Red Rock
		1370	1370	Soil Sand - Shale - Red Rock
		1370 1392 1392	1392 .	Soil Sand - Shele - Red Rock
		1330 1392 1392 1392 1592	1510 1392 1392 1393	Soil Sand - Shale - Red Rock Sand Sand Shale Sand Sand
		1650 1370 1392 1392 1392	1510 1510 1624 1892 1392	Soil Soil Sand - Shale - Red Rock Sand Sand Sand Sand Sand Sand Sand Sand
	1800 - 1827	10 1370 1392 1524 1530 1530	10 1370 1392 151: 151: 1520	Soil Soil Sand - Shale - Red Rock Shale Shale Sand Shale Shale Sind Shale Sind Sind
	1800 - 1827	10 1370 1392 1518 1530 1530 1650 1798	10 1370 1392 151 151 1520 1650 1896	Soil Soil Sand - Shale - Red Rock Sand Sand Shale Send Shale Shale Sind Sind Sind Sind Sind Sind
	1800 - 1827 Selt ater 1620	10 1370 1392 1518 1518 1530 1590 1798 1850	1896 1370 1510 1510 1524 1530 1650	Soil Soil Sand - Shale - Red Rock Shale Shale Shale Shale Sind Shale Sind Sind
	1800 - 1827	10 1370 1392 1518 1530 1530 1650 1798	10 1370 1392 151 151 1520 1650 1896	Soil Soil Sand - Shale - Red Rock Sand Sand Shale Send Shale Shale Tittle Lime - Poncil Cave Sin Line
	1800 - 1827 Selt ater 1620	10 1370 1392 1518 1518 1530 1590 1798 1850	10 1370 1392 151 151 1520 1650 1896	Soil Soil Sand - Shale - Red Rock Sand Sand Shale Send Shale Shale Tittle Lime - Poncil Cave Sin Line
	1800 - 1827 Selt ater 1620	10 1370 1392 1518 1518 1530 1590 1798 1850	10 1370 1392 151 151 1520 1650 1896	Soil Soil Sand - Shale - Red Rock Sand Sand Shale Send Shale Shale Tittle Lime - Poncil Cave Sin Line

	01/26/2024
Date	, 19
APPROVED	, Owne