FORM IV-2(B)
(Obverse)
7 92



) Date:_	October	20	, 19_83
			, .,

2) Operator's Well No. R. Roberts - 1

3) API Well No. 47 - 105
State County

1114 Permit

A


STATE OF WEST VIRGINIA
OIL % GAS DEPAREMENT OF MINES, OIL AND GAS DIVISION

		DEF	, . o	FM	PPLICA	TION FOR A WEL	L WORK PERMI	<u>T</u>	
4) WELL TY	PE: A C	oil X	/ Ga	as X	0007	ONS (IF ANY)	MB CONDITI	DIFFICATIONS A	PERMIT MO
	В (If "Gas",	Production	nX		/ Underground	storage	/ Deep	$_{\prime}$ Shallow $_{\prime}$ X
5) LOCATIO								of Straigh	
								Quadrangle:	
6) WELL OP					Asso	c., Inc.			vid Bartram
Address			Box		0507		Address	Same	
	-		iew, I		2507				
8) OIL & GA							9) DRILLING C		Assoc The
Name					2 1			P.O. Box	Assoc., Inc.
Address			Rt.,			0)7/	Address	Elkview,	
			wille,				STEEL STATE		
10) PROPOSE	D WELL	WORK:						/ Stimulate	/
						n/ Perfor	ate new formation	n/	
	C	CETEOR				n well (specify)			
12) Estima	CAL TAR	of complete	MATION	,	100'	11us Shale			
12) Estima	vimete tra	to denthe	Erech		100	feet; salt		foot	
								ne area? Yes	/ NoX /
15) CASING A						Is co.	ar being innied in tr	icarca: 1cs	/ NO/
CASING OR			CIFICATIONS			FOOTAGE I	NTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight	New	Used	For drilling	Left in well	OR SACKS	PACKERS
Conductor		3/8	per ft. 48	X	Useu	20'	20'	(Cubic feet)	Kinds To surface
Fresh water		3/4	42	X		50'	50'	By rule 15.05	
Coal		1	1 72	- 21		30	- 30	by Twie 13:03	Sizes
Intermediate	8 5	18	28	X		2100'	2100'		To surface
Production	43		10.	5 X		5100'	5100'	325 SKS	Depths seTo 2100' OR
Tubing						E USE ONLY	MINO	A-s	REQ BY RULE
Liners									Perforations:
		andine	disdi mus	wollo	yas b	rn.gongeriumon 4	intes to seleb	all browns of si G	Top Bottom
	Sec						-ste(
			100	Anci	hagari.	Paragollo 3	The Sk		harring a control from
			40000			OFFICE USE C			and the second state of th
						DRILLING PE	RMIT		
Permit number_		47-105	5-1114					Nov	vember 18, 1983
								Date	eillinh art to nortalema
This permit cove	ring the w	ell operate	or and well	location	on shown	below is evidence of	of permission gran	ted to drill in accordance	ce with the pertinent legal re-
									and Gas Inspector, (Refer to
						work has commenced		vell operator or his conf	tractor shall notify the proper
								4 4:6:	-d divi '6" d d
everse hereof.	ork is as d	escribed in	the Notic	e and A	ррпсанс	on, plat, and reclama	ition pian, subject	to any modifications ar	nd conditions specified on the
Permit expires _	No	ovember	18, 1	1985		unless well	work is commence	d prior to that date and	prosecuted with due diligence.
									OTHER INSPECTIONS
Bond:	Agen	1:1	Plat:	Casir	o	Fee			70(4) 717 7531110
NA	Thi	11	10	a l	01	1000			Reason.
DD /	1/4	1 0	1	9	1/	2702	m	1111	
						_/	1 arga	ret I. Do	esse

Administrator, Office of Oil and Gas

NOTE: Keep one copy of this permit posted at the drilling location.





STATE OF WEST VIRCINIA OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

					X_und	well word	OF PROPOSED
		rate new cormation		old formation			
					MOITAL	ALTARGETFORM	n deoroote
					Fresh,		(13) Approx
							14) Apmox
							S) CASING A
PACKERS	CEMENT FILL OF OR SACES	INTERVALS	\$001.40E		SICATIONS WATER	139861	CASING OR -
			geffinb roll		AT TOU	Size Cruis	
		108	108		1884	3/8 II	10110410
f To surface	Brish 15 03	2,301	2591				
		10010	210015	I X		8 3/8 B	
END BOND STOR FOR	325 DK3	10015 H	2.1002E	I X	1.01	- 1 YAZ	acitather.
15259 PB 3371	-A	OFFIC	E USE ONLY				gnidij
Forfordillops							
	<u>D</u>	Date				Date	e(s)
Application received	*	S Y INIO	Follow-uj	p inspection(s)		
Well work started		TIMA	PRIMILING PE	.,,			
Completion of the drilling process	ted to drill an accordan						
Well Record received						continetion of lost inspector 24 hours	
Reciamation completed	to any modifications as			ooltaailgq 4,, bna aad			to permitted working the color.
prosecuted with this difference.							
OTHER INSPECTIONS							
						M gence - 19	
Reason:	11/2	TH	136	H / F	211	MILLE	1 88
Reason:	25/20 /30	2018/25 1 1	V 40 3 3 3				

See the reverse side of the APPELL ANT'S COPY for instructions to the well operator.

FORM	IV-2(A)
Obver	se
[8-83]

B.2

1) Date: October 20 ,1983 2) Operator's

Well No. R. Roberts #1

3) API Well No. 47 · 105 · ///4

State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

NOTICE OF APPLICATION FOR A WELL WORK PERM	NOTICE	OF APPLICATION	FOR	A	WELL	WORK	PERMI	Г
--	--------	----------------	-----	---	------	------	-------	---

4) SURFACE OWNER(S) OF RECORD TO BE SERVED	The state of the s			
	5(i)	COAL OPERATO	R None	
(i) Name Wayne Roberts		Address	The second second	*
AddressRt, 2 Box 162			W Comment	
Elizabeth WV 261/3	5(ii)	COAL OWNER (S) WITH DECLA	RATION ON REC
(II) Name		Name		
Address		Address		
(iii) Name		Name		
Address		Address		
			rinay s	The state of the s
	5(iii)	COAL LESSEE W	VITH DECLARA	TION ON RECORT
. The second		Name		
		Address		
TO THE PERSON(S) NAMED ABOVE: You should h	loberts	g Form and the Call		
(1) THE APPLICATION FOR A WELL WORK DO	armit on Form TIT	2/21 / -		
to be plugged, which sets out the and describes the well and its loc	parties involved	in the drilling or	f the well is	
and describes the well and its loc cementing program;	cation and, if ap	plicable, the propos	sed casing and	
(2) The plat (surveyor's map) showing	the unil location			
			ork is only to	
plug a well), which sets out the p reclamation for the site and acces	lan for erosion	and sediment control	and for	
The state was deces	s Ivau.			
THE REASON YOU RECEIVED THESE DOCUMENT WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU	ON THE REVERSE S	VE RIGHTS REGARDING	THE APPLICATION	
(FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU ACTION AT ALL.	. HOWEVER, YOU	ARE NOT REQUIRED TO	TAKE ANY	
Take notice that under Chapter 22 of the erator proposes to file or has filed this N	he West Virginia	Code, the undersigned	ed well op-	
for a Well Work Permit with the Administration	ocice and Applica	accompanying	ng documents	
Department of Mines, with respect to a well and depicted on attached Form IV-6. Copies	at the location	described on attache	t Virginia	
and depicted on attached Form IV-6. Copies Construction and Reclamation Plan have been	of this Notice,	the Application, the	e plat, and the	
by hand to the person(s) named above (or he	marie by regist	ered or certified ma	ail or delivered	Committee forces
before the day of mailing or delivery to the	Administrator.	er cami circuistances	s) on or	
6) EXTRACTION RIGHTS			Tº	- Paring
Check and provide one of the following			-100	0 (000)
findinged is the lease or leases or oth	er continuing co	ntract or contracts	by which _ 0	-1 22
I hold the right to extract oil or The requirement of Code 32.4.1 (3)	gas.	marace of contracts	by wurch	20 1983
The requirement of Code 22-4-1-(c) (1)	through (4). (See	e reverse side for s	pecifics.) T	
7) ROYALTY PROVISIONS			7 2	198
Is the right to extract, produce or marker or other contract or contracts providing	t the oil or gas	based upon a lease of	or leases Ξ	00
for compensation to the owner of the oil	for trat well to	valty or any similar	provision 0	
to the volume of oil or gas so extracted,	produced or mark	teted? Yes No	ly related Z	
If the answer above is No mathin			in	
you may use Affidavit Form IV-60.	, additional is in	leeded. If the answer	is Yes, LJ	The same of the sa
See the reverse side for live				
See the reverse side for line item in the required copies of the Notice and Reclamation Plan.	structions, and	for instructions con	cerning	
Reclamation Plan.	application, pl	at, and Construction	and	
The truth of the information on the	WELL			
Notice and Application is verified		OD Clint II	+ C A .	
and sworn to and the Notice is	OPERAL	ORCLint Hur	L & ASSOCI	ates, Inc.
signed on behalf of the Well Operator	Dr. V	1 Auis	Bud	
in my County and State by	By	Name &	of ear	The state of the s
I. DAVID KARTRAM	Its_	Agent	0.00	
this 2 day of October 1983	Addr	esP.O. Box		
My commission expires 10 2 1909			WV 25071	
of the distance of the distanc	Tele	phone (304)	344-2401	
will I Clicher.				the state of the s
Notary Public, Kanawhacounty,			01	/05/2024
State of W.VA				

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book Page

FORM IV-2(B) (Obverse) 7-83



1)	Date: Oct	ober 20	_, 19_83
2)	Operator's Well No.	Roberts - 1	
3)	API Well No	47 305	

State

County

Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT

4) WELL TY	PE: A Oil	/ Gas						
	B (If "Gas"	, Production	/ Unc				_/ Shallow/)	
5) LOCATIO	N: Elevation:	1063	Wa	tershed:	Left fork	of Straigh	t Creek	
	District:	arning Spri	Cou		27 F HOS HOW THE		MecFarlan	
6) WELL OP	ERATOR CLA	at Hurt & A	Assoc., 3	Inc.	7) DESIGNATED	AGENT	vid Bartram	
Address		. Box 388			Address	Same		
	Elk	view, WV 2	25071					
8) OIL & GA	S INSPECTOR TO	D BE NOTIFIED			9) DRILLING CC			
Name	Deo Mace						Assoc., Inc.	
Address	Rt. 1 1	Box 5			Address	P.O. Box		
	Sandr	Ldge, W.Va.	25274			Elkview,	WV 25071	
10) PROPOSE	D WELL WORK:					/ Stimulate	/	
		Plug off old fo	rmation	_/ Perfora	te new formation_			
Other physical change in well (specify)								
		RMATION,						
		eted well,51						
		: Fresh,						
14) Approx	kimate coal seam de	epths:		Is coa	l being mined in the	area? Yes	/ No/	
15) CASING A	ND TUBING PRO	OGRAM						
CASING OR TUBING TYPE	SPI	ECIFICATIONS Weight		FOOTAGE IN	TERVALS	CEMENT FILL-UP OR SACKS	PACKERS	
TOBING TITE	Size Grade		Used For	drilling	Left in well	(Cubic feet)		
Conductor	11 3/8	48 X	21	71	201		Kinds To surface	
Fresh water	11 8/4	42 X	2	501	2501		To surface	
Coal	/ .				5-	By rate 15:03	Sizes	
Intermediate #	8 5/8	28 X	21	100'	2100'		To surface	
Production	42	10 5 X	51	1009	PARTI	PRID	Depths set 7 100	
Tubing				1378	F 677	1787111		
Liners						7	Perforations:	
				77	0.57.0.00		Top Bottom	
					OCT 2 0 19	83		
					OII & GAS DI	VISION		
		INSTRUCTI	ONS TO COAL	OPERATO	OR OWNER, OR I			
	TI I			L	_	VIII Vibra tout		
						ny objection they wish n fifteen (15) days afte		
		by the Department.		the Departi	inelit of willies within	ii iiiteeii (13) days aite	er the receipt	
						oal owner or coal less		
		the filing of the App		22-4-20, if t	he permit is to be is	sued within fifteen (1	5)	
	uays of	the filling of the App	incation.					
				WAIVER				
The undersiane	d coal operator _	,	owner		_/ lessee	/ - C + h		
				he area of ti	ne well location the	well location has been	al under this well location has added to the mine map. The	
undersigned has i	no objection to the	work proposed to be	done at this loca	ation, provi	ded, the well operate	or has complied with	all applicable requirements of	
the West Virginia	Code and the gov	verning regulations.						
	41	200	20 1					
	117210	July July	12982		7.0		3	
Date		10	1.6		///			
Date:		, 19		By	- Ide and			
					1.0 1/1			
				Its		THE RESERVE OF THE PARTY OF THE	CONTRACTOR OF A SECURITY OF SE	

AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

/	FORM IV-70
p.5	AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER
1	STATE OF West Virginia COUNTY OF Kanawha:
	The undersigned, being first duly sworn, says that the undersigned served at true and complete copy of all sides of— (1) Notice on Form IV-2(A) X / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B) X / Form IV-3(B) / Form IV-4(B) / (3) Plat showing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. Roberts #1. located in Burning Springs District, Wirt County, West Virginia, upon the person or organization named
	Wayne Roberts
	by delivering the same in Wirt County, State of West Virginia on the 17th day of November , 1983 in the manner specified below.
	[COMPLETE THE APPROPRIATE SECTION]
	For an individual: [\checkmark] Handing it to him $_X$ / her / or, because he / she / refused to take it when I offered it, by leaving it in his / her / presence.
	[] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
	For a partnership: [] Handing it to
	For a limited partnership: [] Handing it to the general partner, named, or, because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
	For a corporation: [] Handing it to the corporation's employee / officer / director / attorney in fact / named
	Taken, subscribed and sworn before me this 18th day of November, 1983. My commission expires February 2, 1989 Notary Public

(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE)

A-6



DATE O.E.T. 15, 1983 WELL NO. RUBY ROBERTS - 1 API NO. 47 - 105. 1114

State of Mest Nirginia Department of Mines


Oil and Oas Division Construction & Reclamation Plan


ADDRESS ROBOX 388	DEST.	GNATED AG	ENT I. I	DAVID BARTRAM
ELKVIEW, W. VA 25071			- SHIVIE	
Telephone 3.04 344-2401		Telephone	304	344-2401
LANDOWNER WAYNE ROBERTS				
Revegetation to be carried out by	EUNT	HURT.	DISTRICT <u>Z</u>	(Agent)
This plan has been reviewed by	111		The state of the s	
and additions become a part of this plan	n: //	1-19 0	2 su.	All corrections
		(Date)	0	
	Jarra	It Nos	whom	
		(SCD) Agent		
ACCESS POAD			LOCATION	1
Structure CRUSHED STONE	(A) 3	tructure		
Spacing AS NEEDED		aterial		(1
Page Ref. Manual	P	age Ref. Ma	unual	
Structure EULVERT		tructure		
Spacing 15" D/A		aterial		1
Page Ref. Manual 2-8		age Ref. Ma		W
Structure CROSS DRAINS		tructure_	4	1:
Spacing 45-200 AS REQUIRED	M	aterial	160	
Page Ref. Manual 2-1, 2-4		age Ref. Ma	mual	
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before	regularly a cacked and a dirt work be VEGETATION	nd repaired ll brush an egins.	if neces. d small t	sary. All imber to be
Treatment Area I + #			-	
Lime Tons/acre		ime	CCI CITICAL A	THE STATE OF THE S
or correct to pH 6,5		or correc	t to pH	Tons/acre
Fertilizer 500 lbs/acre	Fe	ertilizer		lbs/acre
(10-20-20 or equivalent)		(1	0-20-20 or	r equivalent)
Mulch STRAW 2 Tons/acre	· M	ulch		Tons/acre
Seed* FESCUE 40 lbs/acre	Se	eed*		lbs/acre
REDTOP 5 lbs/acre				lbs/acre
lbs/acre				lbs/acre
*Inoculate all legumes such as vetch, Inoculate with 3X recommended amount.	trefoil and	d clovers w	ith the pr	
	PLAN PREPAR	ED BY DAR	RELL	01/05/2024 R. BOKE_LLS
NOTES: Please request landowners'				
cooperation to protect new	ADU	PRESS_RT	II DOX	72
seedling for one growing season. Attach ser mate sheets as		EUZ	ABETH	.W.VA
necessaria in numents.	PHONE	"r. 304	474	-3654


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.

OUADRANGLE MACFARLAN

LEGEND WELL SITE BACCESS ROAD-







2. LENGTH OF ACCESS ROAD = ~ 1000'

3. LOCATION IN SMALL TREES, TOP OF SLOPING RIDGE

A-8

ASSIGNMENT

THIS ASSIGNMENT, made and entered into this 14th day of October, 1983 by ALLIANCE ACREAGE ACQUISITION, LTD., a Texas limited partnership, hereinafter referred to as "ALLIANCE ACREAGE," and ALLIANCE RESOURCES CORPORATION, a Texas corporation, hereinafter referred to as "ALLIANCE,"

WITNESSES

That for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable considerations, the receipt of which is hereby acknowledged, ALLIANCE ACREAGE assigns all its right, title, and interest in and to the oil and gas lease hereinafter described to ALLIANCE, subject to the terms, conditions, exceptions and reservations herein contained.

The oil and gas lease to George W. Roberts assigned hereby covers a tract (or tracts) amounting in all to eighty seven (87) acres, more or less, lying wholly or partly in Burning Springs District, Wirt County, West Virginia, and are recorded in the Office of the Clerk of the County Commission of Wirt County, West Virginia, being identified and described as follows:

Lessor Acres (More or Less)

Deed Book and Page Recorded

Ruby R. Roberts

86.5

169 - 80

There is reserved and excepted for the benefit of ALLIANCE ACREAGE an overriding royalty of one-one hundredth of the oil and gas and their constituents produced by ALLIANCE from the tract(s) covered by the assigned lease from all formations above the top of the Corniferous limestone formation, in addition to all other royalties or overriding royalties to which the above described oil and gas lease is subject.

There is also reserved and excepted for the benefit of George W. Roberts, his heirs, successors, representatives and assigns, the predecessor in title of ALLIANCE ACREAGE, the following rights and privileges:

- 1. All rights under the aforesaid oil and gas leases in and to all formations below the top of the Corniferous limestone formation (also known as the Onondaga limestone formation) underlying the tracts covered by them, including but not restricted to all rights in and to oil and gas and their constituents from the said formations, the right to drill through superjacent formations to formations below the top of the Corniferous limestone, and all other rights (including but not restricted to any storage rights) pertinent to oil and gas operations with respect to said formations granted in the hereinbefore described oil and gas leases.
- 2. All other rights and privileges reserved to the said George W. Roberts in the assignment of the above described lease (and any other lease) from him to ALLIANCE ACREAGE bearing date October 14th, 1983, and in the

agreement between George W. Roberts and ALLIANCE ACREAGE also dated October 14th, 1983, bearing on that lease and certain other matters, to which agreement reference is made in the aforesaid assignment; and in all respects their assignment is made subject to the terms of that assignment and that agreement as well as to the terms of the assigned lease.

The terms of this assignment shall apply to all extensions, renewals, modifications, ratifications, replacements and successor leases of the lease covered hereby.

The terms hereof shall bind and work to the benefit of the parties hereto, their successors and assigns.

IN WITNESS WHEREOF, the parties hereto have executed this assignment in quadruplicate originals this 14th day of October, 1983.

ALLIANCE ACREAGE ACQUISITION, LTD.

BY: Brian Robinson
Co-general Partner

and

ALLIANCE RESOURCES CORPORATION A Texas corporation Co-general Partner

BY: Brian Robinson
Chairman of the
Board of Directors

ALLIANCE RESOURCES CORPORATION A Texas corporation

BY: Pour Robinson
Chairman of the
Board of Directors

This instrument has been prepared by George W.Roberts.

STATE OF NORTH CAROLINA

DURHAM COUNTY

I, Chery A. R. Am bell, a Notary Public of said County and State do hereby certify that BRIAN ROBINSON personally appeared before me this day and acknowledged that he signed the foregoing instrument with due authority on behalf of ALLIANCE ACREAGE ACQUISITION, LTD., a Texas limited partnership, both in his individual capacity as Co-general Partner thereof and as Chairman of the Board of Directors of ALLIANCE RESOURCES CORPORATION, a Texas corporation, being duly authorized to execute the foregoing instrument on its behalf in its capacity as Co-general Partner af ALLIANCE ACREAGE ACQUISITION, LTD.

Witness my hand and notarial seal, this the 16 th day of ______, 1983.

NOTARI

PUBLY

NOTARY PUBLIC

My commission expires:

My Commission Expires June 10, 1984

STATE OF NORTH CAROLINA

DURHAM COUNTY

I, Negy A.R. Amphe//, a Notary Public of said County and State do hereby certify that BRIAN ROBINSON personally appeared before me this day and acknowledged that he had executed the foregoing instrument with due authority as Chairman of its Board of Directors on behalf of ALLIANCE RESOURCES CORPORATION, a Texas corporation.

Witness my hand and notarial seal, this the 16th day of Active, 1983.

NOTAR

NOTARY PUBLIC

My commission expires:

My Commission Expires June 10, 1984

RUPIGATS

1.9

ASSIGNMENT

THIS ASSIGNMENT, made and entered into this 14th day of October, 1983 by GEORGE W. ROBERTS, hereinafter referred to as "ROBERTS," and ALLIANCE ACREAGE ACQUISITION, LTD., a Texas limited partnership, hereinafter referred to as "ALLIANCE ACREAGE,"

WITNESSES

That for and in consideration of the sum of Ten Dollars (\$10.00), the receipt of which is hereby acknowledged, and other good and valuable considerations, including the covenants and agreements contained herein and in the agreement between the parties hereto bearing even date herewith to which reference is hereinafter made, ROBERTS assigns all his right, title and interest in and to those certain oil and gas leases hereinafter described to ALLIANCE ACREAGE, subject to the terms, conditions, exceptions and reservations contained herein and in the aforesaid agreement bearing even date herewith.

The oil and gas leases to George W. Roberts cover two tracts amounting in all to two hundred fifty-two (252) acres, more or less, lying wholly or partly in Burning Springs District, Wirt County, West Virginia, and are recorded in the Office of the Clerk of the County Commission of Wirt County, West Virginia, being identified and described as follows:

Lessor Acres	(More or Less)	Deed Book and Page Recorded
N. Bumgarner et vir et al	165	169 - 265
Ruby R. Roberts	86.5	169 - 80

ROBERTS reserves all rights under the aforesaid oil and gas leases in and to all formations below the top of the Corniferous limestone formation (also known as the Onondaga limestone formation) underlying the tracts covered by them, including but not restricted to all rights in and to oil and gas and their constituents in the said formations, the right to operate for and produce oil and gas and their constituents from the said formations, the right to drill through the superjacent formations to formations below the top of the Corniferous limestone, and all other rights (including but not restricted to any storage rights) pertinent to oil and gas operations with respect to the said formations granted in the hereinbefore described oil and gas leases.

This assignment is furthermore made subject to the covenants, agreements, terms, conditions, exceptions and reservations contained in that certain agreement between the parties hereto bearing the date October 14th, 1983 concerning the hereinabove described oil and gas leases, operations thereon, and certain other matters.

The terms hereof and of the aforesaid agreement, and the respective rights and duties of the parties under the

terms of this assignment and that agreement, shall apply to all extensions, renewals, modifications, ratifications, replacements and successor leases of the oil and gas leases covered by this assignment; nor shall the above described oil and gas leases or any extensions, renewals, modifications, ratifications, replacements and successor leases thereof, or any interest in any of them, be assigned, or any assignment thereof or of any interest therein be valid, without being made expressly subject to the terms of this assignment and that agreement.

The terms hereof and of the aforesaid agreement shall bind and work to the benefit of the heirs, successors, representatives and assigns of the parties hereto.

IN WITNESS WHEREOF, the parties hereto have executed this agreement in quadruplicate originals this 14th day of October, 1983.

Georgewithet (SEAL)

George W. Roberts

ALLIANCE ACREAGE ACQUISITION, LTD.

BY: Brian Robinson
Co-general Partner

and

ALLIANCE RESOURCES CORPORATION A Texas corporation Co-general Partner

BY: Brian Robinson Chairman of the Board of Directors

This instrument has been prepared by George W.Roberts.

STATE OF NORTH CAROLINA

DURHAM COUNTY

I, heny A. R. (Am abel) a Notary Public of said County and State do hereby certify that GEORGE W. ROBERTS personally appeared before me this day and acknowledged the due execution of the foregoing instrument.

witness, my hand and notarial seal, this the 16th day of taken, 1983.

NOTAR:

CANOTARY PUBLIC P

My commission expires:

My Commission Expires June 10, 1984

STATE OF NORTH CAROLINA

DURHAM COUNTY

I, hery A. R. Campbell, a Notary Public of said County and State do hereby certify that BRIAN ROBINSON personally appeared before me this day and acknowledged that he signed the foregoing instrument with due authority on behalf of ALLIANCE ACREAGE ACQUISITION, LTD., a Texas limited partnership, both in his individual capacity as Co-general Partner thereof and as Chairman of the Board of Directors of ALLIANCE RESOURCES CORPORATION, a Texas corporation, being duly authorized to execute the foregoing instrument on its behalf in its capacity as Co-general Partner af ALLIANCE ACREAGE ACQUISITION, LTD.

day of Active , 1983.

My commission expires:

My Commission Expires June 10, 1984

PUBLIC OUNTY TO COUNTY TO

NOTARI

This letter will give you, Clint Hurt & Associates, Inc., whose address is P. O. Box 1973, Midland, TX 79702, the necessary authority, approval, and power of attorney at act as our agent for the purpose of conducting business pertinent to the drilling of oil and gas wells in the State of West Virginia.

In witness whereof, I, Brian Robinson, Chairman of the Board & President, Alliance Resources, intend to be legally bound, have executed this instrument as of the day and year above written.

ALLIANCE RESOURCES

By: Brian Robinson, President


SUBSCRIBED AND SWORN TO BEFORE ME on the 20 day of March, 1983 to certify which witness my hand and seal of office.

Notary Public in and for the

State of Texas

My commissions expires:

7/11/87







State of West Birginia Bepartment of Mines Gil and Gas Bivision

DEPT. OF MINES

Gil and Gas Bivision Charleston 25305

Inis is to acknowledge that the walls	
to Alliance Resources Company of the transferred from Clint Hurt & Associates, Inc. (the transferred)	
to AlliANCE RESOURCES CORPORATING (the transferor)	
MESOURCES CORPORATION 1375	
the transferee by this document.	
The transferee by this document is accepting all responsibility for compliance with the provisions of Chapter 22 Article 4 of the National Chapter 22 Article 4	
with the provisions of Chapter 22 Article 4 of the West Virginia Code and all rules and regulations promulgated thereunder, for the listed wells.	
, the like mails	
The transferee's designated agent (name) GEORGE KING	
office of oil and Gas.	
The transferee has bonded the said wells by securities, cash, or surety (circle on bond identified below by amount, effective date, issuing such	
bond identified below by amount off.	1
bond identified below by amount, effective date, issuing authority, and any identifying number.	ie)
	;
OFFICIAL SEAL NOTARY PUBLIC (Transferee) alliance	
STATE OF WEST VIRGINIA	a
MA DAVID BARTRAM	
Notary Public Ta Dand Barban 1985	
My commission expires	
23 73	
OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Transferor) Clinit Hent & Association Official State of West VIRGINIA	
IRA DAVID BARTRAM By Rech State of West VIRGINIA By Rech State of West VIRGINIA	
Route 2, Box 346	
BUDGET I DET "ATIO TO THE TOTAL TOO THE	
notary Public Sca O and But	
My commission expires 5/22 19 95	
19 73	
ACCEPTED THIS DAYOFT 1985	

23450/

Form IV-77 Reverse (9-84)

API (Permit) Mumber	Farm Name	Operator's Well Number
47 - 105 - 1114	ROBERTS # 1	
47-105-1103	ROBERTS # 2	
47-105-1115	HAYS # 1	
47-105-1105	MCCAULEY #1	
47-105-1104	VEON #1	
47-109-1121	EVANS # 1	
47-105-1130	WELLS # 1	
47-105-H28	WELLS#2	
47-105-1156	DRENNEN#1	
		Same Market & A.
		Wagners of the section of
		and a second second
		The same of the sa
	•	
		01/05/2024

(Continue on reverse side)

Clint Hurt & Associates Rig #1

T. 35			
1V-35	7000	213000	
IV-35 (Rev 8-81	136	5 16 \V/ 18	11313
1100 0 01	TIE CO	ma V Jr	4 18 12
	A CAMPAGE	60	3 11 1
			101
	a can		CONTRACTOR OF THE PARTY OF THE
	AHC	- 1 1984	

State of Mest Wirginia

Bepartment of Mines Gil und Gas Bivision

OIL & GAS DIVISION
DEPT. OF MINES

WELL OPERATOR'S REPORT

(

-			O1		The state of the s	
DRILLING,	FRACTURING	AND/OR	STIMULATING,	OR	PHYSICAL	CHANGE

(If "Gas," Production / Undergr	our our	, , ,	P/ Sna	TTOM_\)
LOCATION: Elevation: 1063' Watershed I	eft Fork of	Straight	Creek	
District: Burning SpringCounty Wi	.rt	_Quadrang1	e MacFarl	an 7 1/2
COMPANY Alliance Resources Corporation				
ADDRESS 12900 Preston Rd., Dallas, TX 75230	Casing	Used in	Left	Cement
DESIGNATED AGENT J. David Bartram	Tubing			fill up
ADDRESS	Size	brilling	in Well	Cu. ft.
SURFACE OWNER Wayne Roberts	20-16			
ADDRESS	Cond.			
MINERAL RIGHTS OWNER Ruby Roberts	13-10"	278.35'	278.35'	195
ADDRESS	9 5/8			22.366.1
DIL AND GAS INSPECTOR FOR THIS WORK Homer	8 5/8	2227.85'	2227.85'	656
Dougherty ADDRESS Looneyville, WV 25259	7			
PERMIT ISSUED 11/18/83	5 1/2			
DRILLING COMMENCED 11/21/83	4 1/2		4923.44'	751
DRILLING COMPLETED 11/30/83	3			
	2		4015-401	
F APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR			14.60	
CEWORKING. VERBAL PERMISSION OBTAINED	Liners			-
N				
EDILOGICAL TARGET FORMATION Marcellus Sh	ale	Dent	h 5100	' feet
Depth of completed well 4947' feet	Rotary X	/ Cable	Toole	
Water strata depth: Fresh feet;	Salt 966	' feet	10015	
Coal seam depths:		being mine	d in the	
PEN FLOW DATA	_ Is coar	cerry nure	d in the	area?
	11:			
Producing formation Hampshire, Chemung, Bra				
Gas: Initial open flow N.E.G. Mcf/d		tial open		Bb1/d
Final open flow 250 Mcf/d			Charles and the last of the la	-
Time of open flow between init	tial and fi	nal tests_	hou	îrs
Static rock pressure Tub, -780 psig(surface		ent) after	hour	s shut in
(If applicable due to multiple completion	1)			04/05/00
Second producing formation	and the same of th	zone dept	THE RESERVE OF THE PERSON NAMED IN COLUMN	01/05/20
Gas: Initial open flow Mcf/d	Oil: Ini	tial open	flow	Bb1/d
Final open flow Mcf/d	Oil: Fin	al open fl	OM	Bb1/d

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Lower Chemung/Brallier - N2/Acid Frac: BKDN 2550 psi; ATP 3150 psi; AIR 70,000 Scf/m

ISI 2100 psi; N₂ 1,155,000 Scf; 2344 gals 15% HCl

40 Holes 4266 - 4774

BKDN 1800 psi; ATP 2914 psi; AIR 70,000 Scf/m ISI 1700 psi; N₂ 1,162,000 Scf; 2094 gals 15% HCl 36 Holes 3557 - 4144 - No/Acid Frac: Middle Cheming

BKDN 1400 psi; ATP 2413 psi; AIR 70,000 Scf/m ISI 1500 psi; N₂ 1,151,500 Scf; 2052 gals 15% HC1 40 Holes 2576 - 3425' Hampshire/Upper Chemung - No/Acid Frac:

WELL LOG

ORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
FORMATION DEPTHS TAKEN FROM C	AMMA RAY LOC	- ЕКВ 1070'	
Silt and shale	0	216	
Sand	216	254	Hole wet @ 966'
Silt and shale	254	286	Commence of the commence of th
Sand	286	334	
Sand and shale	334	560	was the same of the two transfers of the same of the s
Gas Sand	560	633	
Sand and shale	633	1314	
Cow Run	1314	1334	
Sand and shale	1334	1409	
Salt Sand	1409	1442	Gas checks @:
Sand and shale	1442	1513	2700' - no show
Salt Sand	1513	1583	
Silt and shale .	1583	1702	3400' - no show
Sand	1702	1740	4000' - no show
Shale	1740	1858	4500' - no show
Maxton	1858	1942	4500 - 110 Show
Shale	1942	1945	4947' - no show
Big Lime	1945	.2043	
Big Injun	2043	2121	
Silt and shale	2121	2491	
Coffee Shale	2491	2504	
Silt and shale	2504	2598	
Gordon	2598	2614	
Silt and shale	2614	2855	Little best of the state of the
5th Sand	2855	2878	the forest trees, the same of the same
Shale	2878	3752	
Silt and shale	3752	4628	
Siltstone	4628	4650	V
Shale	4650		Well logged by Young Wireline
TOTAL DEPTH	-	4947'	
Gamma Ray Log Depths of Devonian Shale: Hampshire 2504-2981 Chemung 2981-4478 Brallier 4478'-	James 1		

(Attach separate sheets as necessary)

Regulation 2.02(i) provides as follows: "The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and, encountered in the drilling of a well."

0G-11 B-3

185-1114

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION
DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 700 ///			Oil or	Gas Well
Company Clint Hort	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address Elkview, W.VA	Size		20	and the second
Farm R. Roberts	16			Kind of Packer
Well No Roberts #1	13			
District Burning Spring Sounty Wirt	81/4			Size of
Drilling commenced	6%			Depth set
Drilling completedTotal depth	5 3/16			
Date shotDepth of shot	2	.		Perf. top
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch			2.5	Perf. bottom
/olumeCu. Ft.	CASING CEMEN	TED	SIZE	No. FTDate
Rock pressurelbshrs.	NAME OF SERV			Date
bbls., 1st 24 hrs.	COAL WAS ENC	OUNTERED A	\T	FEETINCHES
resh waterfeetfeet				FEETINCHES
alt water feet feet				FEETINCHES
rillers' Names Rick Knight				
Clint Hort Rib#1			de de	tarcher
Clint Hurt Rig#1 emarks: 11/21/83 DINspected	Locatio	on Rig	mol	ing on
+ Rigging up Will Star	nt drilli	ng Late	e ton	ilght.

11/21/83 DATE DISTRICT WELL SPECTOR

DATE

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY Iling Material Used Dec Local PLUGS USED AN	ation	DISTRIC		_COUNTY			
iling Material Used				COUNTY			
ner Loca		Amoun					
		Amoun				100	
PLUGS USED AN	ID DEBTH BI LATE		Packer	Location	- 1 m - 2 m		
	TO DEFIN PLACED		BRIDGES	CASIN	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	Los	
				(169/25	- 1,24,17		
					91 4 4		
		200				1. 14	
			and the second second	y y federal			
			rostly a many a many and a suit	Mind			
					z sztroteż i	100 10 3	
			managarah salah			Table	
			2 30 10 - 5			× 1075	
						3415-018	
llers' Names					er a - a er		
	2000				and miles of a		
narks:							
			1.34				

B-4

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



OIL & GAS DIVISION

DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 103-1114			Oil oi	Gas Well
Company Clint Hurt	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address ElKriew, W.VA	Size			
Farm R. Robents	16			Kind of Packer
Well No. Roberts #1	13		200	
District Burning Springs County Win &	84 38		278	Size of
Drilling commenced 11/21/83	6%			Depth set
Drilling completedTotal depth	5 3/16			
Date shotDepth of shot	3			Perf. top
	2			Perf. bottom
Initial open flow/10ths Water inIn				Perf. top
Open flow after tubing/10ths Merc. inIn	nch	2011		Perf. bottom
Cu. I cock pressure lbs. h	rs. NAME OF SERV	VICE COMPAN	NY D	No. FT. ///22/8 Bate
resh waterfeetfe				FEETINCHES
alt waterfeetfee				FEETINCHES
Clint Hunt Right	Pushan	Dana	CF	1
Clint Hurt RigH 1 marks: 11/22/83 Rab 278 ft, of 113 leat 39 C.C. + 416 flocele Plug 27/83 Ran 2227 ft, of 854	Down 5:00 A	ine & Co	em. Wi swell.	th 165 Sack
leat 37 C.C. + 4/b flocele Plug 27/83 Ran 2227 ft. of 8/8", 100 Sacks of Regular 37 C.C. Pl 18/83 Backin hole Drying C 11:45 AM with 780 Bis.	ophole wil	145 PM, 1 11 Start	Drillin	ell,
1/28/83 DATE		Home	2 This	01/05/2024 ovakerile

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.							
		ADDRESS	E- and h	AND STA	ne set		
COUNTY							
cation	Amount	Packer	Location	176			
AND DEPTH PLACED		BRIDGES	CASIN	G AND TL	BING		
WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
		×					
					,		
			*, *, \$16.1 ()				
			. 1/				
- L. L.		jedna vistosane					
- 1320							
				production of the con-	52.		
		-					
	AND DEPTH PLACED	Eation Amount AND DEPTH PLACED WOOD-SIZE LEAD	Eation Amount Packer Amount Packer BRIDGES WOOD-SIZE LEAD CONSTRUCTION-LOCATION	ADDRESS DISTRICT COUNTY Cation Amount Packer Location IND DEPTH PLACED BRIDGES CASIN WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED	DISTRICT COUNTY Estion Amount Packer Location AND DEPTH PLACED BRIDGES CASING AND TO WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE SIZE		

I hereby certify I visited the above well on this date.

DATE

OG.11 B-5

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 1/05-1/14			Oil o	r Gas Well
Company Clint Hurt	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address Elkview, WVA,	Size			
Farm Ro Roberts	16			Kind of Packer
Well No Roberts #1	13			
District Burning Spring County Wirt	81/4		- 12 m	Size of
Drilling commenced 11/21/83	6%			Depth set
Drilling completed 11/38/83 Total depth 4947	5 3/16		1 000 March 1	we transce as a Newton Rose
Date shotDepth of shot	3			Perf. top
initial open flow/10ths Water inInch	Liners Used	4.3 - 2		Perf. bottom
Open flow after tubing/10ths Merc. inInch			and the second	Perf. bottom
olumeCu. Ft.	CASING CEMEN	TED	Q. C.	
ock pressurelbshrs.	NAME OF SERV			No. FTDate
ilbbls., 1st 24 hrs.	COAL WAS ENC	OUNTERED A	Т 1	FEETINCHES
esh waterfeetfeet				FEETINCHES
lt waterfeetfeet				TEETINCHES
rillers' Names Rick Knight		I The second sec		The second secon
ling Hurt Rig #1	103/16/	Dan	ng S	tarchen
marks: 11/30/83 C+D, & E Hole	4947	FE. at	1:00	1 A M
Voung Wireline Servi	ce on	Locatio	20 46	aging,
			V	0 0

11/30/83

Homes L, D1/05/2024.

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No				We	II No	
OMPANY			ADDRESS	2	3	
ARM		DISTRICT		COUNTY		
lling Material Used						
ner Lo	eation	Amount	Packer	Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASING AND TU		BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
			*			
				* **	No. 20	
					547 .3	
	·					
				salien -		
					Are 12 - 1	ng E
					oria, will be	Mark Indian
				97	,	
					ET	
llers' Names				- A.	to the second of the	
narks:			The state of the s	1. 5. 1.75		
	7					
	I hereby certify I v	risited the above	ve well on this date.			
DATE						

OG-11 B/4

Permit No. 105-1114

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

Oil or Gas Well

Homes H. 201105120244

INSPECTOR'S WELL REPORT

Company Clin	Hust	TUBING	DRILLING	WELL	PAC	KERS
Address Elkerie	w, W.Va.	Size	-			W. Ash
Farm R. Robe	its	16			Kind of Pa	cker
Well No Roberto	+ + 1	13		-		
		10	and the second second second		Size of	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
DistrictBurning	Spricety Wirt	81/4			The second secon	
Drilling commenced	V	65%	La Asseta		Depth set_	
		5 3/16				
Drilling completed	Total depth	3			Perf. top_	
Date shot	Depth of shot	2		100 VI 10	Perf. botto	m
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Ones flow often tubing	/10ths Merc. inInch				Perf. botto	m
Open now after tubing_						
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SER	RVICE COMPA	NY		80 3 00
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEET	INCH	ES	FEET	INCHES
Salt water	feetfeet	FEET_	INCH	ES	_FEET	INCHES
Drillers' Names						
Remarks: 12/15/8	3 Falked to mo	ik Walker	, well to	ndes	about	Washin
Road. M	ark Called Wate	1 truck	to do s	0.		0

DATE

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No		-		W	ell No	7 -
COMPANY	4	Secretary and agreement	ADDRESS	and the state of the state of the		TOWNS CO.
FARM		DISTRIC	CT	COUNTY		
Filling Material Used		* -				
Liner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	- 0 - 0		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	G AND TL	
				KECOVERED	SIZE	Los
en open de la company de la co				04		**
	N N N N N N N N N N N N N N N N N N N					46.18 S
		1				
ALCOHOL WELLS TO THE			And a second	iz(+T		
	e e e e e e e e e e e e e e e e e e e		Marco In	KNI C.	1.05	
	IVA9%	O 37/41.	See Market 1 1 1 1 1 1 1 1 1	p+11		5-11,1-5,
			ASSESSMENT OF MEETINGS			-
llers' Names						
narks:			A District Commence of the Com		democratical and	AND 1 / 1
						-

I hereby certify I visited the above well on this date.

B 1

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

Permit No. 105-1114 DEPT. OF MINES CASING AND USED IN LEFT IN PACKERS Size Kind of Packer___ 13_ Size of pringounty Drilling commenced Depth set___ 5 3/16_ Drilling completed____ _Total depth_ Perf. top____ Date shot___ Depth of shot Perf. bottom___ Initial open flow_____/10ths Water in____ Liners Used __Inch Perf. top___ Open flow after tubing_____/10ths Merc. in____Inch Perf. bottom_ Volume_ Cu. Ft. CASING CEMENTED____ __SIZE_ ____No. FT.____Date Rock pressure_ NAME OF SERVICE COMPANY hrs. Oil _bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT___ FEET INCHES Fresh water_ feet feet FEET INCHES INCHES Salt water_ feet feet FEET INCHES FEET INCHES Drillers' Names.

Remarks: 12/16/83 Road had been washed with water truck, asked Mark Walker to install Gulvert & Stoane entrance of Sease Road. Mark agreed to do work next Neek, Will clospect again on 12/19/83

12/16/83

James H. Douglesty
DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

and the same			7		II No			
OMPANY		4 23	ADDRESS		As part of the second			
ARM		DISTRICT	CC	OUNTY				
Illing Material IV.						X -		
illing Material Used								
Liner Location Amount Packer Location								
PLUGS USED A	ND DEPTH PLACED		BRIDGES					
CEMENT-THICKNESS			CONSTRUCTION-LOCATION	RECOVERED	G AND TU	1		
			CONTROL TON LOCATION	RECOVERED	SIZE	Los		
			the second secon		and the second			
			y		A	Commission Section		
A CONTRACT TO THE				1500 L				
			- 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
			and the second state of the second					
9		7777754		and the second				
					2.50			
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		a agree of the second second			
A Secretary					180			
llers' Names		TP:				The second second		
marks:	÷		A Commence of the Commence of		,			
				g				
DATE	hereby certify I	visited the abov	e well on this date.					
					01/05/2	2024		

DISTRICT WELL INSPECTOR

B, 8

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

DEPT. of MINES

INSPECTOR'S WELL REPORT

Company Clint Hut Casing and Delin	
Farm Roberts 16	
Well No. Roberts #/ District Durning Spring County Wirt Drilling commenced Drilling completed Total depth Date shot Depth of shot Total depth Depth of shot Depth of shot Total depth Total depth Depth of shot Depth of shot Total depth Depth of shot Depth of shot Depth of shot Total depth Depth of shot Depth of shot	63 P.
Well No. Roberts ## 10 Size of District Burning Springs ounty Wirt 81/4 Depth set Drilling commenced 53/16 Perf. top Date shot Depth of shot 2 Perf. bottom	
District Surning Spring County Wirt Drilling commenced Depth set 5 3/16 Date shot Depth of shot 2 Perf. bottom	
Drilling commenced 6% Depth set	
Drilling completedTotal depth	
Date shotDepth of shot	
Terr. bottom	
Open flow after tubing/10ths Merc. in Inch Perf. bottom	
VolumeCu. Ft. CASING CEMENTEDSIZENo. FT	Date
Rock pressurelbshrs. NAME OF SERVICE COMPANY	
bbls., 1st 24 hrs. COAL WAS ENCOUNTERED ATFEETI	ICHES
resh water feet FEET INCHES FEET IN	
Salt water feet FEET INCHES FEET IN	
tubing into tank.	
emarks: 0/2/19/83 met with Dray Merrille who was mony	rg
in Small dozes and Back hol to install two culverts	9
on location road. Stone to be put on entrance of location Road 12/20/83.	

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

23/11/10 TO THINSPECTOR'S PLUGGING REPORT

	DISTRIC	ADDRESS	COUNTY		
			COUNTY		-
	A				
	A		and the same of th		
	Amount	Packer	Location		المساد فليطير
EPTH PLACED		BRIDGES	CASIN	G AND TU	BING
VOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOS
				7.7.5.1. V	
				The state of the s	
			1 12		1
		i syn	1 diamina		
		Section 1997 Annual Company of the Section 1997			
		de la casa			100
			1		
13.7°		N 100 10 10 10 10 10 10 10 10 10 10 10 10		Annie Calendaria	
- N. A. 1888 - 1		TO AMARIA			
		337 3137	Maria Maria		
		VOOD-SIZE LEAD	VOOD-SIZE LEAD CONSTRUCTION-LOCATION	VOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED	CASING AND TU

vertify I visited the above well on this date.

B/9

185-11111

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. OF MINES

Fermit No			Oil o	r Gas Well
Company Clint Hust	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address Elkeriew, W.Va.	Size			Page 1 and a second of the second
Farm R. Roberts	16			Kind of Packer
Well No. Roberts #1	13			
District Purming Springs County Wist	81/4	1 800 - 1 1 10 10 10 10 10 10 10 10 10 10 10 10		Size of
Drilling commenced 11/21/83	6%			Depth set
Drilling completed ///38/83 Total depth	5 3/16		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	and the same North of the same of the same
Date shotDepth of shot	32			Perf. top
Initial open flow/10ths Water inInch	Liners Used			Perf. bottom
Open flow after tubing/10ths Merc. inInch			(824) (3 d) (824) (823 h)	Perf. bottom
VolumeCu. Ft.		TED	SIZE	No. FTDate
lock pressurelbshrs.	NAME OF SERV			No. FTDate
bbls., 1st 24 hrs.	COAL WAS ENC	OUNTERED A	T	FEETINCHES
resh waterfeetfeet				FEETINCHES
alt waterfeetfeet				FEETINCHES
rillers' Names Status Report		11101112		FEETINCHES
,				
emarks: /2/21/83 Eulvert clistall en poud Just up Hill. I Falked with Gray Merrill above Eulvert in Road I Stone for Entrance due	led at Ste Road entre le about c	ance to Install	state of	est clustalled road graded wersion dites
Stone for Entrance due	in at	1:30 p.	m.	g og nosa.

12/21/83 DATE

Homes H. 01/05/2024

DISTRICT WILL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 14 30 19	terri Sad		· · · · · · · · · · · · · · · · · · ·	We	II No	
MPANYADDRESS						
FARM		DISTRICTCOUNTY				
Filling Material Used						
iner Loc	ation	Amount	Packer	Packer Location		- Janes
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE LEAD		CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
				(2) (C.) (C.) (C.) (C.)		
			S James Dyn			
				h digeth was		
			Out that the same of the same	41000		
en and the state of the state o				200		1993.8
	4		Language Page Section			
	dy any	0.201010		100		
	**					
(a.) (a.) (a.)		30.27	The state of the s			
illers' Names						
mers Names						
marks:			700			

I hereby certify I visited the above well on this date.

DATE

B/10

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. OF MINES

	•	20 (April 20) 1 A Pril 1	Oil o	Gas Well
Company Clint Hurt	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address Elkview, W.Va.	Size		OF THE STATE OF STATE	
Farm R, Roberts	16			Kind of Packer
Well No. Roberts #1	13			
District Burning Springs County Wirt	81/4			Size of
Drilling commenced	6%			Depth set
Drilling completedTotal depth	5 3/16			AND RECEIVED AND AND AND AND AND AND AND AND AND AN
Date shotDepth of shot	2			Perf. top
Initial open flow/10ths Water inInch	Liners Used		V 10 10 10 10 10 10 10 10 10 10 10 10 10	Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEMEN			No. FTDate
bbls., 1st 24 hrs.	COAL WAS ENC			FEETINCHES
resh waterfeetfeet	FEET_	INCHE	s	FEETINCHES
alt water feet feet	FEET_	INCHE		FEETINCHES
rillers' Names Status Report on	Road + s	State Ro	ael.	1800 PM 200
emarks: 12/22/83 Stone on re clustolled in road. Culve Statt road clear of men				sion ditch q water goor

12/22/83

Jomes J. 01/05/2024

DISTRICT WELL INSPECTOR

DATE

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDR	ESS	The second secon	constitution and the F			
FARM									
	COUNTY								
'illing Material Used					man de la companya de	HE WE			
iner Lo	eation	Amount		Packer	Location				
	ND DEPTH PLACED								
				BRIDGES		G AND TU	BING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTR	UCTION-LOCATION	RECOVERED	SIZE	Los		
			7		e de la composition della comp	Q. 1844	and the		
				2.08			3112 25		
The second section					Tradepal.				
			inis Procedit	ne de la contraction de la con	1212				
					+				
			1	61.275	100 mm	2, 375 (34)	A Company of the Co		
		processor and							
			N 197 197						
		100000000000000000000000000000000000000			and a Management				
				100					
All Milana and the control of the co									
rillers' Names		Total Control					A security's		
emarks:			en er en	4			, ,		

01/05/2024

B 11

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT DEPT. OF MINES

Permit No. 105-1114				Gas Well
Company Clint Hust + associates	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Elkview, W.Va.	Size			
Farm R. Roberts	16		7 11 816 WA	Kind of Packer
Well No. Roberts # 1	10			Size of
District Burning Springs County Wist	81/4			
Drilling commenced	5 3/16			Depth set
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEMEN	NTED	SIZE	No. FTDate
Rock pressurelbshrs.	NAME OF SER	VICE COMPA	NY	
bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
resh waterfeetfeet	FEET_	INCH	ES	FEETINCHES
alt water feet feet	FEET_	INCH	ES	FEETINCHES
Drillers' Names Status Report				Nemzieks.
Reclaimed Pit filled By Ready for Seed & Mulch,	la mate	m. Re	rad +	Location
Ready for Seed & Mulch,		and g	uecia	sogs stocke
0/01/811			13 1 (0.515)	STATI

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY	a 48		ADDRESS	10 4		1 100	
ARM	DISTRICT COUNTY						
ling Material Used				5.5	4		
Liner Location PLUGS USED AND DEPTH PLACED		Amount Packer		Location			
			BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST	
				La Granda			
	Marie						
920 slotte0 ju	A STATE OF THE STA						
			4 8 8 5				
Test to							
			2003	15 15 15		2 2 2 2 2 3	
the second secon				and the same of th	199	Marian Par	
				Carrie I was an array			
		The second secon		Maria Commence	and the	28 7 3 1	
			Comment of the Commen			3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
Management 2 d Assess	- Land Control of the		A 12 Kanagaran and Andrews				
	77.85.80				A STATE OF THE STATE OF	CHREST C	
and the second							
() and the majority in the support of the second s	A 178.27						
Orillers' Names	and the second second						
				35-7	4	47.	
and the substitute of the subs	ELECTRIC CONTROL CONTR		populari de la comprese persona de la comprese de La comprese de la comprese del comprese de la comprese de la comprese del comprese de la comprese del la comprese de la comprese del la comprese de la	etiano este eta en este a esta esta esta esta esta esta es			
Remarks:							
			11				
	I hereby certify I vi	isited the above	well on this date.				
DATE							

STATE OF WEST VIRGINIA
DEFORTMENT OF HINES
OFFICE OF OIL AND GAS
CHARLESTON 15300
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT



1114 OIL & GAS DIVISION Permit No. 47-105-11 DEPT. OF MINES umpany: HURT, CLINT, & ASSOC erm: ROBERTS, WAYNE ROBERTS#1 Well: County:WIRT (11-18-83)In Compliance 3.06 Notification prior to starting work 5.04 Prepred before drilling to prevent waste 5.03 Hish pressure drilling 6.01 Required permits at wellsite 5.03 Adequate Fresh Water Casing 5.02 Adequate Coal Casing 5.01 Adequate Production Casins 5.04 Adequate Cement Strength 5.05 Cement Type 3.02 Maintained Access Roads 5.01 Necessary Equipment to Prevent Waste 3.04 Reclaimed Drillins Pits 3.05 No Surface or Underground Pollution 3.07 Requirements for Production & Gathering Pipelines V01 Well Records on Site √02 Well Records Filed 7.05 Identification Markinss HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED! our well record was received and reclamation requirements approved. In accordance ith Charter 22: Article 4: Section 2: the above well will remain under bond overage for the life of the well.

Date

July 3, 1985

Administrator

[08-78]



ONL & GAS DIVISION

DEPT. OF MINES

Operator's Well No. API Well No.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

WELL OPERATOR'S REPORT INITIAL GAS-OIL RATIO TEST

WELL OPERATOR	ALLIANCE RESOURCES CORP. 12900 PRESTON RD., STE. 500 DALLAS, TEXAS 75230 (214) 991-5908	Address P.O. Box 288 ELKVIEW. WVa 2507/	
GEOLOGICAL TARGE	ET FORMATION: Marcellu	Perforation Interval 2576 - 4774 re	et et
2- A 24 hou 3- Uniform 4- Measurem	m of gas vented or flared or preflow into pipelines or tanks producing rate during the 24 hour ent standards as for Form IV-39		

START OF TEST PATEL	TEST DATA			
START OF TEST-DATE TIME 7:00 AU	END OF TEST-DATE TIME	DURATION OF TEST		
The contraction will be a contract of the cont	SSURE SEPARATOR PRESSURE	M dy Res		
60 TH 18	0# 40#	SEPARATOR TEMPERATURE		
	S PRODUCTION DURING TEST WATER F	PRODUCTION DURING TEST & CALIBRATY		
O bbis.	5 O Mcf	()		
OIL GRAVITY	PRODUCING METHOD (Flowing	O bbls. pim.		
	PI FE-	, pumping, gas (111, etc.)		
The second section of the second section is a second section of the second section sec		wg		
	GAS PRODUCTION	9		
MEASUREMENT METHOD	l p	POSITIVE CHOKE		
FLANGE TAP		CRITICAL FLOW TROVER		
DRIFICE DIAMETER 3/	PIPE DIAMETER (INSIDE DIAM.)	NOMINAL CHOKE SIZE - IN.		
-/4	2	A CHOICE STATE OF THE		
DIFFERENTIAL PRESSURE RANGE	MAX. STATIC PRESSURE RANGE	PROVER & ORIFICE DIAM II.		
DIFFERENTIAL				
TITERENTIAL	STATIC	GAS GRAVITY (Air-1.0)		
AS GRAVITY (Air-1.0)	FLOWING TEMPERATURE	MEASURED ESTIMATED		
	TEOWING TEMPERATURE	GAS TEMPERATURE .F		
4 HOUR COEFFICIENT	The same and the s	24 HOUR COEFFICIENT		
		3		
		PRESSURE - / psia		
	TEST RESULTS			
AILY OIL DAILY WAT	ER DAILY GAS	GAS-OIL RATIO		
O bbls.	O bbls. 50			
		Mcf. SCF/STF		

ALLIANCE RESOURCES CORP. 12900 PRESTON RD., STE. 500 DALLAS, TEXAS 75230 (2/14): 991-5908

