FILE COPY



1)	Date:	July 27	, 1984
2)	Operator's Well No	Mills #1	08-751/80

County

Permit

3) API Well No.

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

APPLICATION	FOR	A	WELL.	WORK	PERMIT

4) WELL TY	PE: A C	Oil	<u>/ G</u>	as X			Other medical rate	a contract and ten	
	В (If "Gas",	Productio	n	X			/ Deep	_/ ShallowX/)
5) LOCATIO	ON: Ele	evation:	112	21.23		Watershed:	Burning Spr	ings Run of L	sittle Kanawha (L
	Di	strict:	durning	Spr	rings	County:	Wirt	Quadrangle:	Burning Springs 27
6) WELL OF	PERATOR	H. D.	Wells	Oil	& Ga	s, Inc.	7) DESIGNATE	DAGENT H. D.	Wells, III Box 1785
Addres							Address		
8) OIL & GA			ston, W		5326		0) DRILLING C		eston, WV 25326
	Homer 1				:927-	4591	9) DRILLING C	rl E. Smith	
Addres			Rt., B				Address	Sandyville	. WV
			ille,				Address		DE PERMIN
10) PROPOSI	ED WELL	WORK:	Drill	x	/ Dril	l deener	/ Redrill	/ Stimulate_X	TO BUSINE
							orate new formation		111/2
									1111
11) GEOLOG	ICAL TAR	GET FOR							JUL 3 1 1984
						fee			
							lt, 560		OIL & GAS DIVISI
				_	Non	eIs c	oal being mined in th	e area? Yes	DEPT. DE MI
15) CASING	AND TUBI								DEC. I. UF IVII
CASING OR TUBING TYPE		SPEC	Weight	1		FOOTAGE	INTERVALS	CEMENT FILL-UP OR SACKS	PACKERS
	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Conductor Erech water	0 E /0					075	075		Kinds
Fresh water Coal	9 5/8			X		275	275	to surface	NEAT
Intermediate	7			v	The last	2000	2000	2501	Sizes
Production	4 1/2			X		4750	2000 4750	350 sacks	
Tubing	1 1/2	9-15				4730	4/50	195 sacks	Depths set
Liners							1 9 8 8 8 8 8	or as	Perforations:
		1000						1 4	Top Bottom
			0.49.8.115				TO THE PARTY OF TH	PART	y the unit of the standard like
	L _{ist}								
		- 1				OFFICE USE			ASSESSMENT OF THE STATE OF THE
						DRILLING PI	ERMIT		
Permit number_	47-	-105-1	148					August 1	, 19 84
								Date	the state of the second
This permit cove	ering the we	ell operato	or and well	locatio	on shown	below is evidence	of permission grante	ed to drill in accordance	ce with the pertinent legal re-
No. o) Frior to	the constru	cuon of re	dads, locat	ions an	d pits for	r any permitted wo	rk.In addition, the w	given to the District Oi	il and Gas Inspector, (Refer to
district oil and g	as inspector	r 24 hours	before ac	tual per	rmitted v	vork has commence	ed.)	en operator or ms cont	ractor shall notify the proper
The permitted w	ork is as de	scribed in	the Notice	and A	pplicatio	n, plat, and reclam	nation plan, subject t	o any modifications an	nd conditions specified on the
everse nereor.			, 1986						
Permit expires _		,400	, 1500			unless wel	l work is commenced	prior to that date and p	prosecuted with due diligence.
		V							
BORE ANKET	Agent	I	Plat:	Casin	g	Fee			
169	0	nr	nu	m	11 2	956	n		10000
	1			111	NIO	/	1 larga	not - 11	1011.
								nistrator, Office of Oi	l and Gas
NOTE: Keep or	ne copy of	this permi	it posted a	t the dr	illing loc	ation.	O dann		i and Gas
		C							12/01/202 File

JUL 3 1984

OIL & GAS DIVISION



OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

						902 Gra	
NEAT	to surface		275				
	195 sadies	4750	4750				and mornibary
that had bay	00.00	OFFIC	E USE ONLY				griffing
James John John							
This part of Form IV-20	(b) is to record the	dates of certain	n occurrences a	and any follow	-up inspect	ions.	
						Date	(s)
		Date			-	Butt	(0)
Application received			Follow-u	p inspection(s))		
Application received		X M					
Well work started			as evil, so	,,			
48 WORK Started	August 1,				84811-		
Completion of the drilli	ing						
process	den delle in de protection		reamenive at Moiso	ant ao basan ba			
Well Record received			opramme all As				
od conditions specified on the			melber brie the q	notisologA, as			
Reclamation completed					1, 1986		
OTHER INSPECTION	IS						979 VI 2 8 80 631
				graca.	1000		TUNKARION)
Reason:			450	MIN SI	TAUL	08	F31
Reason:	not I !	1/0290	1				
Keason:		the state of the s					

S was correction of the waste of

Name Honer Dougherty
Advise Linden St.,

IV-9 (Rev 8-81)



DATE July 26, 1984

WELL NO. Mills No. 1

State of Mest Airginia Pepartment of Mines Oil and Cas Division API NO. 47-105-1148

CONSTRUCTION AND RECLAMATION PLAN


COMPANY NAME H. D. Wells Inc.	I	DESIGNATED AGENT H. D. Wells Inc.
Address Charleston, WV 25326		Address P. U. Box 1785 Charleston, WV 25326
Telephone 304/346-2829		Telephone 304/346-2829
LANDOWNER Fred Kirby		SOIL CONS. DISTRICT Little Kanawha
Revegetation to be carried out by H.	D. Wells	s Inc. H. D. Wells (Agent)
This plan has been reviewed by	100000000000000000000000000000000000000	The state of the s
and additions become a part of this pla		Kanawha SCD. All corrections
and address section a part of this pra	m:	7-30-84 DECERRE
	Jar	rett Toursen / KEGEUVE
	1	(SCD Agent)
ACCESS FOAD		LOCATION JUL 3 1 1984
Structure cross drains	(A)	Structure drill pit OIL & GAS DIVISION
Spacing 80'		Material earthen DEPT. OF MINES
Page Ref. Manual 2:4		Page Ref. Manual
Structure cross drains	(B)	Structure location on flat ridge in (2)
Spacing 70'		a meadow field Material
Page Ref. Manual 2:4		Page Ref. Manual
Structure	(C)	Structure (3)
Spacing		Material
Page Ref. Manual	3.9	Page Ref. Manual
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before	ackea ana	all homes and anall till a
	· ·	
RE	VEGETATIO	IN .
Treatment Area I		Treatment Area II
Lime 2 Tons/acre or correct to pH	1	Lime2 Tons/acre
Fertilizer 500 lbs/acre		or correct to pH
(10-20-20 or equivalent)		Fertilizer 500 lbs/acre (10-20-20 or equivalent)
Mulch Hay or Straw 2 Tons/acre		Mulch Hay or Straw 2 Tons/acre
Seed*Orchardgrass 20 lbs/acre		Seed* Orchardgrass 20 lbs/acre
Ladino Clover 5 lbs/acre		Ladino Clover 5 lbs/acre
lbs/acre		lbs/acre
*Inoculate all legumes such as vetch, Inoculate with 3% recommended comount.	trefoil a	ma clovers with the proper bact 12/01/2023
P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FIN PREP	PARED BY C. T. Tolley, Jr.
NOTES: Please remuer landounche'	. A	LTDRESS 7911 Sissonville Drive
seciling for one growing season. Attach separate shoots as		Sissonville, WV 25320
necessary for comments.	F#C	NE NO. 304/988-9432

ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.
QUADRANGLE Burning Springs

15911, 1 /m.

1 . 4.4 11 7 744

LEGEND
Well Site
Access Road ———



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.


Property boundary

Road = = = Spring O

Existing fence X X Wet spot Building Stream

Open ditch Drain pipe O


Waterway C = = =



Mills No. 1 API #47-105-1148

MINERAL RIGHTS OWNERS

Warren & Katherine Mills Gail M. Mills Douglas J. Mills Elizabeth, WV 26143 Elizabeth, WV 26143 Elizabeth, WV 26143



State of West Winding

	_			
.)	Date:	July	27	, 19 84
11	Operato	215		

Well No. Mills #1

3) API Well No. 47 - 105-//48 State County Permit

STATE OF WEST VIRGINIA DEPARIMENT OF MINES, OFFICE OF OIL & GAS

		NOTICE OF APPLICATION	FOR A WELL	WORK PERMIT			
4) SU	RFACE OWN	ER(S) OF RECORD TO BE SERVED	5(i)	COAL OPERATOR	None None		
(i)	Name Fre	d W. Kirby Tel: 275-6614		Address			
,_,		Rt. 2, Box 138					
	and the same of th	Elizabeth, WV 26143	5(11)	COAL OWNER(S)		ATION ON E	RECOR
(ii)	Name			Name	None		
	Address	:		Address			
	_			\\			
(iii)	Name			Name			
	Address_			Address			
	_		5(iii)	COAL LESSEE W	תחש הבעיד אהאחי		2055
•			2 (111)	Name			LORD:
				Address	None	÷	
,				AULT ESS			
				-			
		TO THE PERSON(S) NAMED ABOVE: You should					
		(1) The Application for a Well Work	Permit on Form IV	-2(B) (or Form IV-4 i	f the well is		
		to be plugged, which sets out the and describes the well and its la	e parties involved ocation and, if a	in the drilling or colicable, the propos	other work, ed casing and		
		comenting program:					
		(2) The plat (surveyor's map) showing (3) The Construction and Reclamation	Plan on Form IV-) unless the well wo	rk is only to		,
		plug a well), which sets out the	plan for erosion	and sediment control	and for		
		reclamation for the site and acc		-		77777	TRI
		THE REASON YOU RECEIVED THESE DOCUMENT WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS"	MTS IS THAT YOU H	AVE RIGHTS REGARDING	THE APPLICATION	C)EILIV	1
		(FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU ACTION AT ALL.	OU. HOWEVER, YOU	ARE NOT REQUIRED TO	PARE ANY	900	9
		Take notice that under Chapter 22 of					5
		erator proposes to file or has filed this for a Well Work Permit with the Administra Department of Mines, with respect to a wel and depicted on attached Form IV-6. Copie Construction and Reclamation Plan have bee by hand to the person(s) named above (or heafore the day of mailing or delivery to	ator of the Office 11 at the location as of this Notice, an mailed by regis by publication in	e of Oil and Gas, West described on attach the Application, the stered or certified m	ed Application plat, and the all or delivered OU	UL 3 / 198 Lo L& GAS DIV PT. OF N	ISION
		6) EXTRACTION RIGHTS					
		Check and provide one of the following: Included is the lease or leases or o	ther continuing c	ontract or contracts	he which		
		I hold the right to extract oil o	T CAS		_	÷	
		☑ The requirement of Code 22-4-1-(c) (1	.) through (4). (S	ee reverse side for s	pecifics.)		
		7) ROYALTY PROVISIONS Is the right to extract, produce or mar or other contract or contracts providin for compensation to the owner of the oil to the volume of oil or gas so extracte	or gas in place i	byalty or any similar			
		If the answer above is No, noth					
		you may use Affidavit Form IV-60.	ing additional is	needed. If the answe	r is Yes,	,	
		See the reverse side for line item the required copies of the Notice	instructions, and Application,	d for instructions co plat, and Constructio	ncerning n and		
_		Reclamation Plan.					
		the information on the	WELL			,	
		plication is verified	OPERA	TOR H. D. Wel	ls Oil & Gas,	Inc.	
		and the Notice is	/	0/60 112	11		
		alf of the Well Operator	By //	the Mille	11/10/	Tille	1
in m	3 1 : 3	and State by	Its	TTCDTactic			
	. 00	ELLS, HH	Add	ress P.O. Box	1785, Charles	ston, WV	25326
	27 day of						
M	y commiss	ion expires 9-22, 1991.	Tel	ephone (304)	346-2829		
	Dollin	1. Toel Lear			12/0	J1/2023	
N	otary Pub	olic, STATE WISE County,					
	1	will country,					

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that ' am the person who signed the Notice for the Applicant, and that—

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page
Warren & Katherine Mills Ray Resources (div.
Gail & Douglas Mills of Bow Valley Petroleum) 12.5% 160 287

BOW VALLEY PETROL. BY FARMOUT AGREEMENT TO H.D. WELLS ON Y EAS EXP + DEV. (NC. DATED JULY 26, 1984.

SURFACE OWNER'S COPY



1)	Date:	July 27		, 19 04
2)	Operator's			
	Well No	244 7	16 41	
3)	API Well No.	47	105	
-,		State	County	Dermit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4)	WELL TY		No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa							
				Production				nd storage	/ Deep	/ Shallow/)
5)	LOCATIO			112				Burning Spr	ings Run	
				urning			_ County:			Furning Springs
6)	WELL OP	ERATOR_	H. D.	Wells	Oil	& Gas	a, Inc.	7) DESIGNATE	D AGENT	Wells, III
	Address	_ P.	0. Bo	x 1785				Address	P.O.	Box 1785
			arles	bon, W	7 2!	5326	usalts, edensition to		Charl	eston, WV 25326
8)	OIL & GA				FIED				ONTRACTOR:	
	Name	Homer I	loughe	rty	Tel	927-	1591	NameCa	rl E. Smith	The COUNTRY DESCRIPTION OF
	Address			Rt., Be	BE STATE OF THE ST	HISTORY OF PERSONS IN		Address	Sandyville	PARRAPE
		- La	coneyv	ille,	W.	25259			Arrest was to be a second	17 6 6 5 W 17 1
10)	PROPOSE	D WELL	WORK:	Drill	х	_/ Drill	deeper	/ Redrill	/ Stimulate	10
				Plug of	f old f	formation	n/ Per	forate new formation		TITI S
				Other p	hysical	change i	n well (specify)_			JUL 3 1 1984
11)	GEOLOGI	CAL TAR	GET FOR	MATION		Devo	mian Shale			
	12) Estima	ted depth o	of complet	ed well,		4750	fe	eet annah make		
	13) Appro	ximate trat	a depths:	Fresh, _	11	50	feet; s	alt, 560	feet.	OIL & GAS DIVISION
	14) Appro	ximate coa	l seam dep	ths:		None	Is	coal being mined in th	e area? Yes	DEPT OF MINE
15)	CASING A	ND TUBI	NG PRO	GRAM						
	SING OR		SPEC	IFICATIONS			FOOTAG	SE INTERVALS	CEMENT FILL-UP	PACKERS
TU	BING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	superior with our or 75
Cone	luctor		40 5 7 5 7 5 5				23 10 Hb = 112 22	100 000 000 000 000 000 000	o transferitories	Kinds
	water	9 5/8			×		275	275	to surface	
Coal		3 37 0					10710100000		COLO SOLLA ALCANONO	Sizes
	mediate	7			×		2000	2000	350 sacks	Sizes
		1 1/2			36		4750	4750	195 sacks	Depths set
	uction	3 4/6			- 23		4100	21.30	ADD DOCKE	Depths set
Tubi	CANADA SE ANOMA	2005, 00085			THE SHE	I SHOULD	School Solesia	THE CHICK STREET, SAID	10 DESCRIPTION OF 281	Perforations:
Line	iS									THE RESERVE THE PROPERTY OF THE PARTY OF THE
										Top Bottom
			NA BELL SE				The same of the sa	and the second s		
							our round to the			The street of the street street
		The	law requir	es a comm	ent ne	riod for s	urface owners H	lowever, the permit ca	n he issued in less than	n 15 days from
								gn(s) the following "Vo		
							f the Application		construct bearing	re-use so religion Turb
					VC	DLUNTA	RY STATEMEN	T OF NO OBJECTION	ON	
	I haraby ate	to that I he	ava road th	a instructi	one to	face o	ware on the rave	rea side of this Applies	ation for a Wall Work	Permit, and that I have received
COL										n Form IV-2(B), (3) a survey plat
Control of the Contro	Gentleman Christian Constitution	Carlo made Scarlotter of the Carlot	CONTRACTOR OF STREET					Control of the last transfer of the control of the		ad as described therein.
										rmit being issued based on those
ma	terials.									
(Fo	r execution	by corpora	tion, parti	nership, et	<u>c.</u>)			For execution by natu	ral persons)	
NA	ME:							VA //	1/ 1/	1. 12.01
						1	18 3 6 (4)	1 mes a	(Signature)	Date: 7-30-84
	Ву								(Signature)	U
	Ite				ı	Date			(Cionatura)	Date:
	113								(Signature)	

OIL & GAS DIVISION

DEPT DE MINES

INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Article 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil erosion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.

PS Form 3800, Feb. 1982 Fred W. Street and No. Postmark or Date TOTAL Postage and Fees Date, and Address of Delivery Return Receipt Showing to whom and Date Delivered Return Receipt Showing to whom, Special Delivery Fee P.O., State and ZIP Code Restricted Delivery Fee Certified Fee RECEIPT FOR CERTIFIED MAIL P522 NO INSURANCE COVERAGE PROVIDED— NOT FOR INTERNATIONAL MAIL 123bxth (See Reverse) 38 37 26143 55 235 OIL & GAS DIVISION

1984 18700 125 SE тетиви весегат PS Form 3811, July 1982 I have received the article described above. SIGNATURE 4. TYPE OF SERVICE: SENDER: Complete items 1, 2, 3, and 4.
 Add your address in the "RETURN TO" space on reverse. ADDRESSEE'S ADDRESS (Only It requested) CERTIFIED UNABLE TO DELIVER BECAUSE: EXPRESS MAIL ARTICLE ADDRESSED TO: REGISTERED DATE OF DECIVERY TO S LICE (Always obtain signature of addressee or agent) (CONSULT POSTMASTER FOR FEES) Addressee □ INSURED Authorized agent TOTAL ARTICLE NUMBER # GPO: 1982-379-593

12/01/2023

Inspector's signature

INSPECTOR'S PERMIT SUMMARY FORM

WELL TYPE COMBINATION (A CONTRACT OF THE PARTY OF THE				
ELEVATION 1121.23'		OPERA'	TOR H.D.	WELLS OIL 8	GAS, INC
DISTRICT BURNING SPRIN					
QUADRANGLE GIRTA		FARM_	KIRB	Y	
COUNTYWIRT		WELL ;	# MILLS	#1	
SURFACE OWNER FRED KIRBY		COMMENTS		TELE	PHONE
TARGET FORMATION DEV.	SHALE	DATE APPL	ICATION	RECEIVED	7/27/84
DATE STARTED _{8/1/84} LOCATION	NOTIF	IED_YES	DR		WHENCED 8/10
					VD GAO
WATER DEPTHS NR COAL DEPTHS					7 1986
Ran_290 feet of	9 5/8	CASING	8/11/84	100) sx
Ran 2020 feet of Ran 4762 feet of					
Ranfeet of		"pipe on		with	fill up
mp //775 foot on	0/10/01				
TD 4775 feet on	0/19/84				
		PLUGGING			
		Thouding			
Type	Fro	m	То		Pipe Removed
NA					
Pit Discharge date:	NA	Type			
Field analysis					
Well Record received_					
Date Released 4/10/86			0	1	

API#	47	_	-

LIST ALL VISITS FOR THIS PERMIT

DATE	TIME	PURPOSE	COMMENTS
	3	and the second	The second secon
	in the state of th		
			A COLUMN TO A COLU
			. V.C.O.
and done to	in included		
			SA CONTRACTOR

		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		26/22/6	
alle end s	23 3.11	28/8/10	
	state (00%-000-000)	16/27/8	1700 - Company of the
			773
		Act of the second secon	
A Apple			
	1000		

Notes





OIL & GAS DIVISION
DEPT. OF MINES

State of Mest Birginia Bepariment of Mines Gil and Cas Bivision

Date Nove	ember 27, 1984
Operator's	3
Well No.	Mills No. 1
Farm	Mills
API No. 47	7 - 105 - 1148

WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 1121.23 Watershed Bu	ırning Spri	nas Run of	Little Ka	anawha
District: Burning Springs County Wir	t	_Quadrangl	e Burnino	Springs
COMPANY H. D. Wells Oil & Gas, Inc.				
ADDRESS P.O. Box 1785, Charleston, WV 25326	Cacina	Used in	Toft	Cement
DESIGNATED AGENT H. D. Wells, III	Casing		in Well	fill up Cu. ft.
ADDRESS same as above	Size	Diffing	TII WEIL	Cu. I.C.
SURFACE OWNER Fred W. Kirby	20-16			
ADDRESS Rt. 2, Box 138, Elizabeth, WV 26143	Cond.	-		
MINERAL RIGHTS OWNER see attached sheet	9 5/8	307	307	to sunface
ADDRESS	8 5/8	307	307	to surfac
DIL AND GAS INSPECTOR FOR THIS WORK Homer	7	2 022	0.000	250 -1
Dougherty ADDRESS Looneyville, WV	5 1/2	2,032	2,032	350 sks
PERMIT ISSUED August 1, 1984	4 1/2	4,780	4,780	195 sks
DRILLING COMMENCED August 10, 1984	3	4,700	1,700	193 505
DRILLING COMPLETED August 24, 1984	2			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED	Liners		1 7	
ON	useu			
	1	Dep	th 4,7	80 feet
DN	le			
GEOLOGICAL TARGET FORMATION Brown Sha	le Rotary x	/ Cable	e Tools_	
GEOLOGICAL TARGET FORMATION Brown Sha Depth of completed well 4,780 feet	le Rotary x Salt 56	/ Cable	e Tools_	
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none	le Rotary x Salt 56	Cable feet	e Tools_	
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none	le Rotary x Salt 56 Is coal	/ Cable	e Tools_	area? <u>no</u>
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale	le Rotary x Salt 56 Is coal Pay	/ Cable feet being mine zone dep	e Tools_ed in the	area? <u>no</u>
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d	Rotary x Salt 56 Is coal Pay Oil: In:	cone deprintal open	ed in the	area? <u>no</u> 30 feet
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale	Rotary x Salt 56 Is coal Pay Oil: In:	/ Cable feet being mine y zone depritial open hal open fi	ed in the	area?no 30 feet bu/ Bbl/c
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d Final open flow 60,000 Mcf/d	Rotary x Salt 56 Is coal Pay Oil: In: Firstial and f:	/ Cable feet being mine y zone dep itial open hal open final tests	ed in the	area?no 30 feet DW Bbl/c
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d Final open flow 60,000 Mcf/d Time of open flow between initial	Rotary x Salt 56 Is coal Pay Oil: In: Firstial and firstee measurer	/ Cable feet being mine y zone depritial open hal open final tests ment) after	ed in the	area?no feet Bbl/c Bbl/c Bbl/c rs shut ir
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d Final open flow 60,000 Mcf/d Time of open flow between initial static rock pressure 460 psig(surface)	Rotary x Salt 56 Is coal Pay Oil: In: Firstial and f: ce measurer n)	/ Cable ofeet being mine y zone depritial open hal open final tests ment) after	ed in the	area? no fee Bbl/c Bbl/c urs rs shut in
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d Final open flow 60,000 Mcf/d Time of open flow between initiation of the strate of the	Rotary x Salt 56 Is coal Pay Oil: In: Fin tial and f: ce measurer n) Pay	/ Cable ofeet being mine y zone depritial open hal open final tests ment) after	ed in the th 4,6 flow show 12 hour 12 hour 12 hour 12 hour 12 th 32 20	area?no feet Bbl/c Bbl/c Bbl/c Bbl/c Bbl/c 1 Bbl/c
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d Final open flow 60,000 Mcf/d Time of open flow between initiation of open flow second producing formation Shale	Rotary x Salt 56 Is coal Pay Oil: In: Fin tial and f: ce measurer n) Pay Oil: In:	/ Cable ofeet being mine y zone depritial open hal open final tests ment) after y zone depritial open	ed in the th 4,6 flow show 12 hour 12 hour 12 flow 1/4 fl	area?no feet by Bbl/c Bbl/c rs shut in c/01/2023 feet Bbl/c Bbl/c
Depth of completed well 4,780 feet Water strata depth: Fresh 150 feet; Coal seam depths: none DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 20,000 Mcf/d Final open flow 60,000 Mcf/d Time of open flow between initiation of the strate of open flow between initiation of the strate	Rotary x Salt 56 Is coal Pay Oil: In: Fir tial and f: ce measurer n) Pay Oil: In: Oil: Fir	/ Cable feet being mine y zone depritial open hal open fi inal tests ment) after y zone depritial open itial open hal open fi	ed in the th 4,6; flow show 12 hour 14 hour 15 hour 16 hour 17	area? no fee Bbl/c Bbl/c Bbl/c Bbl/c Bbl/c

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

First Stage: Perforate 4053-4629 feet with 18 holes drop acid. Fracture with 1,000,000 SCF $\rm N^2$

Second Stage: Perforate 3222-3987 feet with 16 holes drop acid. Fracture with 1,000,000 SCF $\rm N^2$

Third Stage: Perforate 2472-2877 feet with 15 holes drop acid. Fracture with 1,052,000 SCF \mbox{N}^2

WELL LOG

ORMATION	COLOR HA	RD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Soil Sand & Sha Shale Shale Sand Shale Sand Lime Sand Shale	Red Gray Gray Gray	Hard Hard Soft	0 20 100 1,330 1,675 1,778 1,786 1,830 1,880 1,950	20 100 1,330 1,675 1,778 1,786 1,830 1,880 1,950 4,780	Fresh Water @ 150 ft. Salt Water @ 560 ft. Total Depth
		1	and the same		
and other sections are security to the second	Name of the Original Property of the Original		Marie Marie		
			The state of the s		
temps to	1				
					Links Manager Parameter
			TOTAL BELLEVILLE		
					AND THE PROPERTY OF THE PROPER

(Attach separate sheets as necessary)

Wells Oil & Gas Exp. & Dev., Inc. Well Operator 12/01/2023 By: H. D. Wells, III Date: 11/27/84

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including word, encountered in the drilling of a well."

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

Permit No. 105-1148			EPT	F-MINES
Company H. D. Wells Oil + Gasd	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Charleston, Willi	Size			
Farm Mills etal	16		1000	Kind of Packer
Well No. Mills #1	10			Size of
District Berning Spring County Wirt	81/4			
Drilling commenced	65%			Depth set
Drilling completedTotal depth	5 3/16			Perf. top
Date shotDepth of shot	2	y in the second		Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEMEN	TED	SIZE	No. FTDat
Rock pressurelbshrs.	NAME OF SERV	VICE COMPA	NY	
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEETINCHE
Fresh waterfeetfeet	FEET_	INCH	ES	FEETINCHE
Salt water feet feet	FEET_	INCH	ES	_FEETINCHE
Drillers' Names				Kongres
Remarks: 8/6/84 Looked up lo along existing road to has been done yet.	le supg			

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

			ADDRESS			
ARM	The second secon	DISTRICT _	C	OUNTY		
	ay and	5.3583 ·	was the the said	1/2/2/1/3		
lling Material Used						
ner Loc	nation	Amou	nt Packer	Loc	ation	
SCHOOL SC	ND DEPTH PLACED		BRIDGES	_	G AND TUE	BING
	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-EGGATION	THE GOVERNED !		an Production
The state of the s				1/20 10 73	X 3 3 3	1000
conservation are such as the second		-				
ger AssS					-264 (2-2, -1 -2)	+5) 4-1
100000			200			
			and the state of			
			manufacture of the same of the	e e e e e e e e e e e e e e e e e e e		St. wat
	3 th	0,817.00	2 2 Kill had for the state of the state of			A CONTRACTOR OF THE PARTY OF TH
	- CASM	ME REPORTED IN				2242979
11077	1. 12.	# (2000) (E.)	33 A (1812)			-
rillers' Names	200	· 特殊可				
Timers Traines						
		133		CONTRACTOR OF THE	and the second	artine annual st
temarks:						
	I hereby certify I v	isited the above	well on this date.			
DATE						
				STRICT WELL IN	SPECTOR	
			Di	OTHIOT WELL IN	1270	1/2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 105-1148			Oil or	1 4 1984 Gas Well S DIVISION
Company H.D. Wells Oil + Gas	CASING AND TUBING	USED IN DRILLING	EPT NO	F MINES PACKERS
Address Charleston, WVa.	Size			
Farm Mills etal	16			Kind of Packer
Well No. Miller # 1	10			Size of
District Burning Springs County Wist	81/4			
Drilling commenced	5 3/16			Depth set
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top Perf. bottom
Open flow after tubing/10ths Merc. inInch				
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FTDate
Rock pressure lbs. hrs.	NAME OF SER	RVICE COMPA	ANY	
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
Fresh waterfeetfeet	FEET	INCI	HES	FEETINCHES
Salt water feet feet	FEET_	INC	HES	FEETINCHES
Drillers' Names	Fon	Ston	e Pus	hes'
Carl E. Smith Rig #Co				
Remarks: 8/9/84 Carl E. Smith	rig m	oving !	on low	cation
Remarks: 8/9/84 Carl E. Smith and rigging up going in afternoon of 8/	to stor	T del	lling	

Homes H. Lograpolis

DISTRICT WILL INSPEC

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY	219 10		ADDRESS	S			10000
ARM	, 1940	DISTRICT	A STATE OF THE PARTY OF THE PAR	C	OUNTY		
	1774 2181	Line .		SIND FIN	The state of the s		7
illing Material Used			ask 1			X	
iner Loc	cation	Amou	ınt	Packer	Loc	ation	
	AND DEPTH PLACED			DGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUC	TION-LOCATION	RECOVERED	SIZE	LOST
				1/1/1/			
			and the same of th				
Depile set							
	Section of the second section of				0.0000	N 1998 - O STEAR OF	1328
	-		AC	Tarana astaWa			i manal in
Perf. by the					177.95		
				Egypte san in the same of the			
	1275	- OSTEVEN FOR					Contract to 1851
	TRAMMO	1 Goivage	O DELEM		and the same of th		
	+						
HOMELL TEST.	TA GUAG	NITONE A		The Best of the same			
orillers' Names	ZHOM			and the state of t		- 400 (100)	593×16 F
			and presents in the cases				
Remarks:							
	I hereby certify I vis	sited the above	well on this date.				
DATE							

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT OIL & GAS DIVISION DEPT. OF MINES

Permit No. 105-1148			Oil or	Gas Well
Company Hy D. Wells Oil	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Charleston, W.Va.	Size			
Farm Mills etal	16	(18.3)		Kind of Packer
Well No. Mills #/	10 25		224	Size of
District Burning Springs County Ko	11 978		290	Depth set
Drilling commenced 8/10/84	5 3/16			Depth set
Drilling completedTotal depth_	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water i	inInch Liners Used			Perf. top
Open flow after tubing/10ths Merc. in				reri. bottom
Volume			V	No. FT. 8/11/8 Hate
Rock pressurelbs,	hrs. NAME OF SEF	RVICE COMPA	INY D	owll
Oilbbls.,	1st 24 hrs. COAL WAS EN	COUNTERED	AT	_FEETINCHES
Fresh waterfeet	feetFEET_	INCE	IES	FEETINCHES
Salt waterfeet	feetFEET	INCI	HES	_FEETINCHES
Drillers' Names	Rush	in For	Ston	el
Carl E. Smith Rig # 6				
Remarks: 8/11/84 Room 290 with 100 sacks of	ft of 9 38" su Regala, 376 G	rface &	ipe a	nd cemented 2:45 P.M.
8/14/84 1808 ft dee	p dilling on	flind	with	834"Bit
I going to 2050 f	trip for Bar	17		TAT
8/14/84 DATE		Ho	nes D	DISTRICT WALL INSPECTOR

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.				V	veil No	
COMPANY			ADDRESS			V old sums
FARM		DISTRICT .		_ COUNTY	and the second second	
Filling Material Used						in in the second
Line	ation	Amou	nt Packer	Lo	cation	
Liner Location PLUGS USED AND DEPTH PLACED			BRIDGES		G AND TU	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION		SIZE	LOST
	100					
				V0/80 (2)		
			37.53	8 10 1 1	D3.741	
				de to direct		Land Court with
			# 1906 F	W sd 07		at beginning
and the state of t	and the second control of the second control			ir ed or	Salon A	n ka wak asa
77 m 27/m 27						
			el production de la constant de la c			
	144.314.0	336V83c 46	ta (ta 194) waxay ayaa ayaa da 19 ayaa waxay waxay a	and the state of t		a noamen die
	TA 0095	TATUTE MET AL				
Drillers' Names	2 Transmi	e en propi	496	and the state of t		
Remarks:						
I	hereby certify I vis	sited the above v	vell on this date.			

Permit No. 105-1148

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. OF MINES

	Oil	OF	Gas	Well	
	(KIN	0)		
-	_				

Company 24, 0, 2	Vells Oil + Gas	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Charlest	ton, W.Va,	Size			
Farm Mills	tal	16	Access to the state of the stat		Kind of Packer
Well No. Mills	#1	13			Size of
District Burning &	prings County Wist	81/4			5.10
Drilling commenced	,	65%			Depth set
	9/84 Total depth 4775	53/16		4762	Perf. top
Date shot	Depth of shot	2			Perf. bottom
Initial open flow	/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing	/10ths Merc. inInch				Perf. bottom
Volume	Cu. Ft.	CASING CEME	NTED 4/2	size 47	62 _{No. FT. 8/19/86/ate}
Rock pressure	lbshrs.	NAME OF SER	RVICE COMP.	ANY (Dowell
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERE) AT	_FEETINCHES
Fresh water	feetfeet	FEET	INC	HES	FEETINCHES
Salt water	feetfeet	FEET.	INC	HES	_FEETINCHES
Drillers' Names		Push	n Fon	n Ston	e and a second
0	nith Rig # 6	V XUSTU		750070	
Remarks: 8/19/8	24 J.O.O. of ho	6 4775	ft to	Jan 47	62 ft of
4/2" peipe (emented with 2 I Klug down	00 sack	is of le	ghtwe	ight #5
8/21/84	Service Reg on	Well +	young	gs We	ie line Service
8/21184	Service Reig on inning Come	nt Bond	Jog	mes &	ha dio wood beater
DATE			/ \	Green A	DISTRICT WELL HISPECTOR

Form 26 2/16/82

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

UMPAN I			ADDRESS			A DESTRUCTION
	Alike Sint	LIFE SUR				
illing Material Used					A	
iner Loca	ation	Amour	nt Packer	Loc	ation	
PLUGS USED AND DEPTH PLACED			BRIDGES	CASING	G AND TU	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
	and the second s			98 1 7 2 5 2 1		
					Water States	1000 E 100
					A New	West Santa
described in						
1007 DE 2003			shots t	o d2q9G		- 10 Ha 1
			Weiter Manual Percel	d07\/10th		I mage la
			area in a second and a second a	HD Characteristics	g Alaborate	LE WART
		as result.				- VIII
	E EXAMPLE OF	3017138-10	38.88	ud!		oden volume
The second second second second			The state of the s	Commission Commission of the C		1
1001		PORONE SA			Control of the Contro	
Orillers' Names						
				AND THE STREET OF STREET AND AND STREET	ndra of polyton and a	
Remarks:						

1.0 API well number: (If not available, leave blank, 14 digits.)	47-105-1148					
2.0 Type of determination being sought: (Use the codes found on the front of this form.)		103 Section of NGPA			DECEIVEN	
Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)			4,780	- 'eet DEC	2 6 1984	
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Name P_O Street	D. Wells Oil Box 1785 Cleston,		OIL & OEPT. (WV 25326 Z-p Code	GAS DIV. OF MINES	
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	Burr Field Na Wirt County			WV State	-	
(b) For OCS wells	Area Nar	Date of Le Mo. Day		Block Numbe	-	
(c) Name and identification number of this well: (35 letters and digits maximum.)		Mills No.	1		-	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)					-	
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank,)	Roari Name	ng Fork Gas	Corporation		Buyer Code	
(b) Date of the contract:			0,8,2,0,0 Mo Day	B 4 .		
(c) Estimated annual production:				MMc1		
		(a) Base Price (\$/MMBTU)	(b) Тах	(c) All Other Prices [Indicate (+) or (-).]	(d) [Total of (a), (b) and (c)	
7 0 Contract price: (As of filing date. Complete to 3 decimal places.)		2.9 0 0	<u>0,000</u>	0.200	3.100	
8 0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places,)		2.6.8.6				
Agency Use Only Date Received by FERC	Name Signature	7/84		Presider		
	- 2.4 Chh	- Complete		Phone Number	Fitzerie a gr.	

JAN15 1985

DEPARTMENT OF MINES, OIL AND GAS DIVISION

COVER SHEET, STATE APPLICATION FOR WELL CLASSIFICATION

Date: Nov. 27 ,19 84	AGENCY USE ONLY
Applicant's Name: H. D. Wells Oil & Gas, Inc.	WELL DETERMINATION FILE NUMBER
Address: P.O. Box 1785	
Charleston, WV 25326	841226 -103-105-1148
Gas Purchaser Contract No. RFE1-596	Use Above File Number on all Communications Relating to This Well
Date of Contract 08/20/84 (Month, day and year)	
First Purchaser: Roaring Fork Gas Corporation	Designated Agent: H. D. Wells, III
Address: 1400 Chas. Ntl. Plaza, (Street or P.O. Box) Charleston, WV 25301 (City) (State) (Zip Code) FERC Seller Code N/A	Address: P.O. Box 1785 Charleston, WV 25326 FERC Buyer Code
NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERNBE ADDRESSED: Name: H. D. Wells, III (Print)	NING THIS APPLICATION SHALL President
Signature:	(Title)
Address: P.O. Box 1785 (Street or P.O. Box) Charleston, WV (City) (State) Telephone: 304 346-28 (Area Code) (Phone	
(Certificate of Proof of Service to Purch	naser)
NGPA Catagory Ap	oplied For
NGPA SECTION/SUBSECTION	
102 New Natural Gas 102-2 2.5 Mile Test 102-3 1000 Foot Deeper Test 102-4 New Onshore Reservoir 103 New Onshore Production Well × 103 New, Onshore Production Well	108 Stripper Well Natural Gas 108- Stripper Well 108-1 Seasonally Affected 108-2 Enhanced Recovery 108-3 Temporary Pressure Buildu
107 High Cost Natural Gas 107-0 Deep (more than 15,000 feet)	AGENCY USE ONLY
107-1 Geopressured Brine 107-2 Coal Seams 107-3 Devonian Shale 107-5 Production enhancement 107-6 New Tight Formation 107-7 Recompletion Tight Formation	OUALIEIED
RECEIVED DEC 2 6 1984	QUALIFIED 12/01/2023
OIL & GAS DIV. DEPT. OF MINES	

Date	November 27 . 1984						
Ope: Wel:	rator'	5	Mills	No.	1		
API No.	Well 47 State		105 County			148 mit	

DEPARTMENT OF MINES, OIL AND GAS DIVISION

WELL CLASSIFICATION FORM NEW ONSHORE PRODUCTION WELL

NGPA Section	103
	DESIGNATED AGENT H. D. Wells, III
	ADDRESS P.O. Box 1785
	Charleston, WV 25326
WELL OPERATOR H.D. Wells Oil & Gas, Inc.	LOCATION: Elevation 1121.23
ADDRESS P.O. Box 1785	Watershed Burning Springs Run
Charleston, WV 25326	Dist Springs County Wirt Quad Burning Springs
GAS PURCHASER Roaring Fork Gas Corp.	Gas Purchase
ADDRESS ('har lecton W//	Contract No. RFE1-596 Heter Chart Code
	Date of Contract 08/20/84
* * * * * * * * *	
Date surface drilling was begun: 08/10/84	
7 - <i>11</i>	
Indicate the bottom hole pressure of the well and	explain how this was calculated:
BHP=460+460 e 4,780 x.68	17 240 11
BHP = $460 + 460 \left[e \frac{4,780 \times .68}{53.34 \times (151 + 460)} \right]$	-1] BHP = 460+460[1.1048768-1
BHP=460+460[e 3250.4 -1	
	DHP = 908.24
BHP=460+460[e.0997339_1	7
AFFIDAVIT	
reservoir from which gas is or will be produced a in commercial quantities or on which surface dril was capable of producing easy in commercial guarantees.	ties. I state, further, that I have concluded, to
application which is inconsistent with this concl	usion.
	Jos Willes
STATE OF WEST VIRGINIA,	
COURSE OF WEST VIRGINIA,	
Many Marie Marie	Public in and for the state and county aforesaid, is signed to the writing above, bearing date
1. May Fungen, a Notary	Public in and for the state and county aforesaid,
do certify that MANUA (a , whose name :	is signed to the writing above, bearing date
the 27 day of Mareunium, 1989, has acknown	nowledged the same before me, in my county aforesaid.
Given under my hand and official seal	this 21 day of November, 1984.
My term of office expires on the 22	day of Systemme, 1991.
	4
NOTARIAL SEAL]	Loun / Olly Cou
	Notaty Public
	12/01/2023