



- No. 1. Ground 1042.35
- No. 2. Concrete 951.31
- No. 3. Ground 1014.17
- No. 4. Concrete 1021.16
- No. 5. Ground 998.25
- No. 17. " 963.48

W.H. Veon, Surf.  
Morris Richter

F.B. Bush  
SURF.

New Location   
 Drill Deeper   
 Abandonment

JUN - 8 1948

Map 23. X 29S, 31E32W

TRI STATE OIL & GAS Co.  
 Company H.P. McGinnis, OWNER.  
 Address Parkersburg, W.Va.  
 Farm A.B. Wilson  
 Tract \_\_\_\_\_ Acres 170 1/2 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1, 2, 3, 4, 5 & 17 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) See above.  
 Quadrangle Harrisville  
 County Wirt District Burning Springs  
 Engineer Emmon Haines  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Apr. 26, 1948 Scale 1 in. = 800 ft.

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

WIRT-47A FILE NO. WIRT-42-A-#2  
WIRT-43-A-#5  
WIRT-44-A-#4  
WIRT-49-A-#17 WIRT-46-A-#3

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



63

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 42 A Well drilled by South Penn Oil Co. Oil or Gas Well Oil (KIND)

Company Tri State Oil and Gas Co  
 Address Box 827, Parkersburg, West Va  
 Farm Alice B Wilson Acres 178 1/2  
 Location (waters) \_\_\_\_\_  
 Well No. 2 Elev. 901.51  
 District Burning Springs County Wirt  
 The surface of tract is owned in fee by W H Veen  
 Address Brehard, W Va  
 Mineral rights are owned by Alice B Wilson  
 Address Brehard, W Va  
 Drilling commenced do not know  
 Drilling completed do not know  
 Date Shot 1/7/04 From \_\_\_\_\_ To 1740  
 With 30. shot 4/25/1923 with 90 quarts  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil some oil do not know how much bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<u>267</u>		Size of
8 1/4	<u>1160</u>		
6 5/8	<u>1233</u>	<u>1233</u>	Depth set
5 3/16			
3			Perf. top
2	<u>1785</u>	<u>1785</u>	Perf. bottom
Liners Used	<u>none</u>		Perf. top
			Perf. bottom

CASING CEMENTED none SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT none FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Gas sand	<u>gray</u>		<u>1560</u>	<u>1675</u>			
Gas			<u>1630</u>				
Salt sand		<u>med</u>	<u>1687</u>				
Oil					<u>Oil</u> <u>Oil</u>	<u>1740</u> <u>1764</u>	
				<u>1785 total depth.</u>			



