

Note: B.B. Bell farm
is bounded on N. by Monroehans
on W. & S. by L. Kanawha River.

Geo W. Richter
128 1/2 ac
(now Bell)

H. Richter 53 1/2
is bounded on the
N. by D. O. Brien
E. by D. Arnold
on S. by Bell
& L. Kanawha R.

Geo. W. Richter
128 1/2 ac
(now Bell)
Shallow wells, No coal

New Location
Drill Deeper
Abandonment

Company C. E. Beard more
Address 209 5th St. Marietta, Ohio
Farm B. Bell 128 1/2 ac & H. Richter 53 1/2
Tract _____ Acres 128 1/2 Lease No. _____
Well (Farm) No. _____ Serial No. _____
Elevation (Spirit Level) _____
Quadrangle Spencer
County Wirt District Burning Springs
Engineer O. Meredith Wood Co. Deputy Surveyor
Engineer's Registration No. _____
File No. _____ Drawing No. _____
Date July 9 1948 Scale 300 ft. = 1 in.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

WIRT-53-A-#3
FILE NO. WIRT-59-A-#1
WIRT-58-A-#4 WIRT-55-A-#7
WIRT-54-A-#5 WIRT-57-A-#2

+ Denotes location of well on United States
Topographic Maps, scale 1 to 62,500, lat-
itude and longitude lines being represented
by border lines as shown.

- Denotes one inch spaces on border line
of original tracing.



70

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 58-A R


Oil or Gas Well oil
(KIND)

Company C. E. Beardmore
Address 709 5th St. Marietta, Ohio
Farm 7/8 Righter Acres 53
Location (waters) Near L. Kanawha river
Well No. 4 Elev. 726.5
District Burning Springs County Wing
The surface of tract is owned in fee by 7/8 Righter
Address Lawrence, W. Va.
Mineral rights are owned by Same
Address _____
Drilling commenced no record
Drilling completed _____
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure 70 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8 - 6 1/4	280'	280'	Depth set
5 3/16			
3			Perf. top
2	1050'	1050'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED NO SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 702 FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
<u>cow run</u>			<u>390'</u>	<u>435'</u>			
<u>" "</u>			<u>540'</u>	<u>618'</u>			
<u>sand</u>			<u>680'</u>	<u>820'</u>			
<u>salt sand</u>			<u>990'</u>	<u>1180'</u>	<u>oil</u>		<u>salt sand</u>





STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

COAL OPERATOR OR COAL OWNER

C. E. Beardmore

NAME OF WELL OPERATOR

ADDRESS

809-5th St. Marietta, Ohio

COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

8-23, 1948

WELL TO BE ABANDONED

ADDRESS

Burning Springs

District

C. E. Beardmore
LEASE OR PROPERTY OWNER

County

39° 00'

Well No. *4*

81° 15'

Marietta, Ohio
ADDRESS

H. Richter

Farm

Gentlemen:—

NOTIFY INSPECTOR O. C. HOWARD, GRANTSVILLE, W. VA. - PHONE 108
24 HOURS IN ADVANCE OF PLUGGING DATE.

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the *30* day of *Aug.*, 19*48*,
(which date shall not be less than five days after the day on which this notice so mailed is received,
or in due course should be received by the Department of Mines.)


This notice is given you in order that your respective representatives may be present at the
plugging and filling of said well. You are further notified that whether you are represented or not
represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said
well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the
reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the
above date.

Very truly yours,

C. E. Beardmore

Well Operator.



NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent
engineer, showing the district and county in which the tract of land is located, the name and acreage of same,
the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined
by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall
be submitted with this notice.

(Over)

Abandonment drilled prior to 1929

Issued 8-29-48

WIR-58 - A PERMIT NUMBER

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

Total Depth 1180'

Pull 2" tubing

Fill with red clay from bottom 1180'-1000'

Neat Cement 1000' - 990'

5' crushed stone on cement plug

Continue filling with clay to 900'

Neat Cement 900' - 890'

SET A PERMANENT BRIDGE AT 648' - 50' below 2d Cow Run

2 sacks neat cement and 5' crushed stone on bridge

Fill with clay to 510' - 50' below 6-1/4" casing

Neat Cement 510' - 500'

5' crushed stone on cement plug - sealing hole completely below 6-1/4" casing

Fill with clay to surface or

SET A PERMANENT BRIDGE AT 150'

2 sacks neat cement and 5' crushed stone on bridge

Fill with clay to surface

Erect marker such as is described in Rule 16, 1951 Regulations

To the Department of Mines
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

C. E. Beardmore
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

24th day of AUGUST, 1945, 19

DEPARTMENT OF MINES
Oil and Gas Division

By: _____

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

COAL OPERATOR OR OWNER: C. E. Beardmore
 NAME OF WELL OPERATOR: C. E. Beardmore
 ADDRESS: 809.5th St. Marietta, Ohio
 COMPLETE ADDRESS: 809.5th St. Marietta, Ohio
 COAL OPERATOR OR OWNER: C. E. Beardmore
 NAME OF WELL OPERATOR: Burning Springs
 ADDRESS: Wirt
 COMPLETE ADDRESS: Wirt
 COAL OPERATOR OR OWNER: C. E. Beardmore
 NAME OF WELL OPERATOR: H. Richter
 ADDRESS: Marietta, Ohio
 COMPLETE ADDRESS: Marietta, Ohio
 COAL OPERATOR OR OWNER: C. E. Beardmore
 NAME OF WELL OPERATOR: D. C. Howard
 ADDRESS: Marietta, Ohio
 COMPLETE ADDRESS: Marietta, Ohio

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Wirt } SS:

C. E. Beardmore and J. W. Templeton being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by C. E. Beardmore, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30 day of Aug., 1948, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	FORMATION	CONTENT	FROM TO		SIZE & KIND	CSG PULLED
Salt Sand	Red clay		1180 1000	Bottom	600'-6 1/4"	none
	Cement		1000 990		1020'-4 1/2"	none
	stone		900 980			
	Red clay		980 900			
	Cement		900 890			
	Bridge		648			
Second low run	Cement & stone		648 630			
	Red clay		630 310			
	Cement		310 300			
	stone		300 190			
	Bridge		150			
	Cement & stone		150 135			
	Red clay		135 surface			
COAL SEAMS	DESCRIPTION OF MONUMENT					
(NAME)	Pipe with cement					
(NAME)	and bottoming in top.					
(NAME)						
(NAME)						

and that the work of plugging and filling said well was completed on the 2 day of Sept., 1948

And further deponents saith not.

Sworn to and subscribed before me this 3 day of Sept, 1948.

My commission expires:

April 27 1952

C. E. Beardmore
J. W. Templeton
Clarence Fischer
Notary Public.

Permit No. Wirt-58-A