

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

COAL OPERATOR OR COAL OWNER	VALLEY STEEL PRODUCTS COMPANY
NAME OF WELL OPERATOR	c/o Wayne E. Fleener
ADDRESS	P. O. Box 8473 - South Charleston, W. Va.
COAL OPERATOR OR COAL OWNER	AUGUST 25, 1951
NAME OF WELL OPERATOR	WELL TO BE ABANDONED
ADDRESS	Burning Springs District
LEASE OR PROPERTY OWNER	Wirt County
NAME OF WELL OPERATOR	Well No. 2
ADDRESS	JOHN KATHONE Farm

Gentlemen:— NOTIFY INSPECTOR O. C. HOWARD - GRANTSVILLE - TELEPHONE 108
24 HOURS IN ADVANCE OF PLUGGING DATE

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the _____ day of _____, 19____,
(which date shall not be less than five days after the day on which this notice so mailed is received,
or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the
plugging and filling of said well. You are further notified that whether you are represented or not
represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said
well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the
reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the
above date.

Very truly yours,

VALLEY STEEL PRODUCTS COMPANY
Well Operator



NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent
engineer, showing the district and county in which the tract of land is located, the name and
the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined
by survey, and the courses and distances of such well from two permanent points or landmarks on
said tract, shall be submitted with this notice.

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY MAILED TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY AND EXTRA COPIES IF REQUIRED, SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

COAL OPERATOR OR OWNER **Valley Steel Products Co.**
 NAME OF WELL OPERATOR
124 Sidney St. - St. Louis, Mo.
 COMPLETE ADDRESS
Sept. 7 19 **51**
 COAL OPERATOR OR OWNER **Burning Springs** District
 ADDRESS **Wirt** County
 LEASE OR PROPERTY OWNER
 Well No. **#2**
 ADDRESS **John Rathbone** Farm

STATE INSPECTOR SUPERVISING PLUGGING **O. C. Howard**

AFFIDAVIT

STATE OF WEST VIRGINIA.

County of **Pleasants**

John E. Eshard and **Charles Reed**
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by **Valley Steel Products Co.**, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the **8** day of **25th**, 19 **51**, and that the well was plugged and filled in the following manner:

BAND OR ZONE RECORD FORMATION	FILLING MATERIAL		PLUGS USED SIZE & KIND	CASING	
	CONTENT	FROM TO		CSG PULLED	CSG LEFT IN
	Total Depth 900'				
	Clay	900'	800'		
	Hot Cement	800'	700'		
	Crushed Stone	700'	755'		
	Permanent Bridge	850'			
	8 Sacks Cement & Stone				
	6" Casing	175' 5"	5 1/2" Casing	400'	375'
	Fill with clay to surface				
COAL SEAMS			DESCRIPTION OF MONUMENT		
(NAME)					
(NAME)					
(NAME)					
(NAME)					



and that the work of plugging and filling said well was completed on the **4th** day of **Sept.**, 19 **51**.

And further deponents saith not.

Sworn to and subscribed before me this **7th** day of **September**, 19 **51**.

My commission expires

John E. Eshard
Charles Reed
Wm. W. Myers

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION
WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

Total Depth 900'

Pull 2" tubing (900')

Lift 5-1/2" casing as hole is filled to 800'

Neat Cement 800' - 790'

5' crushed stone on cement plug - sealing thru producing sands

SET A PERMANENT BRIDGE AT 250'

2 sacks neat cement and 5' crushed stone on bridge

Pull 8-1/4" casing (173')

Fill with clay to surface

Erect marker such as is described in Rule 18, 1931 Regulations

To the Department of Mines
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

15th day of August, 1951, 19

DEPARTMENT OF MINES

RATHBONE, JOHN, NO. 2.

Wirt-75-A.

By Valley Steel Products Co.

Burning Springs Dist.

(NO PLAT)