

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.		
	Clyde Kelly	
COAL OPERATOR OR COAL OWNER	1814 Spring Street Parkersburg, W. Va.	
ADDRESS	COMPLETE ADDRESS	
	April 29	
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	9 50
ADDRESS	Walker	District
David K. Reese	Wood	
OWNER OF MINERAL RIGHTS	39015	County
RFD 2, Walker, W. Va.	Well No. 2 910 20'	
ADDRESS	David V Baara	
GENTLEMEN:	David K. Reese	_Farm
oil and gas, having fee title thereto, (or as the case of 1950 , made by Relian and see the case of th	may be) under grant or lease dated Apri South Penn Natural Gas Co.	1
of Now in Office of Wood Co. Clerk	to be recorded the county Clerk for said Cou	day
The enclosed plat was prepared by a competent to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and colland marks. The undersigned well operator is informed and loof coal beneath said farm or tract of land on which sa aries of the same, who have mapped their workings a coal operators or coal owners (if any) above named as The above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Departma copy of this notice and accompanying plat by said Dethat forms for use in making such objections will be furnituded in the competence of this notice and completed only in Copies of this notice. (The next paragraph is to be completed only in Copies of this notice and set to be completed only in Copies of this notice.)	courses and distances from two permanent point of the later are no coal operators operating id well is located, or within 500 feet of the land filed their maps as required by law, excepting addressees. If any) are notified that any objections they are required to make by Section 3 of said Coal are required to make by Section 3 of said Coal are required to make by Section 3 of said Coal are required to make by Section 3 of said Coal are required to make by Section 3 of said Coal are required to their response to the said coal operators are further not consisted to them by the Department of Mines producted definitely as is reasonably possible the grounder direction and distance the proposed location is	obetified
Copies of this notice and the enclosed plat were m	Department's copy.)	
or on the same day with the mailing or delivery of the	is copy to the Department of Mines at Charles	above efore, eston,
Very tru	y yours,	
0303111232	The Cles	
Very true MAY 1950 Address of Well Operator	Clyde Kelly 1814 Spring St. STREET Parkersburg, CITY OR TOWN 12/1	5/2 023
The state of	West Virginia	
*Section 3	Ind by the department of mines, within said period ment of mines, to said proposed location, the department reciting the filing of such plat, that no object and thereto by the department, and that the same at said location.	od of part- tions ne is

MATHEWS PRINTING AND LITHOGRAPHING CO. CHARLESTON, W. VA.

W00-318 PERMIT NUMBER

May 11, 1950

Mr. Clyde Kelly 1814 Spring Street Parkersburg, West Virginia

Deer Sir:

Enclosed is permit WOO-318 to drill Well No. 2 on the David K. Reeco Farm, Walker District, Wood County.

Very truly yours,

Administrative Assistant

Chisk Baol-2

CC: Inspector O. C. Howard



DEPARTMENT OF MINES OIL AND GAS DIVISION

Permit No. WOO	-318		WELL	RECORD		Oil or Gas V	Vell DRY
company	yde Kelly 13 Lynn S			Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Da	vid K. Re	ese	Acres 132				
Location (waters		rell		Size			
Well No. 2			Elev. 940	16		Kin Kin	nd of Packer
District Walk	er	County Woo	od	13			
The surface of tr		-	d K. Reese	10	20	Siz	e of
RFD 2		Address Wall	ker, W. Va.	81/4	598		
Mineral rights at	re owned by I	avid K. R	eese	6%	1091	De	pth set
RFD 2		Address Wall	ker. W. Va.	5 3/16			
				8		Per	rf. top
				2		Pe	rf. bottom
)	Liners Used		Pe	rf. top
						Per	rf. bottom
			Inch				
			Inch		NTEDS	IZENo.	FtDate
			Cu. Ft.				
			hrs.				
			_bbls., 1st 24 hrs.	COAT WAS EN	NCOUNTERED	ATFEF	ETINCHES
			feet		INCH	ESFEF	TINCHES
Salt water			feet		INCH	ESFEF	TINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Top	brown	soft	0	10			
Red	Red	Soft	10	35			
W. Slat		soft	35	70			
Sand	white	hard	70	115 140		5345678	
R. Rock	red	soft	115	140	No.	52,00	7
W. Slate	white	soft	140	155	2031	= 22 =	3.
Red Rock	red	hard	155	195	(05)	0	K
Shells	grey	soft	195	245	000	2,44	13
Red Rock	red	soft	245	260	23	* D	C.
Lime	hard	white	260	285	3677282983		3
			905	331	N.C.	Des de	
Red Rock	soft	red	285	346		-52512012	
Shells	hard	grey	331	3 6 5		A	
Red Rock	soft	red	346 365	395	fresh	water 395	
Sand	grey	hard soft	395	420	110011		
Red Rock	red	SOLU	000	150			
Shells	grey	hard	420	478			
Red Rock	red	hard	478	520			

la co	W. Slat Sand R. Rock	e w white red	s of t hard sof t	35 70 115	70 115 140	Á	5345678	
	W. Slate Red Rock Shells Red Rock Lime	white red grey red hard	soft hard soft soft white	140 155 195 245 260	155 195 245 260 285	100 T 28 29 30 311	S 1 1 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 2 1 1 2	3 C. 1916 B. 1916
	Red Rock Shells Red Rock Sand Red Rock	soft hard soft grey red	red grey red hard soft	285 331 346 365 395	331 346 3 6 5 395 420	fresh	vater 395	
	Shells Red Rock Slate Red Rock Lime Slate	grey red white red white dark	hard hard soft hard hard soft	420 478 520 690 710 730	478 520 690 710 730 740			
	Red Rock Slate Red Rock Lime Red Rock Slate	red dark red white red dark	soft soft hard hard soft soft	740 865 880 948 975 990	865 880 948 975 990 1050		12/15	5/2023
	Slate Pink Rock Blue Lime	black pink blue	hard hard hard	1050 1065 1086	1065 1086 1095			
	Sand (Big Dunks Slate	ard) W black	soft soft	1095 1145	1145 1180	ic Marse of Gas	Tropia Fearing	Simple Mil
					(Over)			

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
etax.			,1000	74NE			
ine m/c	ojae		liege A	7089			
rate soon	LITE .	of the Tag	: J092	J039 11			
	p7.6%		1000 /	1005			
cy kecimi	0.00 0.00	301.0	380	3080	4		
TIO	white	. dard	948	875 990			
se Reck	rec	. yang	980	365			
ed Rock	osta seg	. 2016	740 865	980			
- 47 6			44.50	565			
ize ize	der's	est t	730	240			
so wook	1.0G	Jungh	A30 980	200			
18.00 30 (00)	red .	2016	250	980			
iclis .	63,64	Mard 1	479	478 520			
ey mode mag	Lec	hard.	282	1874 4x0	Treat	265 TOP	
og Hock	0.205	500 Te	246	266		+03 202	
og ogja	soft.	Tot	SSS	246			
	A Land of the state of			223			
	red	257.26	200	200			
sells ,	Stell	505't	200	Sec			
oc pecy	Ted	JULIA PARA	TRP	105 245			
Slote	Milto	201.5	# 140	122			
10031	260			140			
	4%T, \$6	7.C	40	328			
, to	spect .	2620	jo	70			
50.3	Show L	act.	0	30		The second secon	
Locksuppn	£ (19)	STREET, SEC.	306	Estima.	St. Annua	Entereus Sen Zere	guates pe
			The second second				
		TO STATE OF THE ST			Line - Line and		
			NAME OF BEING	or other and a second	Carlot Maria Company		
A T BARRIER		100	100		AND THE PART OF TH		
		*	200 Ea				
	Vincent agent		100	N. Y. Phas Communication	CM-State	NE NA I	
	7,250			Promote (1991)		The state of the s	
	Translate	I.		7			Page
The second	12.7%			1.179			() () () () () () () () () ()
	DAMES A		0.000	1.30.16			
120 8		en questo	er.		7087		22 30
Amus Sole	CL (ROMERS) 42		• 10000	10	300		The second
	22	130000000000000000000000000000000000000		4			
			360	1922		1.10	of Packet
	18.57		reference to a second	9000			
		200	1600				
1 A. C.				Talling and	1. 翻譯工	200 K	Farkata
	1.1-				25.	40/4	5/2022
LIMIT MARKETON	-636	*	E R. Mr. greeters	a major on a grad		00 0 12/1	5/2023
		18	METT	RECORI			•
			The second second	No. of the Control of			

APPROVED_

By_____(Title)

, Owner

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 0100 3/1	8P			Wei	II No	8
COMPANY 6/4	6 Trilly		ADDRESS Parker	stung	000	Va-
FARM David 17	Reese	DISTRI	CT Walker C	OUNTY	Woo	el
Filling Material Used		Colay	and coment			
Liner Lo	ocation	Amoun	t Packer	Location	l se	en e
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
	Colay		1180-1120			toe, feet
10'	Bistote		1120-1105		Live jobe	
			1746016	1	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	mes mulling
and the second of	Pullin	y an	65%" Casing			in Joil and
			Militarian de la companya del Companya de la Companya de la Companya del Companya de la Companya	6 6 A	F	
			received the second of the sec			the will had
rections and account	574	3.3.2.20	9.1814 - 1 - 4-90 <u>- 2</u>			and and of
		er texate t				14)
Orillers' Names	B Hun	rt o	Lordy Monis			
Remarks:						is a section
			23456783			
8/2-1960	I hereby certify I v	isited the ab	AUG1950 Dove well on this date.		?	zane nod
DATE			(0)	296	107.0	0

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	La healus	Oil or Gas Well					
Company	olde ward	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS	
Address	Consumo	Size	13)-		lests larger	ald galling	
Farm	5.000 (B. 1944)	16		20 E au	Kind of Pack	cer	
Well No.	Particular and the second seco	13			Q' - 6		
District	County	81/4			_ Size of		
	-1/20	65%		14/1/60	Depth set		
Drilling commenced	-471/-	5 3/16		Balak	. /		
Drilling completed	Total depth	3			Perf. top		
Date shot	Depth of shot	2		1 / L	Perf. bottom		
Initial open flow	/10ths Water inInch	Liners Used	1		Perf. top		
Open flow after tubing	/10ths Merc. inInch				Perf. bottom		
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date	
Rock pressure	lbshrs.						
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	_FEET	INCHES	
Fresh water	feetfeet	FEET	INCI	HES	FEET	INCHES	
Salt water	feetfeet	FEET	INCI	IES	FEET	INCHES	
Drillers' Names						retion is	
Remarks:							

B-3

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Moo 3/	18 P			Wel	1 No. 2	
COMPANY Oly	de Kelly		ADDRESS Parke	erfines (Wal	a service
FARM Donal 1	Perek	DISTRI	010 00	10	Voc	2
Filling Material Used_		Colon	onl coment			
Linon	Lacation	7	A Darley	T		AND THE PARTY OF
COMPANY Sold Belly DISTRICT Valles COUNTY Word FARM DISTRICT Valles COUNTY Word Filling Material Used Bridge Casing and Tuding CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST AND HERE WOOD-SIZE LOST AND HERE WO						
		LEAD				
CEMENT-THICKNESS	00	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	tosi.
	Clay		1110 -1028			
//	0' 5-1 0		1029-1014		. 14 S	talla getten Ha
	Budo.		460		16 Feb.	
Aladao Best	00			o dispett		Satisfie and
	toven	الإساود	40010 singael	a new		unio de trat
			man de la constitución de la con		guror to	m == 0 a = u0
	The second	720345 3 ()	a true de la faction de la companya			Line marter
		SALEST ST. SEC.				
	0/4/	14	O:			
Drillers' Names	1 Tuni	- Se	of Manis			garda ir meis
D				in British in the second of the second		
Kemarks:						
					Location CASING AND TUBING	
	61314	15167770				LOST TOPPERE TOPPER
	SAIL	4050				
	O AUG	MISMA	2022			
about the	TO DEPAITM	ENT OF MINES	232			
9/8-/950 DATE	_ I hereby certify I vi	sited the al	bove well on this date.	0/		
	ESTITE	066282)	(069	Donan	0	
				DIST	12/15/	2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.			Gas Well	esta casarria		
Company	The same of the	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address	Acres 480 M	Size			1 1 36 Kaledya	nM mailli
Farm	net in the second	16	VA	(10130)	Kind of Pac	ker
		13				
Well No.	eventage i se entre	10		E-35/23	Size of	NECOS.
District	County	81/4				
Drilling commenced	1447	65/8		10/0/	Depth set_	
Drining commenced	+101+	5 3/16		1 +1	* N	
Drilling completed	Total depth	3		CENT	Perf. top	
Date shot	Depth of shot	2	1		Perf. bottom	1
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. botton	
	Cu. Ft.	CASING CEME	NTED	SIZE	No ET	Data
			NIED	SIZE	No. F1	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERE) AT	FEET	INCHES
Fresh water	feetfeet	FEET	inc	HES	FEET	INCHES
Salt water	feetfeet	FEET	INC	HES	FEET_	INCHES
Drillers' Names						
Dimeis Hames						
Remarks:						



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)


To THE DEPARTMENT OF MINES, Charleston W Va

Charleston, W. Va.		
No- Coal	Clyde Kelly	
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
	1713 Lynn St.	
ADDRESS	Parkershurg, W. Va.	
	July 27	1950
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONE	D.
	Walker	District
ADDRESS		
Clyde Kelly Nawaxxxxxxx	Wood	County
LEASE OR PROPERTY OWNER		
XMINAXXXXXXXX	Well No. 2	
Parkersburg, W. Va.	David K. Reese	Farm
ADDRESS		Faim
Gentlemen:		
The undersigned well operator is about to ab-	andon the above described well and wi	ll commence
As Seen as Possible		
NOTIFY INSPECTOR O. C. HOWARD,		
the work of plugging and abandoning said well or		
(which date shall not be less than five days after		l is received,
or in due course should be received by the Depar	tment of Mines.)	
This notice is given you in order that your	respective representatives may be pr	esent at the
plugging and filling of said well. You are further		
represented the undersigned will proceed on tha		
well in the manner required by Section 10, Article		
reverse side of this notice, in "Work Order."		
This notice is being mailed by registered mai	l to each of you at the above addre	esses on the
above date.	de la companya de la	
To San	truly yours,	
C OSE SA	truly yours,	1
151	101/1. Kell	
E 3 3 3 3 3 3 3 3 3 3	Ga/ og	ell Operator.
(S)	We will be a second of the sec	in Operator.

12/15/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

TGTAL DEPTH 1180 81 CASING 596 6 5/8 CASING 1091

Fill with Red Clay from 1180 to 1884 1120
Nest cement 1886 to 1876
5' Crushed stone on top of cement plug sealing off Dunkard Sand

FilixwithxClayxIGXIXEAXISM
Pull 2 Joints 6 5/8 Casing, and continue filling with RED CLAY
to 1086.
Nest cement 1086 to 1076

5: Crushed stone on top of cement plug thus sealing hole both below and above 6 5/8 casing seat.

Pull 6 5/8 casing as balance of hole is filled and plugged

Continue filling with red clay to 690 feet (Pull Bi Casing) Set permanent bridge at 400 feet, and continue filling with red clay to the surface

Set marker as directed in regulations of 1931

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

MATHEWS PRINTING AND LITHOGRAPHING CO

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved that

27 day of July , 19 50.

DEPARTMENT OF MINES
Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.


MATHEWS PRINTING AND LITHOGRAPHING CO

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD E WELL OPERATOR AND THE THIR ADDRESSES. NO C	RD COPY (AND EXTRA COPIES	ATE, ONE CO	SHOULD BE M	o the department, one copmailed to each coal opera	TOR AT THEIR	NED BY THE RESPECTIVE
	RATOR OR OWNER		1713	Lynn St.		
			Park	ersburg W. Ve		
	ADDRESS					10.50
COAL ORE	RATOR OR OWNER			August 5	ATION	1950
COAL OPE	COAD GERMION ON ONLINE					District
	ADDRESS			Wood	-	County
LEASE OR	PROPERTY OWNER		Well No	2	1	
	ADDRESS			David K. Reese)	Farm
STATE INSPECTOR SU	UPERVISING PLUGGI	NG	r. 0.	C. Howard		
		AFFID				
STATE OF WEST V	TRGINIA,					
County of Wood		ss:				
County of	Moats		and	KKOXKKXNKXXXX	Raymon	d Hunt
being first duly swo	rn according to lav	v depose a	and say th	at they are experien	ced in the	work of
plugging and filling of well operator, and pa	oil and gas wells and articipated in the we	l were emp	oloyed by	filling the above w	ell, that sa	aid work
was commenced on tand filled in the follow	he 2nd day of owing manner:	August		, 19.50 , and that th	e well was	plugged
SAND OR ZONE RECORD	FILLING	MATERIAL		PLUGS USED	CA	SING
FORMATION	CONTENT	FROM	то	SIZE & KIND	CSG PULLED	CSG LEFT IN
Dunkard Sand	Red Clay	1145	1120			
Julius a Justa	Cement	1120	1110			
	Cr. Stone	1110	1105			Maria
	Red Clay	1105	1086			
	Cement	1086	1076	10	V20	none
	Cr. Stone	1076	1071	8	598	none
				6"	1091	none
Red Rock, Slate		,				
and shells	Red Clay	1071	690	Permanent br	idge	
F	ed Clay to Su	rface	54			(6)
						*.
COAL SEAMS	24567				N OF MONUM	
AME)	AL A	003		DAVID K. REI		2
AME)	NOVIO	15		Permit W00-3	918-P	
AME)	195	100		August 5, 19	950	
AME)	(S) DEPLOTED VINGIN	H 33		***************************************		
and that the work		lling said	well was	completed on the	5th.	day of
August And further dep	ponents saith not.	191		Ray S. M.	oato	
Sworn to and s	subscribed before me	e this 7	74 day	of August	+ 12/	15/2023 , 19 .
My commission exp	ires:		7	E. Anders	Notary	Public.
may 3	1959		0	Perr	nit No. WC	00-318-I

tyle tymp 85. Dovid K. Roose Mar. C. C. deserd or and sind her older of condense of conde TOOL erafe . ogs for vele som gifte a åre 12/15/2023



MPERIAL" TRACING CLOTH