

Received Office of Oil & Gas

NOV 05 2014

API# 47-107-00321

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

| Farm name: | Sandra J. Cox | | Operator Well No.:_7251 | 30 Sec. 2011 | | | | |
|--|------------------------|--------------------------|-----------------------------------|---|--|--|--|--|
| LOCATION: Elevation: 1012.7 ft (308.7 m) Quadrangle: Rockport | | | | | | | | |
| LOCATION: Elevation: 1012.7 π (308.7 m) District: Steele Quadrangle: Rockport Wood | | | | | | | | |
| | | | County: Wood | | | | | |
| | _atitude: 1140 | Feet South o | of <u>39</u> Deg. <u>04</u> Min. | 30 Sec. | | | | |
| l | ongitude: 1000 | Feet West of | of <u>81</u> Deg. <u>32</u> Min. | 30Sec. | | | | |
| Well Type: OIL GAS ×(storage) | | | | | | | | |
| Company (| Columbia Gas Transn | nission, LLC Coal (| Operator NA - not operated | | | | | |
| 1700 MacCorkle Ave SE | | E or Ow | mer | | | | | |
| _ | Charleston, WV 25325 | | | | | | | |
| _ | | | Operator | | | | | |
| Agent F | Paul Amick | or Ow | - <u> </u> | | | | | |
| Permit Issued | Date 8/7/201 | | | | | | | |
| | | | | | | | | |
| STATE OF WEST VIRGINIA, | | | | | | | | |
| County of Wood ss: | | | | | | | | |
| James Amos | | | | | | | | |
| | | | being first o | tuly sworn according to law depose | | | | |
| well operator, ar | nd participated in the | Work of plugging | rand filling on and gas wells and | were employed by the above named hat said work was commenced on | | | | |
| the 29 | day of September | , 20 <u>14</u> , and the | e well was plugged and filled i | nat said work was commenced on | | | | |
| | | | | | | | | |
| TYPE | FROM | TO | PIPE REMOVED | LEFT | | | | |
| coment | 4980 | 5255 | none | 4.5" 4960 - 5263' & 7" 4960 - 5155' | | | | |
| 6% gel mechanical plug | 4923 | 4960 | none | 4.5" 4923 - 4960' & 7" 4923 - 4960' | | | | |
| cement | 4921 4450 | 4923 | none | 4.5" 4921 - 4923' & 7" 4921 - 4923' | | | | |
| 6% gel | 4002 | 4920 4450 | none (perf & squeeze @ 4915') | 4.5" 4450 - 4920' & 7" 4450 - 4920' | | | | |
| cement | 3900 | 4002 | enon | 4.5" 4002 - 4450' & 7" 4002 - 4450' | | | | |
| cement retainer | 3897 | 3900 | none (perf & squeeze @ 4002') | 4.5" 3900 - 4002' & 7" 3900 - 4002' | | | | |
| None 4.5" 3897 - 3900' & 7" 3897 - 3900' | | | | | | | | |
| Description of monument: 36" tall 7" csg with API number tack welded on side and that the work of plugging and filling | | | | | | | | |
| day of October 20 14. | | | | | | | | |
| And further dependent with not Colors & Co. | | | | | | | | |
| | | | 1 | plugging details on | | | | |
| | | | dad | next page | | | | |
| | | | | | | | | |
| Sworn and subscribe before me this 31 day of October, 2014 | | | | | | | | |
| My commission expires: 3/22/2015 Mass Mass Claudes Official SEAL | | | | | | | | |
| An ho. 9. Journal of Notary Public Notary Public State of West Virginia | | | | | | | | |
| THE MARY MARIE CLENDENIN | | | | | | | | |
| Affidavit reviewed by the Office of Oil and Gaspon Corporation RR 2 80X 138 | | | | | | | | |
| | | MARRIE | | My commission expires March 22, 2016 | | | | |
| | | , | | | | | | |

ROCKPORT 7251 (47-10700321)

47-107-0032H

| TYPE | FROM | TO | PIPE REMOVED | |
|-----------------|------|------|-------------------------------|---|
| 80/ | | | FIFE RENOVED | LEFT |
| 6% gel | 2250 | 3897 | none | 4.5" 2250-3897' / 7" 2250-3897' / 8" 2250-2419' |
| cement | 1753 | 2250 | none | 4.5" 1753-2250" / 7" 2176-2250" / 8" 1753-2250" |
| 6% gel | 1427 | 1753 | none | 4.5" 1427 - 1753' & 8" 1427 - 1753' |
| cement | 1331 | 1427 | none (perf & squeeze @ 1427') | 4.5" 1331 - 1427' & 8" 1331 - 1427' |
| cement retainer | 1328 | 1331 | none | |
| 6% gel | 220 | 1328 | | 4.5" 1328 - 1331' & 8" 1328 - 1331' |
| cement | 0 | 220 | none . | 4.5" 220 - 1328' & 8" 220 - 1328' |
| - CONTONE | | | none | 4.5" 0 - 220' & 8" 0 - 220' |

Received Office of Oil & Gas NOV 0 5 2014

02/20/2015

surface)

TD 5263'

4-1/2" 10.79# (0.237"W) tbg @ 5263' - anchor on bottom

(481 sx "poured" down annulus - probably topped off at