

~~3.33-5~~  
~~3.37 S~~  
~~3.04 W~~  
 2.93-W  
 3 WC (G-5)

New Location...   
 Drill Deeper...   
 Abandonment...

Company B.H. Putnam, Producer  
 Address 1st Nat. Bank Marietta Ohio  
 Farm Dan McCoy & Brown  
 Tract \_\_\_\_\_ Acres 153 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 699  
 Quadrangle Belleville **NW**  
 County Wood District Harris  
 Engineer Robert R. Anderson  
 by O. Meredith  
 Engineer's Registration No. 296  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 3/9 53 Scale 1 in = 30 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. W00-385

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 10

Quadrangle Belleville

Permit No. Woo-385

WELL RECORD

Oil or Gas Well Gas  
(KIND)


Company B. H. Putnam, Operator  
Address 512 Third St. Marietta, Ohio  
Farm D. McCoy Acres 157.75  
Location (waters) Ohio River  
Well No. One Elev. 699  
District Harris County Wood  
The surface of tract is owned in fee by D. McCoy  
New England Address West Virginia  
Mineral rights are owned by D. McCoy  
Address \_\_\_\_\_  
Drilling commenced April 16, 1953  
Drilling completed June 4, 1953  
Date Shot Hydrafrac From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 7,220,000 Cu. Ft.  
Rock Pressure 1675 lbs. 24 hrs.  
Oil None bbls., 1st 24 hrs.  
Fresh water None feet \_\_\_\_\_ feet  
Salt water None feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16		95'	Kind of Packers <u>Baker</u>
18	285		Model <u>K</u>
10	1025		Size of <u>7"</u>
8 1/4		1560	
6 5/8		4124	Depth set <u>4114</u>
5 3/16			
3			Perf. top _____
2		4114	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED 7" SIZE 350 No. Ft. 5-24-53 Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT None FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	39			
Sand		Hard	39	255			
Lime			255	276			
Slate			276	281			
Lime			281	304			
Slate & Lime			304	340			
Slate & Shells			340	370			
Lime			370	417			
Sand			417	470	Water		
Gritty Lime			470	490			
Rock	Red		490	708			
Lime Sand			708	780			
Slate & Shells			780	872			
Gritty Lime			872	925			
Lime			925	960			
Lime-Sand			960	1015			
Slate			1015	1055			
Sand			1055	1106			
Lime			1106	1150			
Slate & Lime			1150	1188			
Slate & Shells			1188	1230			
Slate			1230	1282			
Slate & Shells			1282	1408			
Sand			1408	1572	Water		
Slate			1572	1592			
Slate & Lime			1592	1610			
Slate			1610	1620			
Slate & Lime			1620	1705			
Slate & Shells			1705	1870			
Slate			1870	1890			
Berea Sand			1890	1893			
Slate & Shells			1893	2282			
Slate			2282	2385			
Slate & Shells			2385	2436			



(Over)

Formation	Color	Hard or Soft	Top 10	Bottom	Oil, Gas or Water	Depth Found	Remarks
late			2436	2538			
late & Shells			2538	2686			
late			2686	2731			
late & Shells			2731	2820			
late			2820	2920			
late & Shells			2920	2958			
late			2958	3057			
late & Shells			3057	3098			
shale			3098	3245			
late & Shells			3245	3291			
shale			3291	3522			
late & Shells			3522	3585			
late			3585	3679			
late & Shells			3679	3724			
late			3724	3871			
late & Shells			3871	3900			
shale			3900	4035			
Lime - Onondaga			4035	4124			
sand - Oniscany			4124	4142 T. D.			
				495			
						4035	4124
						699	
						3336	3425

DATE RECORDS Date July 3, 1953  
APPROVED Bill. Putnam, Op., Owner  
By C. N. [Signature]  
(Title)