



New Location...   
 Drill Deeper.....   
 Abandonment.....

Company B. H. Futina 177, Operator  
 Address 125 Nat. Bank, Marietta, Ohio  
 Farm Wardie Smith  
 Tract \_\_\_\_\_ Acres 5900 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 582'  
 Quadrangle Belleisle WC  
 County Wood District Harris  
 Engineer Robert R. Anderson  
 by A. Meredith  
 Engineer's Registration No. 296  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Aug 28 53 Scale 1 in = 20 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. W00-402

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-6 296

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Belleville

## WELL RECORD

Permit No. W00-402

Oil or Gas Well Gas  
(KIND)

Company B. H. Putnam, Operator  
Address 512 Third St., Marietta, Ohio  
Farm W. C. Smith Acres 136  
Location (waters) Ohio River  
Well No. 1 Elev. 582  
District Harris County Wood  
The surface of tract is owned in fee by W. C. Smith W. Va.  
Address Belleville, OHIO  
Mineral rights are owned by W. C. Smith  
Address Belleville, W. Va.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packin <u>g</u>
<del>14</del>	49	49	
10	287		Size of
8 1/2	860		
6 3/4	1568	1568	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced 9-11-53  
Drilling completed 10-2-53  
Date Shot 10-2&13-53 From To  
With 550#CW EB & 9000 # HGE  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 22,000,000 Cu. Ft.  
Rock Pressure 112 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water None feet \_\_\_\_\_ feet  
Salt water None feet \_\_\_\_\_ feet

CASING CEMENTED No SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	15			
Rock	Red		15	30			
Sand			30	65			
Rock	Red		65	80			
Slate			80	95			
Sand			95	110			
Slate			110	120			
Rock	Red		120	150			
Slate	150		160	180			
Rock	Red		180	195			
Slate			195	220			
Rock	Red		220	245			
Sand			245	287			
Slate			287	340			
Sand			340	380			
Rock	Red		380	430			
Slate			430	435			
Sand			435	475			
Slate			475	525			
Rock	Red		525	600			
Slate			600	652			
Sand			652	674			
Slate			674	690			
Rock	Red		690	700			
Slate			700	720			
Sand			720	790			
Slate			790	795			
Sand			795	860			
Slate			860	872			
Sand			872	881			
Slate			881	898			
Sand			898	976			
Slate			976	985			
Sand			985	1092			
Slate			1092	1140			
Sand			1140	1290			
Slate			1290	1329			
Lime			1329	1345			
Sand			1345	1505			



