





STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

Rotary	X
Spudder	[]
Cable Tools.	
Ctorono	

Quadrangle Elizabeth N. W.

Permit No. Woo-603

WELL RECORD

Oil or Gas Well Dry N

Address Rt. Walker, W.Va. 654 Depth set	ALL AND DESCRIPTION OF THE PERSON OF THE PER				~~~			(KIND)
Markers 1.0 DN S. SARICHYNILLE W. VI.								Pookowa
	Address P	0. Box 4	, Sandyville,	, W. Va.			VVCII	I ACAUIS
Well No.					Size			
District Clay County Mood 10 Size of	` '		** ** ** ** ** ** ** ** ** ** ** ** **	transfer of the same of the sa				
The surface of tract is owned in fee by Minerva Harchan 200 5/8 2329 2329 Depth set							86	·
Address Rt. 1, Walker, W.Va. 634 Mineral rights are owned by Same Address Address Address Address Drilling commerced July 10, 1972 Drilling commerced July 30, 1972 Perf. bottom To lines Used Perf. bottom Attach copy of cementing record. 8 5/8 July25 Attach copy of cementing record. 8 5/8 July25 Dry //ohts Merc. in Inch CASING CEMENTED. SIZEL 3/8 No. PipUly32 Annount of cement used (bage). 80 sks., 3300 sks. Mone of Service Co. Dobell Dobell Dobell ACIDIZED (DETAILS). FEET INCHES FIET FROM Water Perf. bottom To Mone of Service Co. Dobell Oble. 1 FEET FEET INCHES FIET FEET INCHES FI	District Cla	У	County	<i>l</i> ood		1	1	
Mineral rights are owned by Scine Address 449	The surface of tra	ect is owned in i	tee by Minerva	Hardman	8X2K 5/8	2329	2329	
Drilling commenced July 10, 1972 1	e esta e e	/	Address Rt. 1,	Walker, W.Va	65/8			Depth set
Address July 10, 1972 3 Perf. top.	Mineral rights are	owned by	Same		5 3/16			
Drilling commenced July 10, 1972 3 Perf. top					41/2			
Drilling completed July 30, 1972 2		and the second s						
Date Shot From To							i i	Perf. bottom
Perf. Portion Perf. Perf. Perf. Perf.								Perf. top
Open Flow						1		
Dry /10ths Merc. in Inch Volume Cu. Ft. Co. Ft. Amount of cement used (bags) 80 \$85. 300 \$ks. Amount of cement used (bags) 80 \$ks. 300 \$ks. Name of Service Co. Dowell Oil bbls. Ist 24 brs. COAL WAS ENCOUNTERED AT FEET WELL ACIDIZED (DETAILS). WELL FRACTURED (DETAILS). RESULT AFTER TREATMENT (Initial open Flow or bbls.) RECK PRESSURE AFTER TREATMENT (Initial open Flow or bbls.) RECK PRESSURE AFTER TREATMENT (Initial open Flow or bbls.) RESULT AFTER T								
Notume Cu. Ft. Amount of cement used (bags) 80 sks., 300 sks., 80ck Pressure bis. bis. bis. hrs. Name of Service Co. Dowell Oil. bis. bis. bis. bis. bis. hrs. Name of Service Co. Dowell Oil. Coll. WAS ENCOUNTERED AT. FEET INCHES FEET FEET FEET INCHES FEET INCHES FEET FEET INCHES FEET FEET INCHES FE								
Rock Pressure Oil								-
Oil. bbbs. Ist 24 brs. COAL WAS ENCOUNTERED AT FEET. WELL ACIDIZED (DETAILS). WELL FRACTURED (DETAILS) RESULT AFTER TREATMENT (Initial open Flow or bbls.) ROCK PRESSURE AFTER TREATMENT HOURS Fresh Water Feet Salt Water Depth 6358' 7: D. Formation Color Hard or Soft Top Bottom Oil. Gas Or Water Depth Remi Clay 0 74 168 450 bhale (Gray-Fed) 168 450 bhale (Gray-Fed) 168 450 bhale 1020 1150 bhale 8 Red Rock 1159 1260 bhale 8 Red Rock 1159 1660 bhale 1020 1150 bhale 6 Red Rock 1593 1660 dh. Maxion and 1730 1865 bhale 6 Sd. 1865 1885 bhale 6 Sd. 1995 1950 time 6 Sd. 1995 1950 thale 6 Sd. 1955 1950 th								
WELL ACIDIZED (DETAILS) WELL FRACTURED (DETAILS) RESULT AFTER TREATMENT (Initial open Flow or bbbs.) RECK PRESSURE AFTER TREATMENT HOURS Fresh Water Feet Salt Water Depth 5358¹ 7. D. Formation Color Hard or Soft Top Bottom O'll, Gas or Water Depth Remi Clay 0 74 168 450 Shale (Gray-Fed) 168 450 Shale (Gray-Fed) 1020 1150 Shale 8 Red 1020 1150 Shale 8 Red 1020 1150 Shale 8 Red 1020 1593 Shale 8 Red								
RESULT AFTER TREATMENT (Initial open Flow or bbis.) ROCK PRESSURE AFTER TREATMENT HOURS Freet	Эп		· ·	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERED A	\T	FEET. INCHES
RESULT AFTER TREATMENT (Initial open Flow or bbls.) ROCK PRESSURE AFTER TREATMENT HOURS Fresh Water					FEI	ET INCH	ES	FEET INCHES
RESULT AFTER TREATMENT (Initial open Flow or bbls.) ROCK PRESSURE AFTER TREATMENT Fresh Water Feet Troducing Sand Pry ROM Romation Color Hard or Soft Top Bottom Oil, Gas or Water Depth Rema Clay hale hale (Gray-Red) hale and hale hale 8 Red hale and hale hale 6 Red Rock 1150 1260 hale hale 8 Red Amxion and ime 8 Sd. hale 1885 1995 19					FEI	ETINCH	ES	FEET INCHES
RESULT AFTER TREATMENT (Initial open Flow or bbls.) ROCK PRESSURE AFTER TREATMENT Fresh Water Producing Sand. Dry	WELL FRACTU	RED (DETAIL	S)					
Feet Salt Water Feet Salt Water Feet Salt Water Producing Sand Producing Sa			······································		en e			
Fresh Water	RESULT AFTER	TREATMENT	(Initial open Flow	or bbls.)	e e e e e e e e e e e e e e e e e e e			
Freeh Water Producing Sand Dry Depth 6358' 7. D.	ROCK PRESSUR	E AFTER TRI	EATMENT		HOURS			
Producing Sand	Fresh Water		Feet					
Color Soft Top Bottom or Water Depth Remired Program Post Pos	Producing Sand		Dry	Carrier of the Control of the Contro				
Clay Red Red Red Rock Roc	Formation	Color						
Thale (Gray-Red) thale	1 OTHER	Color	Soft	ТОР	Bottom	or Water	Depth	Remarks
Shale (Gray-Red) Shale				0	74			
Thale (Gray-Red) Chale (Gray-Red) Chale (Gray-Red) Chale (Gray-Red) Chale (Gray-Red) Chale (Gray-Red) Chale (Gray-Red)				74				
## Pand ## Pan		Red)			450			
hale hale & Red hale hale hale & Red hale hale hale hale hale & Red hale hale hale hale hale hale hale hale				1	I			
hale & Red Rock hale hale & Red Rock hale hale & Red Rock 1593 1660 1730 1865 1885 1905 1905 1950 1950 1955 2245 2245 2249 bitle & St. hale ime - Onondaga + Oriskany + Hell 5170 5510 1260 1593 1660 1730 1865 1885 1905 1955 2245 2249 2316 5170 5510 Oriskany 5340 Vewbarg hear T.D.					The state of the s			
hale hale & Rock hale & Rock d. Maxion and ime & Sd. hale hale & Sd. hale and look hale look hale look d. Maxion and look look look look look look look loo	the state of the s	Rock			· · · · · · · · · · · · · · · · · · ·			
hale & Rod Rock d. Maxion and 1593 1660 1730 1865 1865 1885 1905 1905 1950 1950 1950 1955 2245 2249 2316 1810 1810 1810 1810 1810 1810 1810 18								
d. Maxion and 1730 1865 1885 1885 1905 1905 1950 1950 1950 1955 2245 2249 2316 5170 5510 5510 5510 6358 Newburg near T.D.		Rock		. 1				•
1730 1865 1885 1905 1905 1950 1950 1955 1955 2245 2249 2316 2316 2316 2316 5170 5510 5510 865 1885 1905 1950 1950 1955 2249 2316 5170 5510 87340 885 1905 1950 1955 1950 1955 1955 2249 2316 5170 5510 87340 8865 1905 1905 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1955 1950 1950				4	1	·		
1865 hale and and 1905 1905 1950 1955 2245 2249 bale & Sd. bale ince - Onondaga + Oriskany + Hell 5170 5510 6358 1885 1905 1950 1950 1955 2249 2316 5170 5510 6358 Newbarg near T.D.		·						
1885 1905 1950 1950 1955 1955 1955 1955 195	ime & Sd.			i i	1			
1905 1950 1955 1955 1955 2245 2245 2249 2316 2316 2316 5170 5510 0715 Kany 5340 Newbarg near T.D.		~y						
1950 1955 1955 2245 2249 1961e 1961e 1960 1955 2249 2316 5170 5510 6358 Newburg near T.D.	and - Junium				ı			•
rea to le 8 Set. hale 8 Set. hale on ondaga + Oriskany + Hell 2316 5170 5510 Oriskany 5340 - 7.D.	ud ,			L L		. ,		
10 i le 8 st. 10 i l					1			
Daile Onon daga + Oriskang + Hell 2316 5170 5510 000 5340 - 000 000				1				
ine: - Onondaga + Oriskang + Hell 5170 5510 5510 Oris Kang 5340 - Newburg near T.D. Mckentie at 7.D.		-				L		
5510 5510 Newburg near T.D. Mckentie at T.D.	initi	dags + c	riskan + Holl	Z316	1	orist	Cany 53	340 —
Mckentie at 7.D.	nol	~~~ ·		2710 2710		11. 1		Th of LIUA
545 Mckenzie at 7.D.	-			OUTO	0330	Newb	ry ne	M 110. 01 0170
542 TICKENETE AT 110.						m. L		1 7.0.
					1542	ricke	ntie 6	AT 110.





Oil and Gas Division

OIL & GAS DIVISION DEFT. OF MINES

OIL AND GAS WELL PERMIT APPLICATION

Surface Owner Hardman Address Route Bo. 1, Walker, W. Va. Mineral Owner Same Address Location (waters) Little Kanasha River Coal Owner Well No. One (Serial #73) Elevation 690	TO THE DEPARTMENT OF MINES, Charleston, W. Va.	DATE July 5, 1972	
Address Bout & Ro. 1, Welker, W. Va., Mineral Owner Seme	Surface Owner Hinerve Hardman	Comi W Smith You	
Mineral Owner Seme Farm Minerve Rardman Acres 317.4 Address Coal Owner Seme Well No. One (Serial #73) Elevation \$500 Address Coal Operator Quadrangle Elizabeth N.W. Glay Gounty Address Coal Operator Quadrangle Elizabeth N.W. PR: Grant Address Coal Operator Glay Grant Glay Glay Address Glay Glay Glay Glay Glay Glay Address Glay Glay Glay Glay Glay Glay Address Glay Glay Glay Glay Glay Glay Glay Address Glay Glay Glay Glay Glay Glay Glay Address Glay Glay Glay Glay Glay Glay Glay Glay Address Glay Glay Glay Glay Glay Glay Glay Glay Glay Address Glay Glay	Boute Me 1 Weller W Ve	Company A Sendend 11 B	•
Address Location (waters) Little Kensula Niver Coal Owner Sense Well No. One (Serial \$73) Elevation \$50 Address Sense District Clay County Weel Coal Operator Quadrangle Elizabeth N.V. Address Address Clay Quadrangle Elizabeth N.V. THIS PERMIT MUST BE POSTED AT THE WELL SITE Address Peytona, N. Va. PH: Ph:	Š.	Minama Manda	917 46
Coal Owner Address Coal Operator Address INSPECTOR TO BE NOTHEED Mr. Olen Journal Operator of the W. Va. Code, the location is hereby approved to the W. Va. Code, the location is hereby approved and largelies of the source of the sease may be under grant or lease dated The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated Wildow, made to Carl E. Smith, Inc. and recorded on the Address Address The enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operator are hereby notified that any objection they wish to make, or are requested by a complete of the above date. The above named coal owners and/or operator are hereby notified that any objection they wish to make, or are requested by a coal owners and/or operator and the enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operator make by Section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days.* Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal owners and on one of the above named coal owners and one one operator of the sound that the coal of the sound tha	Cama	Ideala Vananha Min	
Coal Operator	8	Docation (waters)	
Coal Operator Quadrangle Elisabeth N.W. Address Address Address Cohes of this notice and the enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operator are hereby notified that any objection they wish to make, or are requ to make by Section 3 of the Code, must be received by, or filed with the mailing or delivery of this copy to the Department of Mines within ten (10) days. * Coal Operator Quadrangle Elisabeth N.W. NSPECTOR IG BE NOTHERO Mr. Olen Jo. BOX 134 Peytona.W.Va. PH: Prepared of Mr. Olen Jo. BOX 134 Peytona.W.Va. PH: Prepar	Coal Owner	C1AV	Wood
Address Address Address Address Address Address Address THIS PERMIT MUST BE POSTED AT THE WELL SITE All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved for drilling. This permit shall expire if operations have not commenced by November 5, 1972 Deputy Director - Oil & Gas Division GENTLEMEN: The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated wider, made to Carl E. Smith, Imc. 19 70 in Jeckson County, Book 500 Page NEW WELL DRILL DEEPER REDRILL FRACTURE OR STIMULA OIL AND GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1969. The enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operator are hereby notified that any objection they wish to make, or are requested to make by Section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days. Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal owners and/or operator are hereby notified that any objection they wish to make, or are requested by section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days. Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operator of Mines at Charleston, West Virginia. Very truly yours (Sign Name) Well Operator P. O. Box 4 Address of Well Operator P. O. Box 4 City or Town	Addieso	District County	
THIS PERMIT MUST BE POSTED AT THE WELL SITE All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved for drilling. This permit shall expire if operations have not commenced by November 5, 1972 Deputy Director - 011 & Gas Division GENTLEMEN: The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated Widow, made to Carl E. Smith, Inc. and recorded on the widow, made to Carl E. Smith, Inc. and recorded on the Smith and recorded on the Smit	• · · · · · · · · · · · · · · · · · · ·	Quadrangle	·
THIS PERMIT MUST BE POSTED AT THE WELL SITE All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved for drilling. This permit shall expire if operations have not commenced by November 5, 1972 Deputy Director - 0il & Gas Division GENTLEMEN: The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated widew, made to Carl E. Smith, Inc. and recorded on the day of Howard Beyleton and recorded on the land for oil and gas, havin provided in the land of the land for oil and gas, havin provided in the land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated land recorded on the land for oil and gas, havin provided in the land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated land recorded on the land for oil and gas, havin provided in the land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated land recorded on the land for oil and gas, havin land for oil and gas, land for land for oil and gas, havin land for oil and gas, havin land for oil	Address	INCRECTOR TO DE NOTICIES M. 01	on Iomaa
Address of the W. Va. Code, the location is hereby approved for drilling. This permit shall expire if operations have not commenced by November 5, 1972 Deputy Director - 011 & Gas Division GENTLEMEN: The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated wides, made to Cerl E. Smith, Inc. and recorded on the page with the page of the code of the page with the page of the code of the page with the page of the code of the page with the page of the above date. The enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or opera have been notified as of the above date. The above named coal owners and/or operator are hereby notified that any objection they wish to make, or are requested to make by Section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days. * Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operator or coal owners at their above shown respective address of well operator with the Department of Mines at Charleston, West Virginia. Very truly yops (Sign Name) Address of Well Operator Flow City or Town		DAG 1311	
of the W. Va. Code, the location is hereby approved for drilling. This permit shall expire if operations have not commenced by November 5, 1972 Commenced by November 5, 1972 Commenced by November 1972 Commenced	•	25754	9
The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, havin title thereto, (or as the case may be) under grant or lease dated	Dobert Lodd	197 2	
NEW WELL	The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lewell to the to the total t	ase dated November 7, 1970 by Mine and recorded on the day of	erva Kardna Kovember
OIL AND GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1969. The enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operahave been notified as of the above date. The above named coal owners and/or operator are hereby notified that any objection they wish to make, or are requised by Section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days. * Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operator or coal owners at their above shown respective address Gay before, or on same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia. Very truly yours (Sign Name) Address of Well Operator City or Town			
The enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operatave been notified as of the above date. The above named coal owners and/or operator are hereby notified that any objection they wish to make, or are required to make by Section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days. * Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operator or coal owners at their above shown respective address	NEW WELLDRILL DEEPER		TIMULATE
Address of Well Operator Well Operator Well Operator Street Of Sendyville City or Town	have been notified as of the above date. The above named coal owners and/or operator are her to make by Section 3 of the Code, must be received by, Copies of this notice and the enclosed plat were maile or coal owners at their above shown respective address	reby notified that any objection they wish to make, or or filed with the Department of Mines within ten (10) d by registered mail, or delivered to the above named of the company day	are required days. *
Address Street Well Operator Well Operator City or Town		Very truly your CARL R. SMITH, INC.	
Address of Well Operator Well Operator Well Operator Street Street City or Town		(Sign Name) Land 11 to	all
Address Street of Sendyville Well Operator City or Town			
of Well Operator City or Town			·
Well Operator City or Town	$oldsymbol{A}$	of	
	Well	Operator Sandyville	· · · · · · · · · · · · · · · · · · ·
West Virginia			
		West Virginia	
State		State	

*SECTION 3 If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

> W00-603 _PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

DRILLING CONTRACTOR: (If NAME Carl E. Smith,	(Known)		FRACTURE-STIMULATE
	•	RESPONSIBLE AGENT	
ADDRESS Box 4, Sandyvil			Sandyville, W. Va.
TELEPHONE 273-4261		1000110110	
ESTIMATED DEPTH OF COMP		ROTARY	CABLE TOOLS
PROPOSED GEOLOGICAL FOR			
TYPE OF WELL: OIL_			
•	RECYCL	ING WATER FL	OODOTHER
FENTATIVE CASING PROGRA	· · · · · · · · · · · · · · · · · · ·		
ENTATIVE CASING PROGRAM	VI:		
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP
SIZE	DRILLING	WELL	OR SACKS - CUBIC FT.
20 - 16	250	150	
13 - 10 9 - 5/8			200
	1,950	1,950	450
3 - 5/8	5,900	5,900	100
5 ½	3,700	3,700	140
1 1/2			
3			Perf. Top
2			Perf. Bottom
Liners			Perf. Top
	×		Perf. Bottom
OF PLAT. TO DRILL DEEPER OR REDRIF SUBMIT FIVE (5) COPIES WELLS DRILLED PRIOR ' MUST ALSO BE SUBMITTE TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL O BOND, PERMANENT PLAT OIL AND/OR GAS WELL O ING ORIGINAL PERMIT NU	OF OG - 1, SHOWING ORIGIO 1929, A PERMANENT CED. RIGINALLY DRILLED BEFORMAND ORIGINAL WELL REGRIGINALLY DRILLED ON AUMBER, AND PERFORMANCE	INAL PERMIT NUMBER A COPY OF THE PLAT AND PRE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 19 E BOND.	ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECOR. COPIES OG - 1, PERFORMANCE 29, FIVE COPIES OG - 1, SHOW Inspector to be notified twenty

Official Title

FORM OG-8

DECENVED AUG 2 2 1972

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

OIL & GAS DIVISION DEPT. OF MINES

AFFIDAVIT OF PLUGGING AND FILLING WELL

	None		arl E. Smith,		
COAL	OPERATOR OR OWNER		NAME OF WELL O		
*****	ADDRESS	F	0. Box 4, Sar		V. Va.
	None		COMPLETE ADD		70
COAL	OPERATOR OR OWNER		ugust 16 WELL AND LO	CATION	19 /2
•		. (lay		District at
	ADDRESS				District
	Hardman OR PROPERTY OWNER	<u> </u>	lood		County
Leachton	wn. West Virginia	Well No			
		<u> </u>	linerva Hardman		Farm
STATE INSPECTOR	SUPERVISING PLUGGINGFr	edBurdett	e, Sissonville	. W. Va. 2	5185
	AFF	IDAVIT			
STATE OF WEST					
County of Ja	ackson ss:				
•		d	Bob Morrill		
being first duly sy	worn according to law depos	and say th	of they are experie	nced in the	work of
plugging and filling	g oil and gas wells and were e	mployed by.	Carl E. Smith	inc.	
	participated in the work of p				
was commenced on	the 30 th day of July		19. 72., and that t	he well was	plugged
and filled in the fo	llowing manner:				
AND OR ZONE RECORD	FILLING MATERIAL	•	PLUGS USED	CAS	ING
FORMATION			SIZE & KIND	CSG PULLED	CSG LEFT IN
358' to 5270'	Gel				
270' to 5170'	Cement Plug	į!			
	USING FAUR				
170' to 2364'	Gel Gel				
			100	952'	1362
170' to 2364'	Gel		100'	952'	1362
170' to 2364' 364' to 2264'	Gel Cement		100'	9521	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement		100	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel	Surface	100'	9521	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement	Surface	100'	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement	Surface	100	9521	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement	Surface	100	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement	Surface	100'	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement	Surface	100	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface	Gel Cement Gel Cement	Surface	100	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to	Gel Cement Gel Cement	Surface	100	952'	1362
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to	Gel Cement Gel Cement	Surface		952'	
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS	Gel Cement Gel Cement	Surface			
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to	Gel Cement Gel Cement	Surface			
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS	Gel Cement Gel Cement	Surface			
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS	Gel Cement Gel Cement	Surface			
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS (E) and that the work	Gel Cement Gel Cement give 3' Monument above sof plugging and filling said		DESCRIPTIO	ON OF MONUME	NT
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS (E) and that the work	Gel Cement Gel Cement give 3' Monument above		DESCRIPTIO	ON OF MONUME	NT
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS IE) and that the work July	Gel Cement Gel Cement give 3' Monument above sof plugging and filling said		DESCRIPTIO	ON OF MONUME	NT
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS IE) and that the work July	Gel Cement Gel Cement give 3' Monument above a of plugging and filling said 19.72.		DESCRIPTIO	ON OF MONUMEN	NT
170' to 2364' 364' to 2264' 264' to 50' 50' to Surface Set 20' of 7" to COAL SEAMS IE) and that the work July And further de	Gel Cement Gel Cement give 3' Monument above a of plugging and filling said 19.72.	well was c	ompleted on the	31st	NT