



IV-35 (Rev 8-81)

State of Mest Nirginia

Department of Mines Gil und Gas Division

Date_		21	. 19	864	
Opera		_			
Well !	No	1_			
Farm	Henr	ie	2		
API N	0. 47	_	107	- 1	178

WELL OPERATOR'S REPORT OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

DISTRICT: Williams County Wood Quadrangle Valley Mills CCUPANY Energex Oil and Cas Corp. ADDRESS Rox 905 Marietta, OH 45750 DESIGNATED AGENT Sherry Barker ADDRESS Rox 905 Marietta, OH 45750 DESIGNATED AGENT Sherry Barker ADDRESS Rt.#1, Williamstown, WV 26187 ANDRESS Rt.#1, Williamstown, WV 26187 ANDRESS Rt.#1, Williamstown, WV 26187 ANDRESS Rt.#1, Belleville, WW 26133 OH ND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt.#1, Box65, Sand Ridge ADDRESS Rt	WEIL TYPE:	Oil X / Gas X / L (If "Gas," Production	iquid Injection n <u>X</u> /Undergrou	/ Wast	e Disposal e/ Deep	L/ b/ Sha	llow/)
District: Williams County Wood Quadrangle Valley Mills COUPANY Energex Oil and Gas Corp. ADDRESS Rox 905 Marietta, OH 45750 DESIGNATED AGENT Sherry Earker ADDRESS Rox 905 Marietta, OK 45750 SURFACE OWNER Violet Henrie ADDRESS Rt. #1, Williamstown, WV 26187 MINERAL RIGHS OWNER Ralph Henrie ADDRESS Rt. #1, Belleville, WV 26133 OH AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMPLETED November 19, 1981 DRILLING COMPLETED November 19, 1981 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED CEDLOGICAL TARGET FORMATION Devonian Shale Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Presh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPIN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow Dabl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in If applicable due to multiple completion—) Second producing formation Pay zone depth feet Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d	TOTAMEDNI - F	levation: 873'	Watershed	Ohio Riv	er	•	
COMPANY Energex 0il and Gas Corp. ADDRESS Box 905 Marietta, OH 45750 DESIGNATED AGENT Sherry Barker ADDRESS Box 905 Marietta, OH 45750 SURFACE CAMER Violet Henrie ADDRESS Rt. #1, Williamstown, WV 26187 ADDRESS Rt. #1, Bulleville, WV 26183 OH AND GAS INSPECTOR FOR THIS MORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge MACE ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING CAMENCED November 24, 1981 DRILLING CAMENCED November 25, 1981 DRILLING CAMENCED November 26, 1981 DRILLING CAMENCED November 27, 1981 DRILLING CAMENCED November 28, 1981 DRILLING CAMENCED November 28, 1981 DRILLING CAMENCED November 28, 1981 DRILLING CAMENCED November 24, 1981 DRILLING CAMENCED November 25, 1981 DRILLING CAMENCED November 26, 1981 DRILLING CAMENCED N	ICAIION. I	District: Williams	County Wood		Quadrangle	valley	Mills
ADDRESS Box 905 Marietta, OH 45750 DESIGNATED MENT Sherry Earker ADDRESS Box 905 Marietta, OH 45750 SURFACE GNORT Violet Henrie ADDRESS Rt. #1, Williamstown, WV 26187 ADDRESS Rt. #1, Williamstown, WV 26187 OHL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Eelleville, WW 26133 OHL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Ebox 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMMENCED November 24, 1981 TAPPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROCRESSION FROM DRILLING OR REMORKING, VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Final open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig (surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d		,					
ADDRESS Box 905 Marietta, OH 45750 DESIGNATED MENT Sherry Earker ADDRESS Box 905 Marietta, OH 45750 SURFACE GNORT Violet Henrie ADDRESS Rt. #1, Williamstown, WV 26187 ADDRESS Rt. #1, Williamstown, WV 26187 OHL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Eelleville, WW 26133 OHL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Ebox 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMMENCED November 24, 1981 TAPPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROCRESSION FROM DRILLING OR REMORKING, VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Final open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig (surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d							
DESIGNATED AGENT Sherry Barker ACDRESS Box 905 Marietta, OH 45750 SURFACE CAMER Violet Henrie ADDRESS Rt. #1, Williamstown, WV 26187 MINERAL RIGHTS OWNER Ralph Henrie ADDRESS Rt. #1 Belleville, WV 26133 OH AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 WY 26133 OH AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMPLETED November 24, 1981 IF APPLICABLE: PLOGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REDORKING, VERRAL PERMISSION OBTAINED COOL SECONDARY OF COMPLETED STATE AGENT OF COMPLETE STATE AGENT FORMATION Devonian Shale Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 25 Mcf/d Final open flow D Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig (surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth 6eet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d	CMPANY Ene	ergex Oil and Gas	Corp.				
DESIGNATED AGENT Sherry Barker ADDRESS Box 905 Marietta, OH 45750 SURFACE CWNER Violet Henrie ADDRESS Rt. #1, Williamstown, WV 26187 MINEMAL RIGHTS OWNER Ralph Henrie ADDRESS Rt. #1, Belleville, WV 26133 OH AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMPLETED November 19, 1981 DRILLING COMPLETED November 24, 1981 DRILLING COMPLETED November 24, 1981 IF APPLICABLE: PLUCGING OF DRY HOLE ON COMINIOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow 25 Mcf/d oil: Initial open flow Bbl/d Final open flow 10 psig (surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d oil: Initial open flow Bbl/d Final open flow Mcf/d oil: Initial open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d Final open flow Mcf/d oil: Final open flow Bbl/d	ADDRESS Box	k 905 Marietta, OH	45750	Casing	Used in	Left	1 - 1
SURFACE OWNER Violet Henrie ADDRESS Rt.#1, Williamstown, WV 26187 MINERAL RIGHTS OWNER Ralph Henrie ADDRESS Rt. #1, Belleville, WV 26133 OIL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt.#1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMPLETED November 19, 1981 DRILLING COMPLETED November 24, 1981 TF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d	DESIGNATED A	AGENT Sherry Bark	er	Tubing	Drilling	in Well	
ADDRESS Rt. #1, Williamstown, WV 26187 MINERAL RIGHTS OWNER Ralph Henrie ADDRESS Rt. #1, Belleville, WV 26133 OIL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMMENCED November 19, 1981 CRILLING COMPLETED November 24, 1981 DRILLING COMPLETED November 24, 1981 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow Debt/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d	ADDRESS Box	x 905 Marietta, OH	45750	Size			
ADDRESS Rt. #1, Williamstown, WV 2618/ MINERAL RIGHTS OWNER Ralph Henrie ADDRESS Rt. #1, Belleville, WV 26133 OIL AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 WY PERMIT ISSUED October 8, 1981 WY PERMIT ISSUED October 8, 1981 PRILLING COMPLETED November 19, 1981 DRILLING COMPLETED November 24, 1981 FAPPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
MINERAL RIGHTS CANER Ralph Henrie ADDRESS Rt. #1, Belleville, WW 26133 OH AND GAS INSPECTOR FOR THIS WORK Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 W PRILLING COMMENCED November 19, 1981 PRILLING COMMENCED November 24, 1981 PRILLING COMPLETED November 24, 1981 PRAPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools . Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow 1 Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d	ADDRESS Rt.	#1, Williamstown,	WV 26187				
ADDRESS Rt. #1, Belleville, WV 26133 OH AND GAS INSPECTOR FOR THIS WORK Deo Mace ADDRESS Rt. #1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMMENCED November 24, 1981 DRILLING COMPLETED November 24, 1981 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REMORKING. VERBAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No OPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth 6eet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
OIL AND GAS INSPECTOR FOR THIS WORK Dec Mace ADDRESS Rt.#1, Box 65, Sand Ridge PERMIT ISSUED October 8, 1981 WV DRILLING COMMENCED November 19, 1981 3 2 3886' 405 SKS. DRILLING COMMENCED November 24, 1981 2 3886' 405 SKS. DRILLING COMPLETED November 24, 1981 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					2501	250'	Sufface
Mace ADDRESS Rt.#1, Box 65, Sand Ridge 5 1/2 3886' 405 SKS. PERMIT ISSUED October 8, 1981 WV DRILLING COMMENCED November 19, 1981 2 3886' 405 SKS. DRILLING COMPLETED November 24, 1981 2 Liners used 2 Liners us					230	230	Duriace
PERMIT ISSUED October 8, 1981 DRILLING COMMENCED November 19, 1981 DRILLING COMMENCED November 24, 1981 DRILLING COMPLETED NOVEMBER 25 DRILLING COMPLETED NOVEMBER 25 DRILLING COMP	Mace	ADDRESS Rt.#1, Box	k65,Sand Ridg	e 1.			
DRILLING COMMENCED November 19, 1981 DRILLING COMPLETED November 24, 1981 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERRAL PERMISSION OBTAINED ON GEOLOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	PERMIT ISSU	 ED October 8, 1981	L WV	3 1/2	 	20061	405 CVC
FRILING COMPLETED November 24, 1981 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CON CEDIOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools . Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow Bbl/d Final open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests bours	DRITLING CO	MMENCED November	19, 1981			3886	403 313
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CEDIOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CEDIOGICAL TARGET FORMATION Devonian Shale Depth 4000 feet Depth of completed well 3886 feet Rotary X / Cable Tools Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow DBbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours				2		<u> </u>	
ON	CONTINUOUS	PROGRESSION FROM DRII	LLING OR	. — — — — —			
Depth of completed well 3886 feet Rotary X / Cable Tools - Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No OPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow I Bbl/d Final open flow 25 Mcf/d Final open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours		VERBAL PERMISSION OF	BTAINED	useđ			
Depth of completed well 3886 feet Rotary X / Cable Tools — Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow 1 Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours						4000) foot
Water strata depth: Fresh 281 feet; Salt 608 feet Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow D Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	GEOLOGICAL	TARGET FORMATION D	<u>evonian Shale</u>		Dep	tn 4000	reet
Coal seam depths: None Is coal being mined in the area? No CPEN FLOW DATA Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow D Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion—) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow 1 Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
Producing formation Devonian Shale Pay zone depth 3416 feet Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow 1 Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	Coal s	eam depths: None		. Is coal	being mir	ed in the	area? No
Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	OPEN FLOW D)ATA					
Gas: Initial open flow 25 Mcf/d Oil: Initial open flow 1 Bbl/d Final open flow 25 Mcf/d Final open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	Produc	ing formation Dev	vonian Shale	Pa	y zone der	oth 3416	feet
Final open flow 25 Mcf/d Final open flow Bbl/d Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
Time of open flow between initial and final tests 24 hours Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours		Final open flow	25) Mcf/d	Fi	nal open i	flow) Bb1/d
Static rock pressure 675 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
(If applicable due to multiple completion) Second producing formation Pay zone depth feet Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	Statio						
Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours				_			
Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours	- • •	• •	-		y zone dej	oth	feet
Final open flow Mcf/d Oil: Final open flow Bbl/d Time of open flow between initial and final tests hours							
Time of open flow between initial and final tests hours							
	Stati						
(Continue on reverse side							

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

42 SHOTS

	<u>3416</u> '-3420' 3443'-3445'	8 SHOTS 2 SHOTS	3531'-3535' 8 SHOTS 3575'-3579' 4 SHOTS	
ll in	3449'-3451' 3456'-3458'	2 SHOTS 2 SHCTS		
·bbil	3467'-3471'	4 SHOTS	Fractured with 1,000,000 cu. ft. of	
ren.	3487'-3489' 3508'-3510'	2 SHCTS 2 SHOTS	Nitrogen.	
	3517'-3521' 3523'-3527'	4 SHOTS 4 SHOTS		

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all free and salt water, coal, oil and ga
Sand and Shale Sand Shale Sand Shale Sand Shale Sand Shale Big Injun Gray Shale Coffee Shale • Berea Devonian Shale	0 1500 1534 1548 1588 1592 1604 1674 1832 2120 2156 2162	1500 1534 1548 1588 1592 1604 1674 1832 2120 2156 2162 3886	Gas 70 in Honn
•			

(Attach separate sheets as necessary)

Energex Oil and Gas Corp.	
Well Operator / / / /	
- Plate Viblack President	
By: KHET C. KINEWOOL, PRESTUCAT	
Date: May 21, 1984	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including end, encountered in the drilling of a well."



RECEIVED

DEPARTMENT OF MINES

OCT 9 - 1981

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

Charleston, W. Va.	DATI	October 8.	1981
Surface Owner Violet Henrie	Comp	eny Energex Oil	& Gas Corpora
Address Rt. #1, Boaz, Williamstown, WV	26187 Addre	P. O. Box 530	6. Vienna. WV
Mineral Owner Ralph W. Henrie		Henrie	,
Address Rt. #1, Belleville, WV 26133		ion (waters) Ohio	
Coal Owner N/A		No#1	
Address	•	ct Williams	
			-
Address BE POSTED AT THE WELL SITE		rangle Valley Mil	<u> </u>
being in accardance with Chapter 22, a. Cods, the location is hereby approved ling This permit shall expire if ave not commenced by 6-14-82 Director - Oil & Gas Division	ADDRESS	OR OTIFIED K. Paul (Smithville, W	
	THOME -		
GENTLEMEN; The undersigned well operator is entitled to dri			
9 81 in Wood County, Book	762 Page	REDRILL	
9 in County, Book XX NEW WELL DRILL DEI QIL AND GAS WELL ORIGINALLY The enclosed plat was prepared by a registered	ie a 762 Page EPER ORILLED BEFOR	REDRILL	FRACTURE OR S
9 in County, Book XX NEW WELL DRILL DEI OIL AND GAS WELL ORIGINALLY The enclosed plat was prepared by a registered ave been notified as of the above date. The above named coal owners and/or operator as	762 Page PEPER	E JUNE 5, 1969. d land surveyor and a	FRACTURE OR S
9 81 in Wood County, Book	762 Page PA	REDRILL E JUNE 5, 1969. d land surveyor and a land surveyor and	FRACTURE OR S Il coal owners and/ wish to make, or nes within ten (10) the above named or before.
9 81 in Wood County, Book	762 Page PEPER Page PORILLED BEFOR Properties of licensed to the Department Port of the Department Port of the Department	REDRILL E JUNE 5, 1969. I land surveyor and a land surveyor and	FRACTURE OR S Il coal owners and/ wish to make, or nes within ten (10) the above named or before, West Virginia.
9 81 in Wood County, Book XX NEW WELL DRILL DEI OIL AND GAS WELL ORIGINALLY The enclosed plat was prepared by a registered are been notified as of the above date. The above named coal owners and/or operator at make by Section 3 of the Code, must be received. Copies of this notice and the enclosed plat were are coal owners at their above shown respective adame day with the mailing or delivery of this copy. LEASE SUBMIT COPIES OF ALL	762 Page PEPER Page PORILLED BEFOR Properties of licensed to the Department Port of the Department Port of the Department	REDRILL E JUNE 5, 1969. Id land surveyor and a land surveyor and lan	FRACTURE OR S Il coal owners and wish to make, or nes within ten (10) the above named combefore, West Virginia.
9 SI in	762 Page PEPER DRILLED BEFOR engineer or licensed are hereby notified to be by, or filed with mailed by registered dress to the Department Very trul ENERGE	REDRILL E JUNE 5, 1969. Id land surveyor and a land surveyor and land land surveyor and land land surveyor and land land surveyor and land land land land land land land	FRACTURE OR S Il coal owners and/ wish to make, or nes within ten (10) the above named combefore, West Virginia.
9 SI in	762 Page PEPER DRILLED BEFOR engineer or licensee are hereby notified to d by, or filed with mailed by registered dress to the Department Very trul ENERGE (Sign National)	REDRILL E JUNE 5, 1969. Id land surveyor and a land surveyor and l	r wish to make, or nes within ten (10) the above named control west Virginia. CORATION CORAT
9 81 in Wood County, Book	762 Page PEPER DRILLED BEFOR engineer or licensed are hereby notified to be by, or filed with mailed by registered dress to the Department Very trul ENERGE	REDRILL E JUNE 5, 1969. Id land surveyor and a land surveyor and land land surveyor and land land surveyor and land land surveyor and land land land land land land land	r wish to make, or nes within ten (10) the above named control west Virginia. CORATION CORAT
9 81 in Wood County, Book	762 Page PEPER DRILLED BEFOR engineer or licensee are hereby notified to be by, or filed with mailed by registered dress to the Department Very trul ENERGE (Sign Nan	REDRILL E JUNE 5, 1969. d land surveyor and a land surveyor and	il coal owners and/ wish to make, or nes within ten (10) the above named combefore, West Virginia. ORATION CORATION perator , #1 17th St.
9 81 in Wood County, Book	762 Page PAGE PAGE PAGE PAGE PAGE PAGE PAGE PAGE	REDRILL E JUNE 5, 1969. d land surveyor and a land surveyor and	il coal owners and/ wish to make, or nes within ten (10) the above named combefore, West Virginia. ORATION CORATION perator , #1 17th St.
OIL AND GAS WELL ORIGINALLY The enclosed plat was prepared by a registered ave been notified as of the above date. The above named coal owners and/or operator as make by Section 3 of the Code, must be received.	762 Page PAGE PAGE PAGE PAGE PAGE PAGE PAGE PAGE	REDRILL E JUNE 5, 1969. Id land surveyor and a land surveyor and l	Il coal owners and wish to make, or nes within ten (10) the above named competore. West Virginia. CORATION CORATION perator perator perator perator 26105
NEW WELL	762 Page PAGE PAGE PAGE PAGE PAGE PAGE PAGE PAGE	REDRILL E JUNE 5, 1969. d land surveyor and a land surveyor and surveyor a	Il coal owners and wish to make, or nes within ten (10) the above named competers, West Virginia. CORATION CORATION perstor 2, #1 17th St.

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO) XX DRILL	DEEPEN1	FRACTURE-STIMULATE
DRILLING CONTRACTOR: (If NAME Paul Drilling Cor	Known)	RESPONSIBLE AGENT	:
ADDRESS P. O. Box 1365,	Parkersburg, WV	WANTE WELLET III	5306, Vienna, WV 26105
TELEPHONE304-295-7310			
		- IDDELLIONE	
ESTIMATED DEPTH OF COMPI		ROTARY _^^	CABLE TOOLS
PROPOSED GEOLOGICAL FOR			
TYPE OF WELL: OIL_			
	RECYC	CLING WATER FL	OOD OTHER
TENTATIVE CASING PROGRAM			
IBMINITE CASING PROGRAM	vi:		
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP
SIZE	DRILLING	WELL	OR SACKS - CUBIC FT.
20 - 16			E. T. Languer and A.
13 - 10			
9 - 5/8			
8 - 5/8	250	250	Cemented to surface
7 :			010
5 ½			1 and 150)
4 ½		T.D. Est. 4000	125 sks.
3			Perf. Top
2			Perf. Bottom
Liners			Perf. Top
			Perf. Bottom
OF TEXT. O DRILL DEEPER OR REDRIL. SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTE. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT	OF OG - 1, \$100.00 PERI L: DF OG - 1, SHOWING ORIG O 1929, A PERMANENT D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL RI	MIT FEE, PERFORMANCE BO GINAL PERMIT NUMBER AN COPY OF THE PLAT AND T ORE JUNE 5, 1929, FIVE (5) O ECORD.	OND AND PERMANENT COPY D PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE
Required forms must be filed			Inspector to be notified twenty-
four (24) hours in advance.			no nomina twenty.
		사용 변경 시간 중요한 경기 전 중요한 전 	
	in the same of		radio de la compansa de la compansa La compansa de la co
•			A Section of the sect
The following waiver must be	e completed by the coal or	perator if the permit is to he is	ssued within ten days of receipt
•			
• •	d and place on our mine n	naps this proposed well location	on.
providing operator has co	omplied with all rules and re	have no objections to said we gulations in Articles 4, 5, and 7	ll being drilled at this location, Chapter 22 of the West Virginia
		E	Coal Commun.
			Coal Company
		e emilyessa 1.1865	Authorities and the property of the second