



| 200 | | * | | Ē | a | te | | | • | | | ŕ | 1 | ì | | | | | | | | | | | | 15 | | 1 | | į |
|-----|----|---|---|------|---|----|----|------|-----|----|------|-----|----|---|----|-----|-----|-------|---------|-----|------|--|-----|-----|---|----|----|---|-----|---|
| | 39 | | 1 | - 10 | 3 | | Ġ. | 9.55 | 3.8 | 77 | 1.77 | 7.7 | 1. | | 77 | S., | 7.7 | 1. 47 | 4 . | 9.7 | 90.3 | | 9.7 | 200 | 7 | | 77 | 7 | - 9 | ź |

2) Operator's KEM #363 Well No.

3) API Well No.

107-1268 County Permit

DRILLING CONTRACTOR:

| English and the control | STATE OF WEST VIRGINI |
|-------------------------|--------------------------------|
| Clint Hurt | DEPARTMENT OF MINES, OIL AND O |
| | |

| | | | UE | EPARTMI | | | | | | | | |
|--|---|---|---|--|---|--|---------------|--|--|---|--|----------------------------------|
| | | | | | | | | APPLICATION | • | | | |
| | | | | | <u> </u> | WEEL I DR | | | | | | |
| WELL TYPE: | A Oil | | / Gas _ | 7. | / | | | | • | | | |
| | B (If " | Gas'', Pr | oduction _ | <u> </u> | / | Undergroun | d stor | | | <u> </u> | Shallow . | /) |
| LOCATION: | Elevati | on: | 141 1 | | | Watershed: | | Egypt Rin | 1 | | 394 2 | · · · · · · |
| | Distric | | <u>voart</u> | | | County: | | √ood | Quadrangle | · | | ersburg |
| WELL OPERA | ATOR 31 | | | tion a | 88171 | ng Co. | 11) | DESIGNATED | AGENT | | /CE | |
| Address | | D. Bo | | 0030 | <u> </u> | | | Address | Sam | (A | | |
| | K3V | enswo | od, WV | 2616 | ζ. | | | - | · · · · · · · · · · · · · · · · · · · | | | |
| OIL & GAS ROYALTY OV | NNER Sa | rī B. | Shepar | od, et | al. | | 12) | COAL OPERAT | TOR Non | ĉ | | |
| Address | P.C | | Sox 9 | | | | 1-, | Address | | | | |
| | | neral | Wells. | , WV | | | | | | | | |
| Acreage | | | | | | | 13) | COAL OWNER | | LARATI | ON ON RI | ECORD: |
| SURFACE OW | VNER 🛅 | ah E. | 3 The | lma U. | War | | | Name | <u>ne </u> | | | |
| Address | **** | | | · | | | | Address | | | | |
| | 5 A | | | | | | | - | | | | |
| Acreage | <u> </u> | | | | | • | | Name | | - · · · · · · · · · · · · · · · · · · · | | |
| FIELD SALE Address | (IF MADE | i) 10: | | | | | | Address | | | | |
| Address | | | | | | | 14) | COAL LESSEE | WITH DECLA | RATION | ON RECO |)BD· |
| OIL & GAS IN | NSPECTO | R TO BE | NOTIFIE | D | | | 14) | Name | | MIION | ON REC | JKD. |
| Name HOWE | er Oous | herty | , | | | <u> </u> | | Address | | | | |
| Address | | | nden Ri | îr to y | | | | - | | | | |
| | Loone | <u>yv111</u> | e.WV | | | | | | | | | |
| PROPOSED V | WORK: | | | | | | | / Fract | | | | |
| | | Plug of | f old form | ation | - | _/ Perfora | te nev | v formation | / | | | |
| | | | nysical char | ige in well | (amaaif | 1 | | | | | | |
| | | | | | | у) | | | | | | |
| GEOLOGICA | L TARGE | Γ FORM | ATION, _ | Orisk | any | | | | | - | | |
| 17) Estimated | depth of co | ompleted | well, | <u>Orisk</u> 4985 | any | fe | | | | | • | |
| 17) Estimated18) Approxim | depth of co | ompleted trata dep | well, ths: Fresh | <u>0risk</u> 4935 , | any | fe | sa | it, | | | / No | |
| 17) Estimated18) Approxim19) Approxim | depth of co ate water s ate coal sea | ompleted trata dep im depth | well, ths: Fresh s: | <u>0risk</u> 4935 , | any | fe | sa | it,eing mined in the a | | | _/ No | |
| 17) Estimated18) Approxim19) Approxim | depth of co ate water s ate coal sea | ompleted trata dep im depth | well, ths: Fresh s: | <u>0risk</u> 4935 , | any | fe | sa | • | | | _/ No | |
| 17) Estimated18) Approxim19) Approxim | depth of co ate water s ate coal sea | ompleted trata dep am depth PROGR | well, ths: Fresh s: AM PECIFICATION | <u>Orisk</u> 4985 , | any | feet; | sal coal b | • | area? Yes | UP | _/ No PACKE | RS |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR | depth of co ate water s ate coal sea | ompleted trata dep am depth PROGR | well, ths: Fresh s: AM | 0risk 4035 , | any | feet; | sal coal b | eing mined in the a | area? Yes | UP | | RS |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR | depth of contact water state water state coal search TUBING | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , | any | feet; Is FOO | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) | Kii | PACKE | |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water | depth of co nate water s nate coal sea O TUBING | ompleted trata dep am depth PROGR | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , | any | feet; | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) | Kii | PACKE | |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal | depth of collate water's late coal seal D TUBING | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4085 , | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) | Kir C 7 & 5 S | PACKE | surface |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate | depth of contact water so that e water so that e coal search D TUBING Size 10 3/ | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface × |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production | depth of collate water's late coal seal D TUBING | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4085 , | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface × |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing | depth of contact water so that e water so that e coal search D TUBING Size 10 3/ | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class Solisis Class | PACKE | surface × |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing | depth of contact water so that e water so that e coal search D TUBING Size 10 3/ | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface x |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing | depth of contact water so that e water so that e coal search D TUBING Size 10 3/ | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface × |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing | depth of contact water so that e water so that e coal search D TUBING Size 10 3/ | ompleted trata dep am depth PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface x |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners | depth of contact water shate coal search TUBING Size 10 3/ | ompleted trata dep am depth. PROGR SP Grade | well, ths: Fresh s: AM PECIFICATION Weight | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface x |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners | depth of contate water shate coal search of TUBING Size 10 3/ 74 4 1/ | ompleted trata dep am depth. PROGR SP Grade | well, ths: Fresh s: tAM ECIFICATION Weight per ft. | 0risk 4035 , , Ns New U | any | feet; Is FOO For drilling | sal coal b | eing mined in the a | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS | Kin Class | PACKE | surface x |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro | depth of contate water so that evaluate coal search of TUBING Size 10 3/ 74 4 1/ A 1/ N RIGHTS vide one of is the least | ompleted trata dep am depth. PROGR SP Grade | well, | Orisk 4035 , NS New U | any Jsed geontr | feet; Is FOO For drilling 250 2110 4335 | sal coal b | NTERVALS Left in well | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS 225 SKS | Kin Class 50/ Siz Class 50/ Do | PACKE | surface x |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro | Size 10 3/ 74 1/ A 1/ N RIGHTS vide one o d is the leasuirement o | ompleted trata dep am depth. PROGR SP Grade 4 3 4 4 5 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | well, | Orisk 4035 , NS New U | any Jsed geontr | fefeet;Is | sal coal b | NTERVALS Left in well | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS 225 SKS | Kin Class 50/ Siz Class 50/ Do | PACKE | surface x |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requ ROYALTY PR | Size 10 3/ 74 1/ A 1/ N RIGHTS vide one o d is the leasuirement o ROVISION | ompleted trata dep am depth. PROGR SP Grade 4 3 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | well, | Orisk 4035 New U X continuin) through | g contr (4). (Se | feet; Is FOO For drilling 250 2110 4335 | sal coal b | NTERVALS Left in well 2116 4505 | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS 225 SKS | Kin Class 50/Siz Class 00/De | PACKE | Surface |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requ ROYALTY PR Is the right to e | Size 10 3/ 74 1/ A 1/ N RIGHTS vide one o d is the leasuirement o ROVISION extract, pro | ompleted trata dep am depth. PROGR Grade 4.2 f the follose or lease f Code 2 S duce or n | well, | Orisk 4035 New U X Continuin) through | g contr (4). (S | feet; Is FOO For drilling 250 2110 4335 | sal coal b | NTERVALS Left in well | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 65 SKS 100 SKS 225 SKS | Class 50/St Class 0/Ob Pe | PACKE ands continues to the second particular | Surface X Bottom |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requestream of the requestream of the requestream of the region | Size 10 3/ 74 1/ A 1/ N RIGHTS vide one of is the leasuirement of ROVISION extract, proof on for comarketed? | ompleted trata dep am depth. PROGR Grade Grade f the follise or leas f Code 2 S duce or nupensatio Yes | well, | orisk 4035 New U X Continuin) through | g contr (4). (So | feet; Is FOO For drilling 250 2110 4335 | sal coal b | which I hold the specifics.) | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 250 SKS 225 SKS right to extract of the contracts properly related to the vertices. | Class 50/St Class 0/Ob Pe | PACKE ands continues to the second particular | Surface X Bottom |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requestre requestr | Size TUBING Size 10 3/ TH A 1/ A 1/ A 1/ A 1/ COVISION Extract, proon for commarketed? Is No, no | ompleted trata dep am depth. PROGR Grade Grade f the follose or lease f Code 2 S duce or nupensatio Yes thing additional transfer of the second transfer of | well, | orisk 4035 New U X Continuin) through | g contr (4). (So | feet; Is FOO For drilling 250 2110 4335 | sal coal b | which I hold the specifics.) | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 250 SKS 225 SKS right to extract of the contracts properly related to the vertices. | Class 50/St Class 0/Ob Pe | PACKE ands continues to the second particular | Surface X Bottom |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requested The requested The reproduced or many the answer above Required Copin | Size 10 3/ Till N RIGHTS vide one of is the leasuirement of ROVISION extract, proof of commarketed? is No, no es (See reverse) | ompleted trata dep am depth. PROGR Grade Grade f the follose or lease f Code 2 S duce or nupensatio Yes thing adderse side. | well, | continuin through bil or gas by vier of the eeded. If | g contr (4). (So ased up e oil or the ans | feet; Is FOO For drilling 250 2110 43035 act or contrace reverse sid on a lease or gas in place wer is Yes, ye | sal coal b | which I hold the specifics.) continuing contract is not inherently y use Affidavit Formula in the specific in the specific is not inherently y use Affidavit Formula in the specific | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 250 SKS 250 SKS cright to extract of the violent state of the violent | Class | PACKE onds conditions: representations: Top or flat well f oil or gas | Bottom royalty or a |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requested The requested The report of the complete to estimilar provision produced or management of the complete to produce or management of the complete to produce of this | Size 10 3/ 74 1/ A | ompleted trata dep am depth. PROGR SP Grade f the follose or least f Code 2 S duce or nupensation Yes thing adderse side. plication | well, | continuin through bil or gas by where of the eeded. If | g contr (4). (So ased up e oil or the ans | feet; Is FOO For drilling 250 2110 4335 act or contrace reverse side on a lease or gas in place wer is Yes, yeelamation possible action pos | sal coal b | which I hold the specifics.) | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 250 SKS 225 SKS ct or contracts proyrelated to the vector with the | Class 50/Siz Class 0/Ob Pe | properties and the properties are the properties and the properties are the properties ar | Bottom royalty or a so extracte |
| 17) Estimated 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The requested and provision produced or make answer above Required Copies of this named coal op Mines at Charles | N RIGHTS vide one of is the leasuirement of COVISION extract, proof of comarketed? | ompleted trata dep am depth. PROGR SP Grade f the follose or lease f Code 2 S duce or no pensation Yes thing adderse side. plicational owner(| well, | continuin through bil or gas by where of the eeded. If | g contr (4). (So ased up e oil or the ans | feet; Is FOO For drilling 250 2110 4335 act or contrace reverse side on a lease or gas in place wer is Yes, yeelamation possible action pos | sal coal b | which I hold the specifics.) continuing contrart is not inherently y use Affidavit Forest Each of the specific | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 250 SKS 225 SKS ct or contracts proyrelated to the vector with the | Class 50/Siz Class 0/Ob Pe | properties and the properties are the properties and the properties are the properties ar | Bottom royalty or a so extracte |
| 18) Approxim 19) Approxim CASING AND CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Included The required ROYALTY PR Is the right to esimilar provision produced or muthe answer above Required Copic Copies of this named coal op | N RIGHTS vide one of is the leasuirement of COVISION extract, proof of comarketed? | ompleted trata dep am depth. PROGR SP Grade f the follose or lease f Code 2 S duce or mapensation Yes thing adderse side. plication all owner(| well, | continuin through bil or gas by where of the eeded. If | g contr (4). (So ased up e oil or the ans | feet; Is FOO For drilling 250 2110 4335 act or contrace reverse side on a lease or gas in place wer is Yes, yeelamation possible action pos | sal coal b | which I hold the specifics.) continuing contract is not inherently y use Affidavit For we been mailed by mailing or deliver | CEMENT FILL OR SACKS (Cubic feet) 150 SKS 250 SKS 225 SKS ct or contracts proyrelated to the vector with the | Class | properties and the properties are the properties and the properties are the properties ar | Bottom royalty or a so extracte |

OFFICE USE ONLY

DRILLING PERMIT

This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector. (Refer to No. 10) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

February 20, 1934

| Permit expires | 1 COTTA CIRAL | · * * * * * * * * * * * * * * * * * * * | | unless d | rilling is commenced prior to | that date and prosecuted with du | e diligence. |
|----------------|---------------|---|--------|----------|-------------------------------|----------------------------------|---------------|
| Bond: | Agent: | Plat: | Casing | Fee | | | |
| - | | | | | Administra | ator, Office of Oil and Gas | - |