



#5	287m	#4	271m
	912		0.24
#1	275m	#3	289m
	0.21		0.28
			216m
			0.39

A. Miller

JUL 26 1948

New Location
 Drill Deeper
 Abandonment

Company George D. Athey
 Address Williamstown, W. Va.
 Farm George Henries
 Tract _____ Acres 90 Lease No. _____
 Wells (Farm) No. 5, 4, 3, 2 Serial No. _____
 Elevation (Spirit Level) 75, 695, 630, 820, 922
 Quadrangle Marietta
 County Wood District Williams
 Engineer O. Meredith
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date Nov. 30, 47 Scale 1 in = 20 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WV-280-A-#5

+ Denotes location of well on United States Topographic Maps, scale 1" to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces or border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 280-A Oil or Gas Well _____ (KIND)

Company W. I. Gettman
Address Zelienople, Pa.
Farm George Henrie Acres 38
Location (waters) Big Run
Well No. 5 Elev. 792
District Williams County Wood
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced 1928
Drilling completed 1928
Date Shot _____ From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4			
6 5/8	<u>780'</u>		Depth set
5 3/16	<u>962'</u>	<u>4 7/8"</u>	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	Yellow	Soft	0	50			
Red rock		Soft	50	200			
Slate	White	Soft	200	300			
Shells	Gray	Hard					
Shells	Red	Soft	300	350			
Slate	White	Soft	350	425			
Lime	Gray	Soft	425	500			
Lime	Red	Soft	525	625			
Slate		Soft	625	650			
Slate	Red	Soft	750	765			
Slate		Soft	765	772			
Lime		Hard	772	780			
Slate		Soft	780	900			
Slate	Black	Black	900	960			
Slate	Red	Soft	960	972			
Sand			972	985	Oil	972 - 985'	
TOTAL DEPTH				985			

