

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, September 25, 2023
WELL WORK PLUGGING PERMIT
Vertical Plugging

CM ENERGY HOLDINGS, LP 200 GEORGE ST. SUITE 4

BECKLEY, WV 25801

Re: Permit approval for 146 47-109-00450-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: 146 Farm Name: RITTER, W. M. LMBR. CO.

U.S. WELL NUMBER: 47-109-00450-00-00

Vertical Plugging Date Issued: 9/25/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

ww-4B Rev. 2/01

1) Date March 5	20 21
2)Operator's	
Well No. Ritter Lumber Co. 146	
31API Well No. 47-100	- 00450

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4)		
4)		MIT TO PLUG AND ABANDON
- •	Well Type: Oil / Gas X / Liqui	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
	(If "Gas, Production A or On	derground storage
51	Location: Elevation 1903 ft	Watershed Big Cub Creek
٠,	District Clear Fork	County Wyoming Quadrangle Oceana
6)	Well Operator CM Energy Holdings, LP	7) Designated Agent Jim Higgins
	Address 200 George Street, Suite 4	Address 200 George Street, Suite 4
	Beckley, WV 25801	Beckley, WV 25801
8)		9) Plugging Contractor Name R & J Well Service, Inc
	Name Gary Kannetty Roy Howard Address 66 Old Church Lane P.D. Box II	
		540\ Hueysville, KY 41640
	o decreasing the management of	
		RECEIVED Office of Gill and Gas
		Office of Ōil and Gas
		RECEIVED Office of Oil and Gas AUG 28 2023
		Office of Ōil and Gas

Plugging Prognosis

CM Energy Wyoming County, WV Well # 146 W.M.R. Ritter Lumber Company API # 47-109-00450 Elevation 1902.9' TD 3950' (Plugged back to 3365')

RH 8/29/23

Casing Schedule:

16" @ 10'
13 3/8" @ 133' (53' cement)
10 %" @ 600'
8 5/8" @ 2500' (30' cement)
7" @ 3119'
3 %" @ 3365' (3"x7" packer @ 3247')

Completion:

Big Lime @ 3247' to 3365'

RECEIVED
Office of Oil and Gas

AUG 28 2023

Procedure:

WV Department of Environmental Protection

*In the event that free-points are unable to be located on any casing strings, contact WV DEP inspector Roy Howard for further instructions.

- 1) Notify State Inspector Roy Howard @ 681-990-2568, 48 hours prior to commencing plugging operations.
- 2) MIRU. Check SIP. TD well.
- 3) Attempt to release 3"x7" packer and pull. If unable to release packer, shoot off tubing at top of packer and TOOH.
- 4) TIH w/ WS to 3300'. Pump 30 bbls of 6% gel water. Set 231' Class A Cement plug from 3300' to 3069'. WOC. Tag TOC, top off as needed.
- 5) TOOH w/ WS. Free-point 7" casing. If free-point is above 2500', perforate 7" casing w/ 5 holes each @ 2550', 2500', and 2450'. TiH w/ tubing and set a 100' Class A Cement plug from 2550' to 2450' (8 5/8" casing seat @ 2500'). WOC. Tag TOC. Add cement as needed.
- 6) TOOH w/ WS. Shoot off 7" casing @ free-point. TOOH w/ 7" casing. TIH w/ WS to casing cut. Set 100' Class A Cement plug 50' in and 50 out of casing cut. WOC. Tag TOC, top off as needed.
- 7) TOOH w/ WS. Free-point, shoot off and pull 8 5/8" casing. If free-point is above 1903', perforate 8 5/8" casing with 5 holes each @ 1903', 1853', 1803'. TIH w/ WS to 1903'.

- Pump 50 bbls of 6% gel water. Set 100' Class A Cement plug from 1903' to 1803' (Elevation). WOC. Tag TOC, top off as needed.
- 8) TiH w/ WS to 1460'. Set 100' Class A Cement plug from 1460' to 1360' (Gas show @ 1460'). WOC. Tag TOC, top off as needed.
- 9) TOOH w/ W5 to 912'. Pump 40 bbls of 6% gel water. Set 100' Class A Cement plug from 912' to 812' (Water @ 912'). WOC. Tag TOC. Top off as needed. TOOH w/ WS.
- 10) Attempt to pull 10 %" casing. If unable to pull, perforate 10 %" casing with 5 holes each @ 700', 660', 600', 550', 220', 170', 100' and 50'.
- 11) TIH w/ WS to 700'. Circulate hole w/ 6% gel water. Set 150' Class A Cement plug from 700" to 550' (Coal @ 660', 10 %" casing seat @ 600').
- 12) TOOH w/ WS to 220'. Set 220' Class A Cement plug circulating cement to surface. TOOH w/ WS.
- 13) Top off well as needed, set monument to WV DEP Specs.

RH 8/29/23

RECEIVED
Office of Oil and Gas

AUG 28 2023

WW-4A Revised 6-07

(a) Name

4) Surface Owner(s) to be served:

Lyme Mountaineer Timberlands I, LLC

1)	Date:	March 5, 2021	
2)	Operator	r's Well Number	
Ritte	Lumber Co.	146	

3) API Well No.: 47 -

CM Energy Operations, LP

00450

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

5) (a) Coal Operator

Name


Address	23 South Main Street		Address	200 George Street, Suite 4	
	Hanover, NH 03755			Beckley, WV 25801	
(b) Name	3 17		(b) Coal Ov	vner(s) with Declaration	
Address			Name	WPP, LLC	
			Address	5260 Irwin Road	
	-		_	Huntington, WV 25705	
(c) Name			Name	1/2	
Address	1		- Address		
	3				
6) Inspector	Gary Kennedy		(c) Coal Le	ssee with Declaration	
Address	66 Old Church Lane		Name	CM Energy Holdings, LP	
11441000	Pipestem, WV 25979		- Address	200 George Street, Suite 4	
Telephone	304-382-8402			Beckley, WV 25801	


TO THE PE	RSONS NAME	O ABOVE: Yo	u should have rec	eived this Form and the followin	g documents:
(1) The	application to Plug and A	Abandon a Well on I	Form WW-4B, which	sets out the parties involved in the	work and describes the
	its and the plugging worl		E WW.		
(2) The	plat (surveyor's map) sho	wing the well location	on on Form WW-6.		
		and the second of the second o	hts regarding the appli	cation which are summarized in the instr	uctions on the reverses side.
However, y	you are not required to take a	ny action at all.			
Take notic	e that under Chapter 22-6 of	the West Virginia Cod	e, the undersigned well	operator proposes to file or has filed this	Notice and Application and
				ne Office of Oil and Gas, West Virginia D	
				ion and depicted on the attached Form W	
	cumstances) on or before the			elivered by hand to the person(s) named	above (or by publication in
certain ene	cumsumees) on or before me	any or maning or denve	ry to the effet.		
		Well Operator	CM Energy Holdings,	LP A	
		By:	Jim Higgins	Com tues	ws.
		Its:	Designated Agent	7	
		Address	200 George Street, S	uite 4	
			Beckley, WV 25801		Office of Silved
		Telephone	681-207-7393 ext 4		Office of Oil and Gas
		Totophono			AUG 28 2023
					20 2023
Subscribed and	sworn before me thi	e 15th de	ay of Aug.	ist zozz	WV Department of
Mask in the	Lavori de la	. ua	ay or	Notary Public	Environmental Protection
My Commission	Expires May	4 24.203	78	Notary Fublic	~~~~
wiy Commission	Trybuda	y ou au	×0	A TIE	NOTARY PUBLIC
Oil and Gas Prive	acy Notice	·		ST.	ATE OF WEST VIRGINIA

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a name, address and number number, as a name, address and number number, as a name, address and number regulatory duties. Your personal information may be disclosed to other State agencies of third parties on third parties on third parties on third parties on the companion of th business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Sherri L. Zackoski





RECEIVED Office of Off suid Gas

AUG 28 2023

47-109-00450	
Ritter Lumber Co. 146	_

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	8	WAIVER
done at		her X / lessee / of the coal under this well location. The undersigned has no objection to the work proposed to be has complied with all applicable requirements of the West
Date: _	?/17/2023	WPP LLC By: Its Court VP & Chief Enviroger

RECEIVED Office of Öil and Gas

AUG 28 2023

API No.	47-109-00450	
Farm Name		
Well No.	Ritter Lumber Co. 146	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

SURFACE OWNER WAIVER

Operator's Well Number

Ritter Lumber Co. 146

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FTVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number. the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following RECEIVED Office of ON and Gas grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;

AUG 28 2023

3) Damage would occur to publicly owned lands or resources;

should request a copy from the Chief.

4) The proposed well work fails to protect fresh water sources or supplies;

WV Department of Vireiniatist Pullantion 5) The applicant has committed a substantial violation of a previous permit or a substantial violation or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the

violation ... ". If you want a copy of the permit as it is issued or a copy of the order denying the permit, you

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

objection to a permit being issued on those ma FOR EXECUTION BY A NATURAL PERSON ETC.	iterials.	ed wo		aterials, and I have no BY A CORPORATION,
Signature Date	e N		Lyme Mountaineer	Timberlands I, LLC
•	It	-		Date
			Signature	Deta

API Number	47 -	109	_ 00450
Operator's W	ell No).	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_CM Energy Holdings LP	OP Code
Watershed (HUC 10)_Buffalo Creek-Guyandotte River	Quadrangle Oceana
Do you anticipate using more than 5,000 bbls of water to co	omplete the proposed well work? Yes No
If so, please describe anticipated pit waste: fresh	water
Will a synthetic liner be used in the pit? Yes	
Proposed Disposal Method For Treated Pit Waste	s:
Reuse (at API Number Off Site Disposal (Supply form	ermit Number)
Will closed loop systembe used? If so, describe: no	
Drilling medium anticipated for this well (vertical and hori	zontal)? Air, freshwater, oil based, etc. fresh water
-If oil based, what type? Synthetic, petroleum, etc.	
Additives to be used in drilling medium?n/a	
Drill cuttings disposal method? Leave in pit, landfill, remo	ved offsite, etcn/a
-If left in pit and plan to solidify what medium wil	be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?	
	nd Gas of any load of drill cuttings or associated waste rejected at any ided within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the Wes provisions of the permit are enforceable by law. Violations or regulation can lead to enforcement action. I certify under penalty of law that I have person application form and all attachments thereto and that, based the information, I believe that the information is true, account submitting false information, including the possibility of fire Company Official Signature	icquir, II
Company Official (Typed Name) James C Higgins, II	Office of Oil and Gas
Company Official Title Designated Agent	AUG 28 2023
Subscribed and sworn before me this 15th day of	WV Department of
Sherri G. Zackosku	Notary Public
My commission expires May 26, 2028	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Sherri L. Zackoski 794 Turkey Creek Rago / 29 / 2023 My Commission Expires May 26, 2028

Annual Rye Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including rovided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, L, W), and area in acres, of the land application area. Thotocopied section of involved 7.5' topographic sheet.	
Fertilizer type 10-20-20 or equivalent Fertilizer amount 650 ba/acre Mulch 2 Toms/acre Seed Mixtures Temperary Permanent Seed Type ba/acre Seed Type Red Fescue 40 Red Fescue Alsike 5 Alsike Annual Rye 15 Ann	Ibs/acre 15
Fertilizer amount 650 iba/acre Mulch 2 Tons/acre Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Red Fescue 40 Red Fescue Alsike 5 Alsike Annual Rye 15 Itach: aps(s) of road, location, pit and proposed area for land application (unless engineered plans including ovided). If water from the pit will be land application greated in acres, of the land application greated plans included dimensions (L., W., W.), and area in acres, of the land application greated in acres, of th	Ibs/acre 15
Seed Mixtures Temporary Seed Type Bo/acre Seed Type Red Fescue Alsike	Ibs/acre 15
Temperary Temperary Seed Type Red Fescue Alsike Alsike Annual Rye 15 ttach: taps(s) of road, location, pit and proposed area for land application (unless engineered plans including ovided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, W), and area in acres, of the land application area. Approved by: Loy Howel Temperary Permanent Seed Type Red Fescue Alsike Annual Rye 15 ttach: taps(s) of road, location, pit and proposed area for land application (unless engineered plans including ovided). If water from the pit will be land application area. Anotocopied section of involved 7.5' topographic sheet.	Ibs/acre 15
Seed Type Red Fescue Alsike 5 Alsike Innual Rye 15 Alsike Itach: apa(s) of road, location, pit and proposed area for land application (unless engineered plans including ovided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, W), and area in acres, of the land application area. Approved by: Roy Howel An Approved by: Roy Howel An Approved by: Roy Howel An Approved by: Roy Howel Alsike Seed Type Red Fescue Red Fescue Alsike Innual Rye 15 Itach: Approved by: Loy Howel Alsike Itach: Approved by: Roy Howel Alsike Itach: Approved by: Roy Howel Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Loy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Alsike Itach: Approved by: Loy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach: Approved by: Roy Howel Approved by: Roy Howel Alsike Itach: Alsike Itach: Alsike Itach: Alsike Itach: Approved by: Roy Howel Alsike Itach: Approved by: Roy Howel Approved by: Roy Howel Alsike Itach: Approved by: Roy Howel Alsike Itach: Alsike Itach	Ibs/acre 15
Seed Type Red Fescue Alsike 5 Alsike Annual Rye 15 Alsike 15 Alsike Annual Rye 15 Annual R	Ibs/acre 15
Red Fescue Alsike 5 Alsike Annual Rye 15 ttach: laps(s) of road, location, pit and proposed area for land application (unless engineered plans including novided). If water from the pit will be land application area. Notocopied section of involved 7.5' topographic sheet. In Approved by: An Approved by:	15
Alsike Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, L, W), and area in acres, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Roy Howel Comments: Operator to cover with Cement all 6 it and see for methy including Self, elections.	
trach: aps(s) of road, location, pit and proposed area for land application (unless engineered plans including ovided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, W), and area in acres, of the land application area. an Approved by: Roy Howel. an Approved by: Roy Howel. omments: Operator to Cover with Cement all oil and see for netweethers including Self, elections.	5
tach: aps(s) of road, location, pit and proposed area for land application (unless engineered plans including ovided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, W), and area in acres, of the land application area. otocopied section of involved 7.5' topographic sheet. an Approved by: Roy Howerd	
aps(s) of road, location, pit and proposed area for land application (unless engineered plans including provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, W), and area in acres, of the land application area. otocopied section of involved 7.5' topographic sheet. an Approved by: Roy Howel mments: Operator to Cover with Cenart all oil and see for netweet including Selt, elect	
oil and gas formations including Selt, elect	· · · · · · · · · · · · · · · · · · ·
oil and gas formatins including Selt, elect	
oil and gas formatins including Selt, elect	
	ring, cals
	Office
ide: Inspector Date: 8/29/23	
sld Reviewed? (X) Yes (No.	AUG

WV Oil & Gas Wells (WVOG)





09/29/2023



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LO	CATION FORM: GPS	
API: 47-109-00450-00	WELL NO.: 115	53397
FARM NAME: Ritter Lumb	er Co. 146	
RESPONSIBLE PARTY NAME:	CM Energy Holdings,	, LP
COUNTY: Wyoming	bistrict: Clear	Fork
QUADRANGLE: Oceana		
SURFACE OWNER: CM Ene	ergy Holdings, LP	
ROYALTY OWNER: CM En	ergy Holdings, LP	
UTM GPS NORTHING: 4,170,	036.75	
UTM GPS EASTING: 437,220	0.17 GPS ELEVATION	_{N:} 582.7
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gothe following requirements: 1. Datum: NAD 1983, Zone height above mean sea le 2. Accuracy to Datum – 3.0 3. Data Collection Method: Survey grade GPS × : Post Proceedings of the preparation of the preparati	or a plugging permit or assigned API as will not accept GPS coordinates to the second	I number on the hat do not meet
	ime Differential X	
Mapping Grade GPS: Post	Processed Differential l-Time Differential	Office of Oil and Gas
	opography map showing the well a data is correct to the best of my know required by law and the regulations	AUG 28 2023 location. owledge and issued and

11/10/2016

PLUGGING PERMIT CHECKLIST

Plugging Permit	
WW-4B WW-4B signed by inspector WW-4A	
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGIS	STERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APP BY REGISTERED OR CERTIFIED MAIL	LICATION WAS SENT
WW-9 PAGE 1 (NOTARIZED)	
WW-9 PAGE 2 with attached drawing of road, location, pit and proposed are	a for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
MUST HAVE VALID BOND IN OPERATOR'S NAME	RECEIVED
CHECK FOR \$100 IF PIT IS USED	Office of Öil and Gas
	AUG 28 2023
	RECENTED partment of Office তি পিটেচনার কিন্তু Protection

AUG 28 2023



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued 4710900450

2 messages

Kennedy, James P < james.p.kennedy@wv.gov>


Mon, Sep 25, 2023 at 9:55 AM

To: Roy W Howard <roy.w.howard@wv.gov>, mecook2@assessor.state.wv.us, jhiggins@cmenergylp.com

To whom it may concern, a plugging permit has been issued for 4710900450.

James Kennedy

WVDEP OOG



Jim Higgins jhiggins@cmenergylp.com
To: "Kennedy, James P" james.p.kennedy@wv.gov

Mon, Sep 25, 2023 at 9:59 AM

Thanks

- > On Sep 25, 2023, at 9:55 AM, Kennedy, James P < james.p.kennedy@wv.gov> wrote:
- ?
- > To whom it may concern, a plugging permit has been issued for 4710900450.
- >
- > James Kennedy
- >
- > WVDEP OOG
- > <4710900450.pdf>