Office of Oil and Gas 1356 Hansford Street Charleston, WV 25301 Phone: (304) 558-6075 Fax: (304) 558-6047

West Virginia Department of Environmental Protection

Bob Wise, Governor

November 25, 2002

Michael O. Callaghan, Cabinet Secretary

FINAL INSPECTION REPORT

WELL PLUGGING PERMIT RELEASED

U.S. STEEL MINING COMPANY, LLC,

The FINAL INSPECTION REPORT for the permit, API Well Number: 47-10901860, issued to U.S. STEEL MINING COMPANY, LLC, and listed below has been received in this office. Your Affidavit of Plugging was received and reclamation requirements approved. The well designated by the permit number below has been released under your bond.

JAMES MARTIN

Chief,

Office of Oil and Gas

Kay Gottsclaw

Operator: U.S. STEEL MINING COMPANY, LLC

Operator's Well No: 0

Farm Name: U.S. STEELE MINING

API Well Number: 47-10901860

Date Issued: 12/23/1999

West Virginia
Department of
Favoroumental Protection

State of West Virginia Division of Environmental Protection Section of Oil and Gas

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

U. S. Steel Mining Co Coal Operator or O			U. S. Steel Mining Company, LLC Name of Well Operator						
P.O. Box 338 - Pinev	ville, WV 24874		P.O. Box 338 - Pineville, WV 24874 Complete Address						
U. S. Steel Mining Co Lessee or Propert P.O. Box 338 - Pinevi	ompany, LLC ty Owner	v	Well and Location Center District of Wyoming County, West Virginia Well NoDW-8B Farm Name:U. S. Steel Mining Company, LLC						
STATE INSPECTOR SUI	PERVISING PLUGG	ING <u>Ofie Helr</u>	nick			RECEIVED Office of Oil & Gas			
STATE OF WEST VIRGINIA County of McDowell David Trader and Malcolm Ashley being first duly sworn according to law depose and say that they are experienced in the work of plugging filling oil and gas wells and were employed by U. S. Steel Mining Company, LLC, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2nd day of March, 2000, and that the well was plugged and filled in the following manner: Horizontal									
Sand or Zone Record Formation (Coal Seam)	Filling Ma		Plugs Used Size & Kind		Pulled	Casing Left In]		
(Name) Poca No. 3						9%" - 20' of Surface Casing 7" - 650'			
		Vertical					_		
Sand or Zone Record Formation (Coal Seam)	Plugs Used Size & Kin		Pulled		asing Left In				
(Name) Poca No. 3	Betonite Gel	7" inflatable pac @ 740'	ker	2 - 1/6 " tubir	113	8%" - 735' 11¾" - 601' 1" pipe - 367' in cavity 16" - 15' Surface casing			
Description of Monuments: 113/4" well head @24" above the ground.									
And further dep	onents saith not.	Malial	Tho	Calley	e 16th day	of <u>March</u> ,2000.			
Sworn to and subscribed	ma Der	laine C.	1/	,2000 speu		Notary Public			
My commission expires	March 14	900.8		Permit No					

RECEIVED Office of Oil & Gas Permitting

FORM WW-4(B)

DEC 02 1999

Vvv Elization of Confronmental Protection



1) Date: <u>November 19</u>, 1999

2) Operator's Well No. <u>DW-8B</u>

3) API Well No. 47-109-01718e 1860p State - County -Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, OIL AND GAS DIVISION APPLICATION FOR A PERMIT TO PLUG AND ABANDON A WELL

4)	WELL T	YPE:	A Oil	/ G	as x	/ Liqui	l injection	n/	Waste I	Disposal		/	
			B (If "Ga	s" Product	ion x	/ Undergre	ound stor	age)/	Deep _	/	Shallow_	/ (CBM/
5)	LOCATI	ON:	•	1585.05		_		Nancy For					
,			District _					Wyoming					L
6)	WELL O	PERATOR		S. Steel Mi				DESIGNA					
٠,		ddress		D. Box 338			.,	Address		_			
				eville, WV								le. WV	24874
8)	OIL & G	AS INSPE		BE NOTIF		,	9)	PLUGGIN	IG CON	TRAC			
٠,		ame		ie Helmick			-,	Name) .	
		ddress). Box 398				Address	_				
				enton, WV							WV 2523	34	
				ALCII, III	21010			_	2 22 22 22 22	3544			· · · · ·
10)	WORK (ORDER:	The work	order for th	ne manner o	of plugging	this well	is as follows	s:				90
,						1 00 0							•
	1. ·C	lean out we	ll base to o	original T.D).				J	11/	7 _		
				•		f oas well			. 11	1)W	a9		
	2. Spot cast iron plug to 742 feet from surface of gas well.												
	 Clean out well base to original T.D. Spot cast iron plug to 742 feet from surface of gas well. Spot expanding cement to surface of horizontal bore. 												
								\mathcal{C}	A	110			
								O					
									1				
						FFICE USI							
					PL	UGGING	PERMIT						
													1000
Peri	nit numbe	r							Date				, 1999
This	s permit co	vering the	well operat	tor and well	l location sh	nown below	is eviden	ce of permi			plug in a	ccordan	ce with the
				the condition									
-	_	-	-	ore actual p							J		
	_		ork is as de	escribed in t	he Notice a	nd Applica	tion, plat,	, subject to	any mod	lification	is and cor	nditions	on the
	revers	se hereof.											
Derr	nit expires				unlecc	nlugging is	commen	ced prior to	that dat	e and nr	osecuted	with du	e diligence
rçii	mi expires				uncss	prugging is	Commen	cca prior to	uiat uat	c and pr	oscoulou	WILLI CLIN	c diligolico.
Bo	ond:	Agent:	Plat:	Casing	WPCP	Other	1						
								Dira	ctor Div	rigion of	f Oil & G	ac	
								DIG	wor, DI	A TOTOTT ()	. Un the U	เเง	