

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, October 26, 2022 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for LCHC-007C

47-109-02406-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: LCHC-007C

Farm Name: POCAHONTAS LAND CORP

U.S. WELL NUMBER: 47-109-02406-00-00

Coal Bed Methane Well Plugging
Date Issued: 10/26/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4BRev. 2/01

1) Date A	oril 26	,	2022
2) Operato			
Well No	. LCHC-007	С	
3) API Wel	ll No. 4	7 - 109	- 02406

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

				199,000.0						
APPLICATION	FOR	Α	PERMIT	TO	PLUG	AND	ABANDON	A	CBM	WE

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON A COM WELL.
4)	Well Type: Oil/ Gas X/ Liquid	d injection / Waste disposal /
		derground storage) Deep/ ShallowX
F (Tarabian 2/33 2/1 ft	Watershed Clear Fork
5)	Location: Elevation 2433.24 ft District Oceana	County Wyoming Quadrangle Arnett
	District Occana	County Wyoning Quadrangle when
6)	Well Operator Diversified Production, LLC	7) Designated Agent Jeff Mast
	Address 414 Summers Street	Address 31 Hickory Drive
	Charleston, WV 25301	Barboursville, WV 25504
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name Gary Kennedy	Name R & J Well Services
	Address 66 Old Church Lane	Address P.O. Box 40
	Pipestem, WV 25979	Hueysville, KY 41640-0040
	THIS IS A HORIZONTAL WELL DEILLED AS A PINA	COM PRODUCTION
Noti	fication must be given to the district of	il and gas inspector 24 hours before permitted
work	can commence.	
Work	order approved by inspector	Kanuary Date 4/29/22

Plugging Prognosis

API#: 4710902406

Casing Schedule:

13 3/8" @ 32' CTS 9 5/8" @ 308' 7" @ 1553' CTS

TD listed as 1,642'

Estimated lateral from plat

- C Hole (109-02406)
 - o 12,500' x 4.75" Hole ID = 1,538 Cu ft = 342 BBL w/ 125% excess

Fresh Water: None listed Salt Water: None listed Gas Shows: None listed Oil Shows: None listed Coal: None Listed Elevation: 2440'

USE EXPANDING CEMENT.

Mes

- 1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.
- 2. Record pressure on csg.
- 3. TOOH w/ rods and tbg.
- 4. Kill well with gel as needed. Then proceed to load wellbore with gel to a minimum of 125% capacity until wellbore is filled.
- 5. Proceed to load wellbore with bentonite pellets. Top is not to exceed 1603'
- TIH w/ tbg to 1603'. Pump 100' C1A cement plug from 1603' to 1503' (7" csg shoe plug). Tag TOC
- 7. TOOH w/ tbg to 1503'. Pump 6% bentonite gel spacer from 1503' to 358'.
- 8. Confirm 7" csg is cemented to surface. If not TOOH w/ tbg. Free point csg and set plug 50' in/out of cut for total of 100'.
- 9. TOOH w/ tbg to 358'. Pump 358' C1A cement plug from 358' to surface
- 10. Reclaim site and set monument per WV DEP regulations.

Office of Oil and Gas

MAY 03 2022

WV Department of Environmental Protection WR-35

DATE: 12/20/2005 API#:: 4710902406C

State of West Virginia Division of Environmental Production Section of Oil and Gas

Well Operator's Report of Well Work

Farm Name Pocahontas Land Corporation		Operate	or Well No.: LCHO	C-007C		
LOCATION: Elevation: 2440.54			ngle: Arnett 7 1/2'			
District. Consens		0				
District: Oceana	5 47	County: Wyo				
Latitude: 6250 Feet South of 37	Deg. 47	Min. 30	Sec.			
Longitude: 6290 Feet West of 81	Deg. 27	Min. 30	Sec.			
Company: Penn Virginia Oli & Gas Corporation	Casing and Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.		
Address: 2550 East Stone Drive, Suite 110	13 3/8"	32'	32'	18 cu ft		
Kingsport, TN 37660	9 5/8"	308'	308'	0		
Agent: Harry Jewell	7*	1553'	1553'	378 cu ft	1	
Inspector: Ralph Triplett						
Date Permit Issued: 09/23/2004						
Date Well Work Commenced: 09/30/2004						
Date Well Work Completed: 04/29/2005					1	
Verbal Plugging:						
Date Permission granted on: Rotary X Cable Rig						
Rotary X Cable Rig Total Depth (feet): 1,642	-		-			
Fresh Water Depth (ff):	1					
NA						
	-				1	
Salt Water Depth (ft):	1			İ	1	
NA				i		
Is coal being mined in area (N/Y)?	1	1	<u> </u>		8	
Coal Depths (ft):			Adde			
		1			RECE	I) em
OPEN FLOW DATA					Office of O	land Gas
Producing formation Lower Beckley Coal		Pay	zone depth (ft)		MAN	750 108
· · · · · · · · · · · · · · · · · · ·	il: Initial open flor		BbVd		MAY 03	2022
	nal open flow _	Bbl/d				-022
Time of open flow between initial and final to	TO THE STATE OF TH	Hours			WV Departm	
Static rock pressure psig (surface	pressure) after _	Hour	5	E	nvironmental	nent of
Second producing formation		Pay zone	depth (ft)	3.0	nvironmental f	rotection
Gas: Initial open flow MCF/d C	Dil: Initial open flo	ow	Bbl/d		1	
Final open flow MCF/d F	inal open flow	BbV	d	RECEIVED Office of Oil & Gas Office of Chief	1	
Time of open flow between initial and final t		Hours	1 (Office of Chien	\	
Static rock pressurepsig (surface pr		Hour	1	JAN 2 3 2006	\	
NOTE: ON BACK OF THIS FORM PUT THE FOLLS INTERVALS, FRACTURING OR STIMULATING, PI WHICH IS A SYSTEMATIC DETAILED GEOLOGIC COAL ENCOUNTERED BY THE WELLBORE.	OWING: 1). DET HYSICAL CHAN CAL RECORD O	FAILS OF PERF IE, TEC. 2). THI F ALL FORMAT		G W Department of Emironmental Prote	orion &	
Signed: Michael Stampe By: Michael Stampe Date: 13/31/3005	ipu)		\		THOU	8/202
					1012	OI ZOZI


0	n.	,
 м	W	
 4	_	-

FORMATIONS	TOP	воттом	REMARKS	
Sandstone/Shale	0	458		
Coal	458	460		
Sandstone/Shale	460	648		
Coal	648	650		
Sandstone/Shale	650	1576		
Coal (Lower Beckley)	1576	1579		
Sandstone/Shale	1579	1642		

RECEIVED
Office of Oil and Gas

MAY 0 3 2022

WV Department of Environmental Protection



WW-4A Revised 6-07

1)	Date:	April 26, 2022			
2)	Operator's	Well Number	er		
3)	API Well N	Jo.: 47 -	109	02406	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own	ner(s) to be served:	5) (a) Coal Operator	
	(a) Name	Pocahontas Surface Interest	Name	None
	Address	P.O. Box 1517	Address	
		Bluefield, WV 24701		
	(b) Name	*	(b) Coal Own	ner(s) with Declaration
	Address	•	Name	Pocahontas Royalties LLC
		-	Address	P.O. Box 1517
				Bluefield, WV 24701
	(c) Name		Name	
	Address		Address	
6)	Inspector	Gary Kennedy	(c) Coal Less	see with Declaration
15	Address	66 Old Church Lane	Name	Consol Mining Company LLC
		Pipestem, WV 25979	Address	CNX Center Suite 100, 1000 Consol Energy Drive
	Telephone	304-382-8402		Cannonsburg, PA 15317

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A. Copley 144 Willard Circle Hurricane, WV 25526	Well Operator By: Its: Address	Diversified Production, LLC Jeff Mast Director Technical Services 414 Summers Street	
My C	commission Expires September 16, 2023		Charleston, WV 25301	Office
		Telephone	304-543-6988	Office of Oil and
	and sworn before me thi	mycos u	ay of april, 2022 Notary Public	MAY 0 3 202 WV Department of Environmental Protect

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

47-109-02406 LCNC-007C



LCHC-007A, LCHC-007B, LCHC-007C

tructions

Consol Mining Co., LLC

CNX Center, Suite 100 1000 Consol Energy Drive

Cannonsburg, PA 15317

Total P

Sent T

City, S

7020

WW-9 (5/16)

API Number	47 -	109	-	02406	
Operator's W	ell No	LCF	IC-00	07C	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Diversified Production, LLC	OP Code 494524121
Watershed (HUC 10) Clear Fork Quadrangle	Arnett
Do you anticipate using more than 5,000 bbls of water to complete the proposed w	vell work? Yes No V
Will a pit be used? Yes No	
If so, please describe anticipated pit waste: Produced fluid and cement	returns
Will a synthetic liner be used in the pit? Yes 🗸 No 📗 If	so, what ml.? 20
Proposed Disposal Method For Treated Pit Wastes:	WW-0-GPP)
Land Application (if selected provide a completed form	1 11 11 -5-G(1)
Underground Injection (UIC Permit Number Twin Bran Reuse (at API Number	nch 47471511
Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal loc	eation)
Other (Explain_	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater	er, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium?N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A	
-If left in pit and plan to solidify what medium will be used? (cement, lin	me, sawdust) N/A
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Cas of any load of of West Virginia solid waste facility. The notice shall be provided within 24 hours of where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the Gon April 1, 2016, by the Office of Oil and Gas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or condition or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and ar application form and all attachments thereto and that, based on my inquiry of thos the information, I believe that the information is true, accurate, and complete. submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official Title Director Technical Services	of Environmental Protection. I understand that the on of the general permit and/orother applicable law me familiar with the information submitted on this se individuals immediately responsible for obtaining I am aware that there are significant penalties for OFFICIAL SEAL NOTARY FUBLIC STATE OF WEST VIRGINIA Phyllia A. Copley 144 Willard Circle Hurricane, WV 25528
Company Critical Table	My Commission Expires September 16, 2023
Subscribed and sworn before me this 26th day of april , 20:	22 Office of Oil and Gas
Phylipa. Cople	MAY 0 3 2022
My commission expires September 16, 2023	WV Department of Environmental Protection


	ment: Acres Disturbed	-/- Preveg etation pl	Η
Lime 3	Tons/acre or to correct	t to pH 605	
Fertilizer type	10-20-20 or equiva	lent	
Fertilizer amount		lbs/acre	
Mulch_2		_Tons/acre	
		Seed Mixtures	
Те	mporary	Perma	nent
Seed Type Red Fescue	lbs/acre 40	Seed Type Red Fescue	lbs/acre 15
Alsike	5	Alsike Clover	5
Annual Rye	15		
provided). If water from the L, W), and area in acres, of	pit will be land applied, pro the land application area.	application (unless engineered plans incluvide water volume, include dimensions (L,	W, D) of the pit, and dimension
Plan Approved by:	pit will be land applied, pro the land application area. ved 7.5' topographic sheet. Huy Kewwa	vide water volume, include dimensions (L,	W, D) of the pit, and dimension
Plan Approved by:	pit will be land applied, pro the land application area. ved 7.5' topographic sheet. Huy Kewwa	vide water volume, include dimensions (L,	W, D) of the pit, and dimension
Plan Approved by:	pit will be land applied, pro the land application area. ved 7.5' topographic sheet. Huy Kewwa	vide water volume, include dimensions (L,	W, D) of the pit, and dimension
Plan Approved by:	pit will be land applied, pro the land application area. ved 7.5' topographic sheet. Huy Kewwa	vide water volume, include dimensions (L,	W, D) of the pit, and dimension
Plan Approved by:	pit will be land applied, pro the land application area. ved 7.5' topographic sheet. Huy Kewwa	vide water volume, include dimensions (L,	W, D) of the pit, and dimension
Photocopied section of involved and Approved by: Comments:	pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (L,	RECEIVED Office of Oil and
Title: Trespectation Field Reviewed? (Catton)	pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, and dimension



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

	ATTOM FORM. GIS		
_{API:} 4710902406	WELL NO.: 1	07 C	_
FARM NAME: Pocahontas Land Corporation			
RESPONSIBLE PARTY NAME: Diversified Production LLC			
COUNTY: Wyoming	Oce	eana	_
QUADRANGLE: Arnett, WV			-
SURFACE OWNER: Pocahontas Surface Interest			
ROYALTY OWNER: Summit Nat Resources/DP Bluegrass LLC			
UTM GPS NORTHING: 41809			
UTM GPS EASTING: 457733		_{ION:} 2433.24	! '
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential			
	me Differential		RECEIVEL Office of Oil and Gas
Mapping Grade GPS X : Post			MAY 0 3 2022
A. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas. Digitally signed by Austin Sutler Date: 2022.04.14 15:30:58 Sr. Proj. Manager 4/14/2022			
Signature	Title	Date	





Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued for 471092406, 2405, and 2404

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Oct 26, 2022 at 2:39 PM

To: Austin Sutler <asutler@dgoc.com>, Phyllis Copley <pcopley@dgoc.com>, Gary L Kennedy <gary.l.kennedy@wv.gov>, mecook2@assessor.state.wv.us


To whom it may concern, plugging permits have been issued for 471092406, 2405, and 2404.

James Kennedy


WVDEP OOG

6 attachments











IR-8 4710902404.pdf 12K