



# west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 15, 2012

### FINAL INSPECTION REPORT

**New Well Permit Cancelled** 

CLASSIC OIL & GAS RESOURCES INC,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-10902975, issued to CLASSIC OIL & GAS RESOURCES INC, and listed below has been received in this office. The permit has been cancelled as of 11/15/2012.

James Martin Chief

Operator: CLASSIC OIL & GAS RESOURCES INC

Operator's Well No: SPEARS 2

Farm Name: SPEARS, DENVIL

API Well Number: 47-10902975

Date Issued: 01/25/2008

Date Cancelled: 11/15/2012

Promoting a healthy environment.



## west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Joe Manchin III, Governor Stephanie R. Timmermeyer, Cabinet Secretary www.wvdep.org

January 25, 2008

# WELL WORK PERMIT

#### New Well

This permit, API Well Number: 47-10902975, issued to CLASSIC OIL & GAS RESOURCES INC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, well operators report of well work, is to be submitted to this office within 90 days of completion of drilling, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin Chief

Operator's Well No: SPEARS 2

Farm Name: SPEARS, DENVIL

API Well Number: 47-10902975

Permit Type: New Well Date Issued: 01/25/2008

Promoting a healthy environment.

79 Form: WW - 2B

# 109-02975

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION,	OFFICE O	F OIL AND	SAS
WELL WORK PERMIT APPLICAT			

				109	6	400		
1)Well Operator	Classic Oil & Gas	Resources, Inc.	310128	Wyoming	Oceana	Matheny		
i) i i oporator	0,000,000		Operator ID	County	District	Quadrangle		
3) Elevation:1	Oil or Gas_ If Gas: Production	X on_X/ Undergro	und Storage X		_			
5) Proposed Target Formation(s):Gordon Sand 6) Proposed Total Depth:3,790 Feet 7) Approximate fresh water strata depths:45'-300' Feet 8) Approximate salt water depths:No Record On Adjacent Well Logs 9) Approximate coal seam depths:3' Sewell @ 618', 12' Beckley @ 909', 2' Fire Creek @ 982',1' Lower Fire Creek @ 976', 1' Poca 6 @ 1,018', 1' Poca 4 @ 1,158'.								
10) Does land contain coal seams tributary to active mine? None Known								
11) Describe proposed well work								
		A						

CASING AND TUBING PROGRAM 12) **FOOTAGE** INTERVALS CEMENT **TYPE SPECIFICATIONS** Fill -up (Cu. Ft.) Left in Well For Drilling Size Grade Weight per ft N/A 12-3/4" LS 36# 20 feet 20 feet Conductor Cement To Surface 350 feet if 350 feet if LS 26# Fresh Water 9-5/8" needed needed Coal Cement To Surface 1,200 Feet 7" - . LS 17# 1,200 Feet Intermediate Cement Over Pays 3,850 Feet 3,850 Feet 9.5# 4-1/2' LS Production Office of Oil & Gas **Tubing** 

Liners
Packers:

Kind

Sizes

Depths Set

By 125108 JAN 112008

Nelbol CS WV Department of Environmental Protection

11.2

Ott30130.