

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, August 26, 2022 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for WPHC-216B

47-109-03002-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: WPHC-216B

Farm Name: HEARTWOOD FORESTLANIA

U.S. WELL NUMBER: 47-109-03002-00-00

Coal Bed Methane Well Plugging

Date Issued: 8/26/2022

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1)Date	April 18		20 22
2)Opera	ator's		
	No. WPHC		
3) APT V	Well No.	47-109	- 03002

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	IT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas $\frac{X}{X}$ / Liquid (If "Gas, Production $\frac{X}{X}$ or Und	injection/ Waste disposal/ erground storage) Deep/ Shallow X
5)	Location: Elevation 2354.62 ft District Slab Fork	Watershed Laurel Branch of Laurel Fork County Wyoming Quadrangle McGraws
6)	Well Operator Address Address Diversified Production, LLC 414 Summers Street Charleston, WV 25301	7) Designated Agent Jeff Mast Address 31 Hickory Drive Barboursville, WV 25504
8)	Oil and Gas Inspector to be notified Name Gary Kennedy Address 66 Old Church Lane Pipestem, WV 25979	9) Plugging Contractor Name R & J Well Services Address P.O. Box 40 Hueysville, KY 41640-0040
10)	Work Order: The work order for the man	
	8	RECEIVED Office of Oil and Gas APR 2 5 2022 WV Department of Environmental Protection
Not	cification must be given to the district of the can commence.	oil and gas inspector 24 hours before permitted
Wo:	rk order approved by inspector	New Date 4/22/22

USE EXPANDING CEMENT , DINGS.

Plugging Prognosis

API#: 4710903002

Casing Schedule:

13 3/8" @ 40 9 5/8" @ 210' (CTS w/ 83 cu ft) 7" @ 1151' (CTS w/230 cu ft) 2 7/8" tbg @ 1204

TD listed as 1,318'

Estimated lateral from plat

B Hole

o 28,000' x 4.75" Hole ID = 3,445 Ču ft = 766 BBL w/ 125% excess

Fresh Water: None listed
Salt Water: None listed
Gas Shows: None listed
Oil Shows: None listed

Coal: 12', 80', 89', 338', 710', 924', 968', 1022', 1040', 1191', 1307'

Elevation: 2360'

1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.

- 2. Record pressure on csg.
- 3. TOOH w/ rods and tbg.
- 4. Kill well with gel as needed. Then proceed to load wellbore with gel to a minimum of 125% capacity until wellbore is filled.
- 5. Proceed to load wellbore with bentonite pellets. Top is not to exceed 1241'
- TIH w/ tbg to 1241'. Pump 581' C1A cement plug from 1241' to 660' (7" csg shoe plug and coal show). Tag TOC
- 7. TOOH w/ tbg to 660'. Pump 6% bentonite gel spacer from 660' to 388'.
- 8. Confirm 7" csg is cemented to surface. If not TOOH w/ tbg. Free point csg and set plug 50' in/out of cut for total of 100'.
- 9. TOOH w/ tbg to 388'. Pump 388' C1A cement plug from 388' to surface
- 10. Reclaim site and set monument per WV DEP regulations.

Office of Oil and Gas

APR 2 5 2022

WV Department of Environmental Protection

DATE: 01/12/2009

API#:: 4710903002C7 1 0 9 0 3 0 0 2 P

State of West Virginia Division of Environmental Production Section of Oil and Gas

Well Operator's Report of Well Work

Farm Name The Forest Land Group, LLC		Operato	or Well No.: WPHC	-216B	
LOCATION Elevation: 2360		Quadran	ngle: McGraws 7 1/3	2'	
21	2	County: Wyo	oming		
District: Slab Fork Latitude: 3950 Feet South of 37	Deg. 40	Min. 00	Sec.	•	
	Deg. 40	Min. 30	Sec.		
	Deg. <u>27</u>				
Company: Penn Virginia Oil & Gas Corporation	Casing and Tubing	Used in drilling	Left in well	Cement fill up Cu, Ft.	- n
Address: Seven Sheridan Square, Suite 200	13 3/8"	40'	40'		
Kingsport, TN 37660	9 5/8"	210'	210'	70sks/83cf	CTS
Agent: Bryant Bowman	7"	1151'	1151'	195sks/230c	CTS
Inspector: Barry Stollings	2 7/8"		1204'		_
Date Permit Issued: 05/02/2008		1			
Date Well Work Commenced: 06/01/2008					-
Date Weil Weil Complete					
Verbal Plugging: Date Permission granted on:					_
Rotary X Cable Rig					_
Total Depth (feet): 1,318					_
Fresh Water Depth (ft):					
Hole damp - 846'			(6)		
	+			1	
Salt Water Depth (ft):					
None Reported					
Is coal being mined in area (N/Y)? N					 -
Coal Depths (ft):			*		
12', 80' 89', 338', 710', 924', 968', 1022', 1040', 1191', 1307	-0	Ī	44		38
¥°	AND THE				
7 2	VE				
OPEN FLOW DATA					
Producing formation Pocahontas 6		Pa	y zone depth (ft)	1191-1198	o•s n ⁵⁵
	il: Initial open flo		Bbl/d	M M	
	nal open flow	Bbl/d		40	
Time of open flow between initial and final t	O-	Hours	90		
	pressure) after	- Hou	rs		
Static rock pressure paig (contact	procedure, anter				RECEIVED
Second producing formation			e depth (ft)	Offic	e of Oil and Gas
Gas: Initial open flow MCF/d	Dil: Initial open f	low	Bbl/d		D 0 5 0000
Final open flow MCF/d F	inal open flow	Bbl	I/d	AF	PR 2 5 2022
Time of open flow between initial and final	tests:	Hours			u#
Static rock pressurepsig (surface p		Hou		Enviror	Department of mental Protection
NOTE: ON BACK OF THIS FORM PUT THE FOLL INTERVALS, FRACTURING OR STIMULATING, P WHICH IS A SYSTEMATIC DETAILED GEOLOGIC COAL ENCOUNTERED BY THE WELLBORE.	HYSICAL CHAI	NE, TEC. 2). TH	HE WELL LOG	G PRESERVE	C.C.
2 2	^ ~			ENLY TIME	and I.
Signed: Martha to of	eichor)		I TWW F F	- Jacober
By: ENGLYN HUNG	50N)5 *.		Sourcemental	Profession
w				Secure of the second	0/02/2022
				· U	9/02/2022

4710903002P

the

FORMATIONS	TOP	воттом	REMARKS
Sand & Shale	0000	0012	
Coal	0012	0014	
Sand & Shale	0014	0800	
Coal	0080	0082	
Shale	0082	0089	
Coal	0089	0091	
Sand & Shale	0091	0338	
Coal	0338	0340	
Sand & Shale	0340	0710	
Coal	0710	0714	
Sand & Shale	0714	0924	
Coal	0924	0927	
Sand & Shale	0927	0968	
Coal	0968	0970	190
Sand	0970	1022	
Coal	1022	1025	
Sand & Shale	1025	1040	
Coal	. 1040	1052	
Sand & Shale	1052	1191	
Coal .	1191	1198	Poca 6 - Horizontal Targer +
Sand & Shale	1198	1307	
Coal	1307	1310	
Sand & Shale	1310	1318	TD Vertical Production Well

RECEIVED Office of Oil and Gas

APR 2 5 2022

WV Department of Environmental Protection WW-4A Revised 6-07

1) Date:	April 18, 2022		 	
2) Opera WPHC-2	tor's Well Numb	er er		
3) API W	ell No.: 47 -	109	 03002	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

4)		ner(s) to be served: Lyme Mountaineer Timberlands	5) (a) Coal Operator Name	West Virginia Mid Vol Inc.	
	(a) Name		Address	836 Euclid Avenue, Suite 302	
	Address	23 South Main		Lexington, KY 40502	
	(b) Name	Hanover, NH 03755	(b) Coal Ow Name	ner(s) with Declaration West Virginia Mid Vol Inc.	
	Address		Address	836 Euclid Avenue, Suite 302	
			Tidatoos	Lexington, KY 40502	
	(c) Name Address		Name Address		
C)	Tuenceton	Gary Kennedy	(c) Coal Les	see with Declaration	
6)	Inspector	66 Old Church Lane	Name	Prime Met, Inc.	
	Address	Pipestem, WV 25979	Address	836 Euclid Avenue, Suite 302	
	Telephone	304-382-8402		Lexington, KY 40502	

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.


Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

		7		
	OFFICIAL SEAL	Well Operator	Diversified Production, LLC	
OF WEST PROPERTY.	NOTARY PUBLIC STATE OF WEST VIRGINIA	By:	Jeff Mast	
美國國際	Phyllis A. Copley	Its:	Director Technical Services	
	144 Willard Circle	Address	414 Summers Strret	
San anuren and the Co	Hurricane, WV 25528 commission Expires September 16, 2023	3 7	Charleston, WV 25301	
	*************	Telephone	304-543-6988	
			april 2022	RECEIVED Office of Oil and G
G 1 1 1 - 1 -	and sworn before me thi	. 18th d	ax of	Office of Oil and G
Subscribed	and sworn before ing the	allin a.	Notary Public	APR 2 5 202
My Commis	sion Expires September 1	5, 2023		APR B
III) Commi				

Oil and Gas Privacy Notice

WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.




WW-9 (5/16)

API Number	47	_ 1	09		03002	
Operator's W			WPF	IC-2	16B	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_Diversified Production, LLC OP Code 494524121
Watershed (HUC 10) Laurel Branch of Laurel Fork Quadrangle McGraws
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No Y
Will a pit be used? Yes No No
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.? 20
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Twin Branch 47471511
Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A RECEIVED Office of Oil and Ga
-Landfill or offsite name/permit number? N/A APR 2 5 2022
Provides the Unavide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any
West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also discuss the WV Department of the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permittee shall be provided within 24 hours of rejection and the permi
where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand that the
provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.
I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining
the information. I believe that the information is true, accurate, and complete. I am aware that there are significant penalties to
submitting false information, including the possibility of fine or imprisonment.
Company Official Signature STATE OF WEST VIRGINIA
Company Official (Typed Name) Jeff Mast Phyllis A. Copley
Company Official Title Director Technical Services
all and the second seco
Subscribed and sworn before me this state day of, 2022
Mullis a. Copley Notary Public
My commission expires September 16, 2023

roposed Revegetation Treatmen	t: Acres Disturbed 1 +/-	Preveg etation pF		
	Tons/acre or to correct to pH			
Fertilizer type	CONTRACTOR OF THE PROPERTY OF			
	lbs	/acre		
Mulch 2				
		ENTER T		
	Seed	Mixtures		
Tempo	orary	Perma		
Seed Type	lbs/acre	Seed Type Red Fescue	lbs/acre 15	
Red Fescue	40		5	
Alsike	5	Alsike Clover	3	-
Annual Rye	15			-
Maps(s) of road, location, pit at provided). If water from the pit (L, W), and area in acres, of the	e land application area.	ation (unless engineered plans incluter volume, include dimensions (L	nding this info have been, W, D) of the pit, and dime	ensions
Attach: Maps(s) of road, location, pit as provided). If water from the pit (L, W), and area in acres, of the Photocopied section of involve	e land application area. d 7.5' topographic sheet.	ation (unless engineered plans incl ater volume, include dimensions (L	, , , , , , , , , , , , , , , , , , , ,	-
Maps(s) of road, location, pit at provided). If water from the pit (L, W), and area in acres, of the Photocopied section of involve	d 7.5' topographic sheet.	ater volume, include dimensions (2	, , , , , , , , , , , , , , , , , , , ,	-
Maps(s) of road, location, pit at provided). If water from the pit (L, W), and area in acres, of the Photocopied section of involve Plan Approved by:	d 7.5' topographic sheet.	ater volume, include dimensions (2	Office	RECEIVED of Oil and O
Maps(s) of road, location, pit at provided). If water from the pit (L, W), and area in acres, of the Photocopied section of involve Plan Approved by:	d 7.5' topographic sheet.	ater volume, include dimensions (2	Office	RECEIVED oil and core 2 5 202
Maps(s) of road, location, pit at provided). If water from the pit (L, W), and area in acres, of the Photocopied section of involve Plan Approved by:	d 7.5' topographic sheet.	ater volume, include dimensions (2	Office	RECEIVED of Oil and O
Maps(s) of road, location, pit at provided). If water from the pit (L, W), and area in acres, of the Photocopied section of involve Plan Approved by:	d 7.5' topographic sheet.	ater volume, include dimensions (2	Office AF W Enviro	RECEIVED oil and core 2 5 202





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WELL LOC	ATION FURNI. GIS	
_{API:} 4710903002	WELL NO.: V	/PHC-216B
FARM NAME. Heartwood	Forestland Fund	
RESPONSIBLE PARTY NAME:	Diversified Producti	on LLC.
COUNTY: Wyoming	bistrict: Sla	b Fork
OUADRANGLE: McGraws,	WV	
SURFACE OWNER: Lyme M	ountaineer Timberla	ands
ROYALTY OWNER: DP Blue	egrass LLC	
UTM GPS NORTHING: 41677	753.61	
UTM GPS EASTING: 457442	.9 GPS ELEVAT	_{ION:} 2354.62
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements: 1. Datum: NAD 1983, Zone height above mean sea level. 2. Accuracy to Datum – 3.03. 3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assigned Ass will not accept GPS coordinate: 17 North, Coordinate Units: movel (MSL) – meters. 5 meters	API number on the es that do not meet
	ime Differential	WV Department
Mapping Grade GPS X : Post		Protection
	I-Time Differential	ONE TO THE
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regulation	knowledge and
Digitally signed by Austin Sutler Date: 2022.04.12 16:36:37 -04'00'	Sr. Proj. Manager	4/12/2022
Signature	Title	Date

Well: WPHC-216B API: 47-109-03002


PLUGGING PERMIT CHECKLIST

Plugging Permit
WW-4B
WW-4B signed by inspector
WW-4A
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
WW-9 PAGE 1 (NOTARIZED)
WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
RECENT MYLAR PLAT OR WW-7
WELL RECORDS/COMPLETION REPORT
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
MUST HAVE VALID BOND IN OPERATOR'S NAME
CHECK FOR \$100 IF PIT IS USED

Office of Oil and Gas

APR 20 2022

WV Department of Environmental Protection





Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued for 4710303001 4710303002

1 message

Kennedy, James P < james.p.kennedy@wv.gov> Fri, Aug 26, 2022 at 10:12 AM To: asutler@dgoc.com, Phyllis Copley <pcopley@dgoc.com>, Gary L Kennedy <gary.l.kennedy@wv.gov>, mecook2@assessor.state.wv.us

To whom it may concern, plugging permits have been approved for 4710303001 4710303002.

James Kennedy

WVDEP OOG

3 attachments



